

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPF1124	Information	00	09/02/15	09:35:11.390480	QWTPPIPP	QSYS	04C0	*EXT		*N
Message : Job 559940/I622KAB/QPADEV001L started on 09/02/15 at 09:35:11 in subsystem QINTER in QSYS. Job entered system on 09/02/15 at 09:35:11.										
CPF2451	Information	40	09/02/15	09:35:12.019077	QMHCHMSQ	QSYS	092E	*EXT		*N
Message : Message queue I622KAB is allocated to another job. Cause : If this message was received when trying to sign on, the most probable cause is that you are already signed on to another work station. (A message queue can be placed in break or notify mode in only one job at a time.) The message queue could also have been allocated by the Allocate Object (ALCOBJ) command or the Receive Message (RCVMSG) command. Recovery : Determine what job has allocated the message queue (using the WRKOBJLCK command). Work station message queues cannot be allocated. They are associated with the device of the same name. To determine if there are locks on a work station message queue, check the locks on the device description of the same name. When the message queue is no longer allocated try the request again.										
CPC2196	Completion	00	09/02/15	09:35:14.189430	QLICUSRL	QSYS	0114	INLJDE	ICSLSSYS	0025
Message : Library JDFOBJ73V7 added to library list. Cause : If the ADDLIBL command was used, JDFOBJ73V7 was added to the user library list. If the CHGSYSLIBL command was used, JDFOBJ73V7 was added to the system portion of the library list.										
CPF1015	Escape	40	09/02/15	09:35:14.192065	QWCSRTVR	QSYS	00BA	QRGXIOU	QSYS	008B
Message : Data area X0028 in *LIBL not found. Recovery : Either correct the data area name or change the library name (DTAARA parameter). Then try the request again.										
CPF4011	Diagnostic	10	09/02/15	09:35:14.202654	QDBOPEN	QSYS	*STMT	X00281	JDFOBJ73V7	0132
From module : QDBOPEN From procedure : SGNRTNOK Statement : 14971 Message : Buffer length longer than record for member F00921. Cause : The file record length for member F00921 file F00921 in library ICSJDESEC is 29. The buffer entry length is 32. The remainder of the buffer entry is filled with blanks. Recovery : If necessary, change the record length specified in the program to the length of the longest record in the member. Then try your request again.										
CPC2206	Completion	00	09/02/15	09:35:14.228005	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
Message : Ownership of object X0028 in QTEMP type *DTAARA changed. Cause : The ownership of object X0028 in library QTEMP type *DTAARA has changed.										
CPC2206	Completion	00	09/02/15	09:35:14.237546	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
Message : Ownership of object VTTL@ in QTEMP type *DTAARA changed. Cause : The ownership of object VTTL@ in library QTEMP type *DTAARA has changed.										
CPC2206	Completion	00	09/02/15	09:35:22.371172	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
Message : Ownership of object I622KAB in QTEMP type *JOBBD changed. Cause : The ownership of object I622KAB in library QTEMP type *JOBBD has changed.										
CPF1015	Escape	40	09/02/15	09:35:22.393739	QWCSRTVR	QSYS	00BA	QRGXIOU	QSYS	008B
Message : Data area X0028 in *LIBL not found. Recovery : Either correct the data area name or change the library name (DTAARA parameter). Then try the request again.										

Job name : QPADEV001L User : I622KAB Number : 559940
 Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPC2206	Completion	00	09/02/15	09:35:22.399587	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
					Message : Ownership of object X0028 in QTEMP type *DTAARA changed.					
					Cause : The ownership of object X0028 in library QTEMP type					
					*DTAARA has changed.					
CPC2206	Completion	00	09/02/15	09:35:22.407849	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
					Message : Ownership of object X00RLS in QTEMP type *USRSPC changed.					
					Cause : The ownership of object X00RLS in library QTEMP type					
					*USRSPC has changed.					
CPC2206	Completion	00	09/02/15	09:35:22.412617	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
					Message : Ownership of object VTTL@ in QTEMP type *DTAARA changed.					
					Cause : The ownership of object VTTL@ in library QTEMP type					
					*DTAARA has changed.					
CPF1023	Escape	40	09/02/15	09:35:22.494937	QWCCCRVC	QSYS	0715	CRTVTTL@	JDFOBJ73V7	000D
					Message : Data area VTTL@ exists in QTEMP.					
					Cause : Data area VTTL@ already exists in library QTEMP. Recovery					
				 : Either change the data area or the library name (DTAARA parameter)					
					and then try the command again.					
CPC2191	Completion	00	09/02/15	09:35:22.570691	QLIDLOBJ	QSYS	061B	X0028	JDFOBJ73V7	0075
					Message : Object X0028 in QTEMP type *DTAARA deleted.					
CPF1015	Escape	40	09/02/15	09:35:22.570868	QWCSRTVR	QSYS	00BA	QRGXIOU	QSYS	008B
					Message : Data area X0028 in *LIBL not found.					
					Recovery : Either correct the data area name or change the library					
					name (DTAARA parameter). Then try the request again.					
CPC2206	Completion	00	09/02/15	09:35:22.576697	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
					Message : Ownership of object X0028 in QTEMP type *DTAARA changed.					
					Cause : The ownership of object X0028 in library QTEMP type					
					*DTAARA has changed.					
CPC2206	Completion	00	09/02/15	09:35:22.603054	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
					Message : Ownership of object JDEMSGQ in QTEMP type *DTAARA changed.					
					Cause : The ownership of object JDEMSGQ in library QTEMP type					
					*DTAARA has changed.					
CPF1023	Escape	40	09/02/15	09:35:22.605289	QWCCCRVC	QSYS	0715	CRTVTTL@	JDFOBJ73V7	000D
					Message : Data area VTTL@ exists in QTEMP.					
					Cause : Data area VTTL@ already exists in library QTEMP. Recovery					
				 : Either change the data area or the library name (DTAARA parameter)					
					and then try the command again.					
*NONE	Request		09/02/15	09:35:22.910437	J00CMDA	IJDPOBJ71	001B	J00CMDA	IJDPOBJ71	001F
					Message : -Command Processor					
CPC2101	Completion	00	09/02/15	09:36:43.961759	QLIEDTLL	QSYS	0079	QLIEDTLL	QSYS	0079
					Message : Library list changed.					
					Cause : The user library list was replaced by the specified list					
					of libraries.					
CPF0001	Escape	30	09/02/15	09:37:35.451816	QCADRV2	QSYS	04DD	QCMDEXC	QSYS	012F
					Message : Error found on IMSDPS command.					
					Cause : The system detected errors in the command. Recovery . . .					
					: See the previously listed messages in the job log. Correct the errors					
					and then try the command again. *N instead of a command name means that the					
					name had not been determined before the error was found.					
*NONE	Request		09/02/15	09:37:39.112437	MSZX1PCL	MSMPGM	0014	MSZX1PCL	MSMPGM	0014
					Message : -(c) Copyright 1990 Marketing Information Systems,					
					Evanston, Il USA.					
CPF2103	Escape	40	09/02/15	09:37:39.112861	QLICUSRL	QSYS	0198	MSZX1PCL	MSMPGM	0057

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					Message : Library MSMPGM already exists in library list. Cause : The library MSMPGM already exists in the library search list. The library was not added. Recovery : If MSMPGM is the library you specified omit the command. If you did not specify library MSMPGM then change the library name (LIB parameter). Then try the command again.					
CPF2103	Escape	40	09/02/15	09:37:39.112930	QLICUSRL	QSYS	0198	MSZX1PCL	MSMPGM	0062
					Message : Library MSMDTA already exists in library list. Cause : The library MSMDTA already exists in the library search list. The library was not added. Recovery : If MSMDTA is the library you specified omit the command. If you did not specify library MSMDTA then change the library name (LIB parameter). Then try the command again.					
CPC2101	Completion	00	09/02/15	09:37:39.114334	QLICHLIB	QSYS	00D1	MSZX1PCL	MSMPGM	00A0
					Message : Library list changed. Cause : The user library list was replaced by the specified list of libraries.					
CPC2198	Completion	00	09/02/15	09:37:39.114425	QLICHLLE	QSYS	01A3	MSZX1PCL	MSMPGM	00A7
					Message : Current library changed to *CRTDFT. Cause : The current library in the library list was changed to *CRTDFT.					
CPC2206	Completion	00	09/02/15	09:37:39.118867	QSYCHONR	QSYS	0695	QLIINSRT	QSYS	051B
					Message : Ownership of object CURCUS in QTEMP type *DTAARA changed. Cause : The ownership of object CURCUS in library QTEMP type *DTAARA has changed.					
CPC0904	Completion	00	09/02/15	09:37:39.119386	QWCCCRVC	QSYS	00A3	MSZX1PCL	MSMPGM	00C5
					Message : Data area CURCUS created in library QTEMP.					
CPC2353	Completion	00	09/02/15	09:37:39.139863	QMNCLRMQ	QSYS	004C	SYSREQC	MSMPGM	0041
					Message : Message queue XI622KAB in library QGPL cleared.					
CPF1023	Escape	40	09/02/15	09:37:39.141355	QWCCCRVC	QSYS	0715	CRTVTTL@	JDFOBJ73V7	000D
					Message : Data area VTTL@ exists in QTEMP. Cause : Data area VTTL@ already exists in library QTEMP. Recovery : Either change the data area or the library name (DTAARA parameter) and then try the command again.					
CPF2103	Escape	40	09/02/15	09:37:43.550817	QLICUSRL	QSYS	0198	SETUPENV2A	ICSPGM63	0028
					Message : Library TAATool already exists in library list. Cause : The library TAATool already exists in the library search list. The library was not added. Recovery : If TAATool is the library you specified omit the command. If you did not specify library TAATool then change the library name (LIB parameter). Then try the command again.					
CPC2196	Completion	00	09/02/15	09:37:43.550891	QLICUSRL	QSYS	0114	SETUPENV2A	ICSPGM63	0030
					Message : Library RPGTOOLBOX added to library list. Cause : If the ADDLIBL command was used, RPGTOOLBOX was added to the user library list. If the CHGSYSLIBL command was used, RPGTOOLBOX was added to the system portion of the library list.					
CPC2196	Completion	00	09/02/15	09:37:43.550949	QLICUSRL	QSYS	0114	SETUPENV2A	ICSPGM63	0038
					Message : Library DBU10 added to library list. Cause : If the ADDLIBL command was used, DBU10 was added to the user library list. If the CHGSYSLIBL command was used, DBU10 was added to the system portion of the library list.					
CPC4001	Completion	00	09/02/15	09:37:43.551511	QDBOPENC	QSYS	019B	MSZX1PCL	MSMPGM	012C

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					Message : Member CTLMAS file CTLMAS in MSMDTA opened. Cause : The file was opened with either the Open Data Base File (OPNDBF) command or the Open Query File (OPNQRYF) command, and the value CTLMAS was specified for the OPNID parameter.					
CPC4001	Completion	00	09/02/15	09:37:43.552234	QDBOPEN	QSYS	019B	MSZX1PCL	MSMPGM	012F
					Message : Member SYSCTL file SYSCTL in MSMDTA opened. Cause : The file was opened with either the Open Data Base File (OPNDBF) command or the Open Query File (OPNQRYF) command, and the value SYSCTL was specified for the OPNID parameter.					
CPC4001	Completion	00	09/02/15	09:37:43.552489	QDBOPEN	QSYS	019B	MSZX1PCL	MSMPGM	0132
					Message : Member USRPRF file USRPRF in MSMDTA opened. Cause : The file was opened with either the Open Data Base File (OPNDBF) command or the Open Query File (OPNQRYF) command, and the value USRPRF was specified for the OPNID parameter.					
CPF2105	Escape	40	09/02/15	09:37:47.045124	QLIDLOBJ	QSYS	061B	GSLEP01C	MJDPOBJ71	0010
					Message : Object GSLEF55P in QTEMP type *FILE not found. Cause : No object was found for the name or type specified. Recovery : Specify the correct name or type of the object. Then try the request again.					
CPI2101	Information	00	09/02/15	09:37:47.079537	QLICRDUP	QSYS	0983	GSLEP01C	MJDPOBJ71	0017
					Message : Object GSLEF55P in QTEMP type *FILE created.					
CPC2130	Completion	00	09/02/15	09:37:47.079621	QLICRDUP	QSYS	02A0	GSLEP01C	MJDPOBJ71	0017
					Message : 1 objects duplicated. Cause : All the objects with supported object types specified on the Create Duplicate Object (CRTDUPOBJ) command were duplicated. See low level messages to determine if any objects were not duplicated.					
CPF2479	Diagnostic	40	09/02/15	09:37:47.266169	QMHSNDPM	QSYS	0DD6	MSAJ9PCL	MSMPGM	0016
					Message : Call stack entry not found. Cause : Call stack entry GSLEP02C, specified for the send, receive, move or delete message operation, could not be found in the call stack. Recovery : Change the call stack entry name or be sure the specified entry is in the call stack when doing the requested operation.					
CPF2469	Escape	40	09/02/15	09:37:47.266192	QMHSNDPM	QSYS	0DE8	MSAJ9PCL	MSMPGM	0016
					Message : Error occurred when sending message. Recovery : See messages previously listed for a description of the error. Correct the error, and then try the command again.					
CPF9841	Escape	40	09/02/15	09:38:35.887050	QDMDELOV	QSYS	01F6	JSTRKIRN1	IJDPOBJ71	000D
					Message : Override not found at specified level. Cause : Overrides not found are: FSTRKIRN Recovery : If the program device names or the file names are not correct, change the program device name or the file name and try the request again. If the program device name or the file name is correct, do not use the Delete Override Device Entry (DLTOVRDEVE) or the Delete Override (DLTOVR) command.					
CPF9801	Escape	40	09/02/15	09:38:35.887149	QLICKOBJ	QSYS	01B6	JSTRKIRN1	IJDPOBJ71	0015
					Message : Object FSTRKIRN in library QTEMP not found. Cause : The object FSTRKIRN in library QTEMP type *FILE not found. The object name, library name, or the object type is not correct. If the library name is not specified, the object may be in a library that is not contained in the library list. Recovery : Correct the object name, library name, or object type. If the library name was not specified, specify the library name and try the request again.					
CPI2101	Information	00	09/02/15	09:38:35.972770	QLICRDUP	QSYS	0983	JSTRKIRN1	IJDPOBJ71	001C

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPC2130	Completion	00	09/02/15	09:38:35.973057	QLICRDUP	QSYS	02A0	JSTRKIRN1	IJDPOBJ71	001C
<p>Message : Object FSTRKIRN in QTEMP type *FILE created. Message : 1 objects duplicated. Cause : All the objects with supported object types specified on the Create Duplicate Object (CRTDUPOBJ) command were duplicated. See low level messages to determine if any objects were not duplicated.</p>										
CPC3101	Completion	00	09/02/15	09:38:35.973822	QDBCLRPF	QSYS	0241	JSTRKIRN1	IJDPOBJ71	0020
UZM0364	Completion	00	09/02/15	09:38:36.015624	ZMAPDBXML	ZMODLIB10	01A1	JSTRKIRN2	IJDPOBJ71	0020
UZM0151	Information	00	09/02/15	09:38:38.525133	ZMSNDLMSG	ZMODLIB10	003F	INGENMSGM	ZMODLIB10	*STMT
<p>To module : GENMSGMODS To procedure : sndmsg2Q Statement : 8</p>										
CPF4028	Diagnostic	10	09/02/15	09:38:38.526473	QDBOPEN	QSYS	*STMT	FTLOGFILE	ZMODLIB10	*STMT
<p>Message : IFS file /HOME/STRIKEIRON/RKAB093835 opened for output. From module : QDBOPEN From procedure : SGNRTNOK Statement : 14971 To module : FTLOGFILE To procedure : FTLOGFILE Statement : 1000001 Message : Open of member FTFLG1P was changed to SEQONLY(*NO). Cause : Member FTFLG1P file FTFLG1P in library ZMODLIB10 was opened with the SEQONLY(*YES) parameter specified in the program or on the Override Database File (OVRDBF) command. However, the parameter has been changed to SEQONLY(*NO) because of condition 1 shown below: 1 - The program opened member FTFLG1P for output operations only and SEQONLY(*YES) was specified with the default number of records. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow the program to handle duplicate key, conversion mapping, key mapping, and select or omit errors, or both select and omit errors at the time of the output operation. 2 - The program opened the member for other than input or output operations only. 3 - The program opened a logical file member for output operations only and that member is based on more than one physical file member. 4 - The record length plus the feedback information for the member is greater than 32,767 bytes. 5 - The commitment control level of *ALL is active and the member was opened for input operations only, or the commitment control levels of either *ALL, *CS, or *CHG were specified for a distributed file that was opened for input operations only. 6 - The program opened member FTFLG1P for output operations only and SEQONLY(*YES) was specified with the default number of records and duplicate key feedback or insert key feedback was requested. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow duplicate key feedback or insert key feedback to be provided on a record by record basis. 7 - The program opened a query member that contains at least one subselect. Either the outermost subselect provided a correlated reference for a subquery or the outermost subselect processed a subquery with an IN, = ANY, or <> ALL subquery predicate operator, which is treated as a correlated reference. Only one record can be retrieved at a time from this type of query. 8 - The file has referential constraints, triggers, or is a distributed file. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow the trigger programs to be called or the referential constraints to be enforced on a record by record basis, or</p>										

```
Job name . . . . . : QPADEV001L      User . . . . . : I622KAB      Number . . . . . : 559940
Job description . . . . . : ICSPGMR      Library . . . . . : QGPL
```

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
										because SEQONLY(*YES) is not allowed for the distributed file open. 9 - The file is a distributed file opened for DSTDTA(*CURRENT). One or more of the nodes in this file have been implemented using join logical file processing.
										10 - The file, or a physical file on which the file is based, contains File Link Control DataLink fields. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow the DataLink fields in each record to be processed. Recovery . . . :
										For condition 1 or condition 6: -- If changing parameter SEQONLY(*YES) to SEQONLY(*NO) is not acceptable, use the Override Database File (OVRDBF) command to override the parameter SEQONLY(*NO) by specifying SEQONLY(*YES N) where N indicates the number of records. Then try your request again.
CPF1015	Escape	40	09/02/15	09:38:38.527019	QCLRTVDA	QSYS	026F	RTVZMSSNO	ZMODLIB10	0019
										Message . . . : Data area ZMSCRPARM in QTEMP not found.
										Recovery . . . : Either correct the data area name or change the library name (DTAARA parameter). Then try the request again.
UzM9204	Escape	00	09/02/15	09:38:38.527151	RTVZMSSNO	ZMODLIB10	0037	FTLOGFILE	ZMODLIB10	*STMT
										To module . . . : FTLOGFILE
										To procedure . . . : FTLOGFILE
										Statement . . . : 132
										Message . . . : No session in progress.
CPF4028	Diagnostic	10	09/02/15	09:38:38.527899	QDBOPEN	QSYS	*STMT	FTLOGFILE	ZMODLIB10	*STMT
										From module . . . : QDBOPEN
										From procedure . . . : SGNRTNOK
										Statement . . . : 14971
										To module . . . : FTLOGFILE
										To procedure . . . : FTLOGFILE
										Statement . . . : 1000001
										Message . . . : Open of member FTFGLG1P was changed to SEQONLY(*NO).
										Cause . . . : Member FTFGLG1P file FTFGLG1P in library ZMODLIB10 was opened with the SEQONLY(*YES) parameter specified in the program or on the Override Database File (OVRDBF) command. However, the parameter has been changed to SEQONLY(*NO) because of condition 1 shown below:
										1 - The program opened member FTFGLG1P for output operations only and SEQONLY(*YES) was specified with the default number of records. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow the program to handle duplicate key, conversion mapping, key mapping, and select or omit errors, or both select and omit errors at the time of the output operation.
										2 - The program opened the member for other than input or output operations only.
										3 - The program opened a logical file member for output operations only and that member is based on more than one physical file member.
										4 - The record length plus the feedback information for the member is greater than 32,767 bytes.
										5 - The commitment control level of *ALL is active and the member was opened for input operations only, or the commitment control levels of either *ALL, *CS, or *CHG were specified for a distributed file that was opened for input operations only.
										6 - The program opened member FTFGLG1P for output operations only and SEQONLY(*YES) was specified with the default number of records and duplicate key feedback or insert key feedback was requested. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow duplicate key feedback or insert key feedback to be provided on a record by record basis.
										7 - The program opened a query member that contains at least one subselect. Either the outermost subselect provided a correlated reference for a subquery or the outermost subselect processed a subquery with an IN, = ANY, or <> ALL subquery predicate operator, which is treated as a correlated reference. Only one

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
record can be retrieved at a time from this type of query. 8 - The file has referential constraints, triggers, or is a distributed file. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow the trigger programs to be called or the referential constraints to be enforced on a record by record basis, or because SEQONLY(*YES) is not allowed for the distributed file open. 9 - The file is a distributed file opened for DSTDTA(*CURRENT). One or more of the nodes in this file have been implemented using join logical file processing. 10 - The file, or a physical file on which the file is based, contains File Link Control DataLink fields. SEQONLY(*YES) was changed to SEQONLY(*NO) to allow the DataLink fields in each record to be processed. Recovery . . . : For condition 1 or condition 6: -- If changing parameter SEQONLY(*YES) to SEQONLY(*NO) is not acceptable, use the Override Database File (OVRDBF) command to override the parameter SEQONLY(*NO) by specifying SEQONLY(*YES N) where N indicates the number of records. Then try your request again.										
CPF1015	Escape	40	09/02/15	09:38:38.528295	QCLRTVDA	QSYS	026F	RTVZMSSNO	ZMODLIB10	0019
Message : Data area ZMSCRPARM in QTEMP not found. Recovery : Either correct the data area name or change the library name (DTAARA parameter). Then try the request again.										
UZM9204	Escape	00	09/02/15	09:38:38.528413	RTVZMSSNO	ZMODLIB10	0037	FTLOGFILE	ZMODLIB10	*STMT
To module : FTLOGFILE To procedure : FTLOGFILE Statement : 132 Message : No session in progress.										
UHT0107	Information	00	09/02/15	09:38:38.540940	ZHSNDWSR	ZMODLIB10	0190	JSTRKIRN2	IJDPOBJ71	0037
Message : Requested URI retrieved.										
UZM0364	Completion	00	09/02/15	09:38:38.552413	ZIFSXMLDBF	ZMODLIB10	0117	JSTRKIRN2	IJDPOBJ71	004B
Message : 1 records processed.										
CPF5192	Escape	50	09/02/15	09:38:38.605316	QWSGET	QSYS	3482	X72STRKIRN	IJDPOBJ71	*STMT
To module : X72STRKIRN To procedure : X72STRKIRN Statement : 369 Message : Data sent to device QPADEV001L not valid. Negative response code is 1005012A. Cause : The condition was caused by the program output data containing below hex 40 or too many input fields. More information on the negative response code can be found in either the IBM 5494 Remote Control Unit Functions Reference (under negative responses) or the SNA Formats Manual (under SENSE or LUSTAT codes). Invalid data (below hex 40) may have occurred in one of the following ways: Invalid parameter data passed in variable to command language program. Variable is used in SNDPGMMMSG command. Command fails when data is displayed. Hexadecimal characters below hex 40 entered into TEXT parameter of create command. Display command for object fails when object parameters are displayed. Data base record containing invalid data displayed by the application program. Failure to specify RSTDSP(*YES) when alternating displays from more than one file to the device, where both files have input fields. Recovery . . . : Correct the program or the output data. Try the command again. If the problem occurs again, enter the ANZPRB command to run problem analysis.										
RNX1251	Escape	99	09/02/15	09:38:38.611357	QRNXIE	QSYS	*STMT	X72STRKIRN	IJDPOBJ71	*STMT
From module : QRNXMSG From procedure : SignalException Statement : 26										

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					To module	X72STRKIRN				
					To procedure	X72STRKIRN				
					Statement	369				
					Message	Permanent I/O error occurred in file V72STRKIRN.				
					Cause	RPG procedure X72STRKIRN in program IJDPOBJ71/X72STRKIRN detected a permanent (not recoverable) file, session, or device error. The session, device and/or program has been stopped. Examine the major/minor return code value to determine the specific error that occurred. If the major return code is 80 then a system or file error occurred and programmer action is required to fix the problem. If the major return code is 81 then a session or device error occurred, but use of another session or device may be successful. Recovery . . . : Check the job log for more information on the cause of the error and contact the person responsible for program maintenance. Technical description : The major return code is 80. The minor return code is C0.				
RNQ1251	Sender copy	99	09/02/15	09:38:38.611618	QRNXIE	QSYS	*STMT	QRNXIE	QSYS	*STMT
					From module	QRNXMSG				
					From procedure	InqMsg				
					Statement	16				
					To module	QRNXMSG				
					To procedure	InqMsg				
					Statement	16				
					Message	Permanent I/O error occurred in file V72STRKIRN (C G D F).				
					Cause	RPG procedure X72STRKIRN in program IJDPOBJ71/X72STRKIRN at statement 369 detected a permanent (not recoverable) file, session, or device error. The session, device and/or program has been stopped. Examine the major/minor return code value to determine the specific error that occurred. If the major return code is 80 then a system or file error occurred and programmer action is required to fix the problem. If the major return code is 81 then a session or device error occurred, but use of another session or device may be successful. Recovery . . . : Check the job log for more information on the cause of the error and contact the person responsible for program maintenance. Possible choices for replying to message : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump. Technical description : The major return code is 80. The minor return code is C0.				
RNQ1251	Inquiry	99	09/02/15	09:38:38.611700	QRNXIE	QSYS	*STMT	*EXT		*N
					From module	QRNXMSG				
					From procedure	InqMsg				
					Statement	16				
					Message	Permanent I/O error occurred in file V72STRKIRN (C G D F).				
					Cause	RPG procedure X72STRKIRN in program IJDPOBJ71/X72STRKIRN at statement 369 detected a permanent (not recoverable) file, session, or device error. The session, device and/or program has been stopped. Examine the major/minor return code value to determine the specific error that occurred. If the major return code is 80 then a system or file error occurred and programmer action is required to fix the problem. If the major return code is 81 then a session or device error occurred, but use of another session or device may be successful. Recovery . . . : Check the job log for more information on the cause of the error and contact the person responsible for program maintenance. Possible choices for replying to				

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					message : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump. Technical description : The major return code is 80. The minor return code is C0.					
*NONE	Reply		09/02/15	09:53:00.464356	QMHDSEXT	QSYS	016E	*EXT		*N
					Message : D					
*NONE	Reply		09/02/15	09:53:00.464364	QMHDSEXT	QSYS	016E	QRNXIE	QSYS	*STMT
					To module : QRNXMSG					
					To procedure : InqMsg					
					Statement : 16					
					Message : D					
CEE9901	Escape	30	09/02/15	09:53:00.716862	QLEAWI	QSYS	*STMT	X72ADRVAL	IJDPOBJ71	*STMT
					From module : QLEDEH					
					From procedure : Q LE leDefaultEh					
					Statement : 179					
					To module : X72ADRVAL					
					To procedure : X72ADRVAL					
					Statement : 4237					
					Message : Application error. RNX1251 unmonitored by X72STRKIRN at statement 0000000369, instruction X'0000'.					
					Cause : The application ended abnormally because an exception occurred and was not handled. The name of the program to which the unhandled exception is sent is X72STRKIRN X72STRKIRN X72STRKIRN. The program was stopped at the high-level language statement number(s) 0000000369 at the time the message was sent. If more than one statement number is shown, the program is an optimized ILE program. Optimization does not allow a single statement number to be determined. If *N is shown as a value, it means the real value was not available. Recovery . . . : See the low level messages previously listed to locate the cause of the exception. Correct any errors, and then try the request again.					
RNQ0202	Sender copy	99	09/02/15	09:53:00.717299	QRNXIE	QSYS	*STMT	QRNXIE	QSYS	*STMT
					From module : QRNXMSG					
					From procedure : InqMsg					
					Statement : 16					
					To module : QRNXMSG					
					To procedure : InqMsg					
					Statement : 16					
					Message : The call to *LIBL/X72STRKIRN ended in error (C G D F).					
					Cause : RPG procedure X72ADRVAL in program IJDPOBJ71/X72ADRVAL at statement 004237 called program or procedure *LIBL/X72STRKIRN, which ended in error. If the name is *N, the call was a bound call by procedure pointer. Recovery . . . : Check the job log for more information on the cause of the error and contact the person responsible for program maintenance. Possible choices for replying to message : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump.					
RNQ0202	Inquiry	99	09/02/15	09:53:00.717324	QRNXIE	QSYS	*STMT	*EXT		*N
					From module : QRNXMSG					
					From procedure : InqMsg					
					Statement : 16					
					Message : The call to *LIBL/X72STRKIRN ended in error (C G D F).					
					Cause : RPG procedure X72ADRVAL in program IJDPOBJ71/X72ADRVAL at					

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					statement 004237 called program or procedure *LIBL/X72STRKIRN, which ended in error. If the name is *N, the call was a bound call by procedure pointer. Recovery . . . : Check the job log for more information on the cause of the error and contact the person responsible for program maintenance. Possible choices for replying to message : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump.					
*NONE	Reply		09/02/15	09:53:06.669363	QMHDSEXT	QSYS	016E	*EXT		*N
					Message : D					
*NONE	Reply		09/02/15	09:53:06.669373	QMHDSEXT	QSYS	016E	QRNXIE	QSYS	*STMT
					To module : QRNXMSG To procedure : InqMsg Statement : 16 Message : D					
CEE9901	Escape	30	09/02/15	09:53:06.717846	QLEAWI	QSYS	*STMT	GSLEP01R	MJDPOBJ71	*STMT
					From module : QLEDEH From procedure : Q LE leDefaultEh Statement : 179 To module : GSLEP01R To procedure : GSLEP01R Statement : 173700 Message : Application error. CEE9901 unmonitored by X72ADRVAL at statement 0000004237, instruction X'0000'. Cause : The application ended abnormally because an exception occurred and was not handled. The name of the program to which the unhandled exception is sent is X72ADRVAL X72ADRVAL X72ADRVAL. The program was stopped at the high-level language statement number(s) 0000004237 at the time the message was sent. If more than one statement number is shown, the program is an optimized ILE program. Optimization does not allow a single statement number to be determined. If *N is shown as a value, it means the real value was not available. Recovery . . . : See the low level messages previously listed to locate the cause of the exception. Correct any errors, and then try the request again.					
RNQ0202	Sender copy	99	09/02/15	09:53:06.718388	QRNXIE	QSYS	*STMT	QRNXIE	QSYS	*STMT
					From module : QRNXMSG From procedure : InqMsg Statement : 16 To module : QRNXMSG To procedure : InqMsg Statement : 16 Message : The call to *LIBL/X72ADRVAL ended in error (C G D F). Cause : RPG procedure GSLEP01R in program MJDPOBJ71/GSLEP01R at statement 173700 called program or procedure *LIBL/X72ADRVAL, which ended in error. If the name is *N, the call was a bound call by procedure pointer. Recovery . . . : Check the job log for more information on the cause of the error and contact the person responsible for program maintenance. Possible choices for replying to message : D -- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump.					
RNQ0202	Inquiry	99	09/02/15	09:53:06.718427	QRNXIE	QSYS	*STMT	*EXT		*N
					From module : QRNXMSG From procedure : InqMsg					

Job name : QPADEV001L User : I622KAB Number : 559940
Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					Statement		16			
					Message			The call to *LIBL/X72ADRVAL ended in error (C G D F).		
					Cause			RPG procedure GSLEP01R in program MJDP0BJ71/GSLEP01R at statement 173700 called program or procedure *LIBL/X72ADRVAL, which ended in error. If the name is *N, the call was a bound call by procedure pointer.		
					Recovery			Check the job log for more information on the cause of the error and contact the person responsible for program maintenance.		
					Possible choices for replying to message				D	
					-- Obtain RPG formatted dump. S -- Obtain system dump. G -- Continue processing at *GETIN. C -- Cancel. F -- Obtain full formatted dump.					
*NONE	Reply		09/02/15	09:53:15.944615	QMHDSEXT	QSYS	016E	*EXT		*N
					Message			D		
*NONE	Reply		09/02/15	09:53:15.944623	QMHDSEXT	QSYS	016E	QRNXIE	QSYS	*STMT
					To module			QRNXMSG		
					To procedure			InqMsg		
					Statement			16		
					Message			D		
CEE9901	Escape	30	09/02/15	09:53:16.135109	QLEAWI	QSYS		*STMT	GSLEP01C	MJDPOBJ71 001C
					From module			QLEDEH		
					From procedure			Q LE leDefaultEh		
					Statement			179		
					Message			Application error. CEE9901 unmonitored by GSLEP01R at statement 0000173700, instruction X'0000'.		
					Cause			The application ended abnormally because an exception occurred and was not handled. The name of the program to which the unhandled exception is sent is GSLEP01R GSLEP01R GSLEP01R. The program was stopped at the high-level language statement number(s) 0000173700 at the time the message was sent. If more than one statement number is shown, the program is an optimized ILE program. Optimization does not allow a single statement number to be determined. If *N is shown as a value, it means the real value was not available. Recovery See the low level messages previously listed to locate the cause of the exception. Correct any errors, and then try the request again.		
CPA0701	Inquiry	99	09/02/15	09:53:16.141065	QCLXERR	QSYS	00C6	*EXT		*N
					Message			CEE9901 received by GSLEP01C at 2701. (C D I R)		
					Cause			Control language (CL) program GSLEP01C in library MJDP0BJ71 detected an error at statement number 2701. Message text for CEE9901 is: Application error. CEE9901 unmonitored by GSLEP01R at statement 0000173700, instruction X'0000'. Recovery This inquiry message can be avoided by changing the program. Monitor for the error (MONMSG command) and perform error recovery within the program. To continue, choose a reply value. Possible choices for replying to message		
							C -- Cancel the CL program. D -- Dump the CL program variables and cancel the CL program. I -- Ignore the failing command. R -- Try the failing command again.		
*NONE	Reply		09/02/15	09:53:16.141210	QMHSNINQ	QSYS	0FC8	*EXT		*N
					Message			D		
CPF9999	Diagnostic	40	09/02/15	09:53:16.237756	MSZX2PCL	MSMPGM	003A	MSZX1P	MSMPGM	0429
					Message			Function check. CEE9901 unmonitored by GSLEP01C at statement 2701, instruction X'001C'.		
					Cause			An escape exception message was sent to a program which did not monitor for that message. The full name of the program to which the		

Job name : QPADEV001L User : I622KAB Number : 559940
 Job description : ICSPGMR Library : QGPL

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
unmonitored message was sent is GSLEP01C . At the time the message was sent the program was stopped at higher level language statement number(s) 2701. If more than one statement number is shown, the program was a bound program. Optimization does not allow a single statement number to be determined. If *N is shown as a value, it means the actual value was not available. Recovery . . . : See the low level messages previously listed to locate the cause of the function check. Correct any errors, and then try the request again.										
CPC1126	Completion	50	09/02/15	09:57:49.423157	QWTCCCNJ	QSYS	0C03	*EXT		*N
Message : Job 559940/I622KAB/QPADEV001L was ended by user I622KAB. Cause : User I622KAB issued a controlled end job request for job 559940/I622KAB/QPADEV001L.										
CPC1235	Completion	50	09/02/15	09:58:19.949996	QWTSETME	QSYS	0011	*EXT		*N
Message : Job 559940/I622KAB/QPADEV001L is ending immediately. Cause : The delay time for the controlled end job has been reached.										
CPF5455	Diagnostic	40	09/02/15	09:58:40.971209	QWSERROR	QSYS	0630	QWSSPEND	QSYS	0063
Message : MODLUD reset stopped the request. Recovery . . . : Close the files and try the request again. If the problem occurs again, enter the ANZPRB command to run problem analysis.										
CPF5503	Diagnostic	30	09/02/15	09:58:40.971229	QWSERROR	QSYS	0652	QWSSPEND	QSYS	0063
Message : Input or Output request failed. See message CPF5455. Recovery . . . : See the message CPF5455. Correct the errors and then try the request again.										
CPF5082	Sender copy	30	09/02/15	09:58:40.971391	QWSSPEND	QSYS	03A2	QWSSPEND	QSYS	03A2
Message : Suspend request failed. See message CPF5455. Cause : Various error conditions detected. Recovery . . . : Close the active file, if any, and see message CPF5455 for corrective action. Correct the errors and then try the request again. Possible choices for replying to message : I -- Ignore the request.										
*NONE	Reply		09/02/15	09:58:40.971460	QMHRCVPM	QSYS	0313	*N	*N	*N
Message : I										
CPF5083	Sender copy	30	09/02/15	09:58:40.977335	QWSRST	QSYS	0372	QWSRST	QSYS	0372
Message : Restore request failed. See message CPF5455. Cause : Various error conditions detected. Recovery . . . : Close the active file, if any, and see message CPF5455 for corrective action. Correct the errors and then try the request again. Possible choices for replying to message : I -- Ignore the request.										
*NONE	Reply		09/02/15	09:58:40.977371	QMHRCVPM	QSYS	0313	*N	*N	*N
Message : I										
CPF5455	Escape	40	09/02/15	09:58:40.977401	QWSPUDDS	QSYS	0C41	QWSPUDDS	QSYS	0C41
Message : MODLUD reset stopped the request. Recovery . . . : Close the files and try the request again. If the problem occurs again, enter the ANZPRB command to run problem analysis.										
CPF9999	Escape	40	09/02/15	09:58:40.992223	QMUNMSG		*N	QWSPUDDS	QSYS	0C41
Message : Function check. CPF5455 unmonitored by QWSPUDDS at statement *N, instruction X'0C41'. Cause : An escape exception message was sent to a program which did not monitor for that message. The full name of the program to which the unmonitored message was sent is QWSPUDDS . At the time the message was sent										

```
Job name . . . . . : QPADEV001L      User . . . . . : I622KAB      Number . . . . . : 559940
Job description . . . . . : ICSPGMR      Library . . . . . : QGPL
```

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					the program was stopped at higher level language statement number(s) *N. If more than one statement number is shown, the program was a bound program. Optimization does not allow a single statement number to be determined. If *N is shown as a value, it means the actual value was not available. Recovery . . . : See the low level messages previously listed to locate the cause of the function check. Correct any errors, and then try the request again.					
CPF5257	Diagnostic	70	09/02/15	09:58:40.992313	QWSPUDDS	QSYS	0C41	QWTPITDP	QSYS	002B
					Message . . . : Failure for device or member QPADEV001L file QDUI132 in library QSYS. Cause . . . : An error occurred during a read or write operation. If this is a display file, the display may not be usable. Recovery . . . : See the previously listed messages, correct the errors, and try the request again. If the problem continues, report the problem (ANZPRB command).					
CPF4410	Diagnostic	00	09/02/15	09:58:41.012605	QWSCLOSE	QSYS	096A	QUIRCLAP	QSYS	002D
					Message . . . : File QDUI132 in library QSYS closed, device QPADEV001L may be unusable. Cause . . . : The close was successful, however the screen was not cleared.					
CPC2191	Completion	00	09/02/15	09:58:41.014145	QLIDLOBJ	QSYS	061B	QLICLLIB	QSYS	061E
					Message . . . : Object X00RLS in QTEMP type *USRSPC deleted.					
CPC2191	Completion	00	09/02/15	09:58:41.014662	QLIDLOBJ	QSYS	061B	QLICLLIB	QSYS	061E
					Message . . . : Object X0028 in QTEMP type *DTAARA deleted.					
CPC2191	Completion	00	09/02/15	09:58:41.015145	QLIDLOBJ	QSYS	061B	QLICLLIB	QSYS	061E
					Message . . . : Object VTTL@ in QTEMP type *DTAARA deleted.					
CPC2191	Completion	00	09/02/15	09:58:41.015621	QLIDLOBJ	QSYS	061B	QLICLLIB	QSYS	061E
					Message . . . : Object JDEMSGQ in QTEMP type *DTAARA deleted.					
CPC2191	Completion	00	09/02/15	09:58:41.019284	QLIDLOBJ	QSYS	061B	QLICLLIB	QSYS	061E
					Message . . . : Object CURCUS in QTEMP type *DTAARA deleted.					
CPC2191	Completion	00	09/02/15	09:58:41.031830	QLIDLOBJ	QSYS	061B	QLICLLIB	QSYS	061E
					Message . . . : Object I622KAB in QTEMP type *JOBDE deleted.					
CPC2191	Completion	00	09/02/15	09:58:41.039191	QLIDLFIL	QSYS	006F	QLICLLIB	QSYS	05DC
					Message . . . : Object FSTRKIRN in QTEMP type *FILE deleted.					
CPC2191	Completion	00	09/02/15	09:58:41.039202	QLIDLFIL	QSYS	006F	QLICLLIB	QSYS	05DC
					Message . . . : Object F00DDS in QTEMP type *FILE deleted.					
CPC2191	Completion	00	09/02/15	09:58:41.039212	QLIDLFIL	QSYS	006F	QLICLLIB	QSYS	05DC
					Message . . . : Object GSLEF55P in QTEMP type *FILE deleted.					
CPF1164	Completion	00	09/02/15	09:58:41.039739	QWTMCEOJ	QSYS	014A	*EXT		*N
					Message . . . : Job 559940/I622KAB/QPADEV001L ended on 09/02/15 at 09:58:41; .204 seconds used; end code 50 . Cause . . . : Job 559940/I622KAB/QPADEV001L completed on 09/02/15 at 09:58:41 after it used .204 seconds processing unit time. The job had ending code 50. The job ended after 1 routing steps with a secondary ending code of 0. The job ending codes and their meanings are as follows: 0 - The job completed normally. 10 - The job completed normally during controlled ending or controlled subsystem ending. 20 - The job exceeded end severity (ENDSEV job attribute). 30 - The job ended abnormally. 40 - The job ended before becoming active. 50 - The job ended while the job was active. 60 - The subsystem ended abnormally while the job was active. 70 - The system ended abnormally while the job was active. 80 - The job ended (ENDJOBABN command). 90 - The job was forced to end after the time limit ended (ENDJOBABN command). Recovery . . . : For more information, see the Work					

```
Job name . . . . . : QPADEV001L      User . . . . . : I622KAB      Number . . . . . : 559940
Job description . . . . . : ICSPGMR      Library . . . . . : QGPL
```

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					management topic collection in the Systems management category in the IBM i Information Center, http://www.ibm.com/systems/i/infocenter/ .					