

Command : CRTBNDCBL

Actual Values:

Program : WHB0050
Library : TK16731
Source file : PUIWORKSRC
Library : QTEMP
CCSID : 37
Source member : WHB0050 04/13/17 10:08:01
Text 'description' : *BLANK

Command Options:

Program : WHB0050
Library : TK16731
Source file : PUIWORKSRC
Library : QTEMP
Source member : WHB0050
Output : *PRINT
Generation severity level : 30
Text 'description' : *SRCMBRTXT
Compiler options : *NONE
Conversion options : *NONE
Message limit:
Number of messages : *NOMAX
Message limit severity : 30
Debug view option :
Debug view : *ALL
Compress listing view : *NOCOMPRESSDBG
Debug encryption key : *NONE
Optimize level : *BASIC
FIPS flagging : *NOFIPS *NOOBSOLETE
Extended display options : *NONE
Flagging severity : 0
Replace program : *YES
Simple program : *YES
Authority : *LIBCRTAUT
Link literal : *PGM
Target release : *CURRENT
User profile : *USER
Sort sequence : *HEX
Library :
Language identifier : *JOB RUN
Enable performance collection:
Collection level : *PEP
Binding directory : *NONE
Library :
Storage model : *SNGLVL
Activation group : *CALLER
Profiling data : *NOCOL
Coded character set ID : *JOB RUN
National coded character set ID . . : 13488
Arithmetic mode : *NOEXTEND
Padding character:
Single byte to national : NX"0020"
Double byte to national : NX"3000"

National to national : NX"3000"

Include directory : *NONE

Generate program information : *NO

Compiler : IBM ILE COBOL

S o u r c e

STMT	PL	SEQNBR	-A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..	IDENTFCN	S	COPYNAME	CHG	DATE
		000001	PROCESS APOST				/	/
1		000002	IDENTIFICATION DIVISION.				/	/
2		000003	PROGRAM-ID. WHB0050.				/	/
3		000004	ENVIRONMENT DIVISION.				/	/
4		000005	CONFIGURATION SECTION.				/	/
5		000006	SOURCE-COMPUTER. IBM-AS400.				/	/
6		000007	OBJECT-COMPUTER. IBM-AS400.				/	/
7		000008	SPECIAL-NAMES.				/	/
8		000009	INPUT-OUTPUT SECTION.				/	/
9		000010	FILE-CONTROL.				/	/
10		000011	SELECT DETAIL-FILE ASSIGN TO DATABASE-WH010001				/	/
12		000012	ORGANIZATION IS INDEXED				/	/
13		000013	ACCESS IS DYNAMIC				/	/
14		000014	RECORD KEY IS EXTERNALLY-DESCRIBED-KEY				/	/
		000015	WITH DUPLICATES				/	/
15		000016	FILE STATUS IS COMMON-STATUS.				/	/
16		000017	SELECT DETAIL-FILE-U ASSIGN TO DATABASE-WH0100				/	/
18		000018	ORGANIZATION IS INDEXED				/	/
19		000019	ACCESS IS DYNAMIC				/	/
20		000020	RECORD KEY IS EXTERNALLY-DESCRIBED-KEY				/	/
21		000021	FILE STATUS IS UPDATE-STATUS.				/	/
22		000022	SELECT HISTORY-FILE ASSIGN TO DATABASE-WH0105				/	/
24		000023	ORGANIZATION IS INDEXED				/	/
25		000024	ACCESS IS DYNAMIC				/	/
26		000025	RECORD KEY IS EXTERNALLY-DESCRIBED-KEY				/	/
		000026	WITH DUPLICATES				/	/
27		000027	FILE STATUS IS HISTORY-STATUS.				/	/
28		000028	SELECT POLICY-FILE ASSIGN TO DATABASE-POL0109				/	/
30		000029	ORGANIZATION IS INDEXED				/	/
31		000030	ACCESS IS DYNAMIC				/	/
32		000031	RECORD KEY IS EXTERNALLY-DESCRIBED-KEY				/	/
		000032	WITH DUPLICATES				/	/
33		000033	FILE STATUS IS POLICY-STATUS.				/	/
34		000034	SELECT CLAIM-FILE ASSIGN TO DATABASE-DWXC010M				/	/
36		000035	ORGANIZATION IS INDEXED				/	/
37		000036	ACCESS IS DYNAMIC				/	/
38		000037	RECORD KEY IS EXTERNALLY-DESCRIBED-KEY				/	/
		000038	WITH DUPLICATES				/	/
39		000039	FILE STATUS IS CLAIM-STATUS.				/	/
40		000040	I-O-CONTROL. COMMITMENT CONTROL FOR HISTORY-FILE				/	/
		000041	DETAIL-FILE-U.				/	/
42		000042	DATA DIVISION.				/	/
43		000043	FILE SECTION.				/	/
44		000044	FD DETAIL-FILE.				/	/
45		000045	01 DETAIL-RCD.				/	/
		000046	COPY DDS-ALL-FORMATS OF WH010001.				/	/
46	+	000001	05 WH010001-RECORD PIC X(423).			<-ALL-FMTS		
	+	000002*	I-O FORMAT:RWH010001 FROM FILE WH010001 OF LIBRARY NAICDATA1			<-ALL-FMTS		
	+	000003*				<-ALL-FMTS		
	+	000004*	THE KEY DEFINITIONS FOR RECORD FORMAT RWH010001			<-ALL-FMTS		
	+	000005*	NUMBER NAME RETRIEVAL ALTSEQ			<-ALL-FMTS		
	+	000006*	0001 ITEMTYPE ASCENDING NO			<-ALL-FMTS		
	+	000007*	0002 ITEM ASCENDING NO			<-ALL-FMTS		

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

47	+000008	05	RWH010001	REDEFINES WH010001-RECORD.		<-ALL-FMTS
48	+000009	06	ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
49	+000010	06	ITEM	PIC X(12).		<-ALL-FMTS
50	+000011	06	CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
51	+000012	06	LOCDESC	PIC X(30).		<-ALL-FMTS
52	+000013	06	ROW	PIC X(2).		<-ALL-FMTS
53	+000014	06	COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS
54	+000015	06	SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS
55	+000016	06	BOXNO	PIC X(5).		<-ALL-FMTS
56	+000017	06	NAME	PIC X(30).		<-ALL-FMTS
57	+000018	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
58	+000019	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
59	+000020	06	CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
60	+000021	06	REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS
61	+000022	06	AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
62	+000023	06	CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
63	+000024	06	MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
64	+000025	06	REELNO1	PIC X(10).		<-ALL-FMTS
65	+000026	06	REELNO2	PIC X(10).		<-ALL-FMTS
66	+000027	06	REELNO3	PIC X(10).		<-ALL-FMTS
67	+000028	06	REELNO4	PIC X(10).		<-ALL-FMTS
68	+000029	06	REELNO5	PIC X(10).		<-ALL-FMTS
69	+000030	06	REELNO6	PIC X(10).		<-ALL-FMTS
70	+000031	06	REELNO7	PIC X(10).		<-ALL-FMTS
71	+000032	06	REELNO8	PIC X(10).		<-ALL-FMTS
72	+000033	06	REELNO9	PIC X(10).		<-ALL-FMTS
73	+000034	06	REELNO10	PIC X(10).		<-ALL-FMTS
74	+000035	06	BLIPNO1	PIC X(10).		<-ALL-FMTS
75	+000036	06	BLIPNO2	PIC X(10).		<-ALL-FMTS
76	+000037	06	BLIPNO3	PIC X(10).		<-ALL-FMTS
77	+000038	06	BLIPNO4	PIC X(10).		<-ALL-FMTS
78	+000039	06	BLIPNO5	PIC X(10).		<-ALL-FMTS
79	+000040	06	BLIPNO6	PIC X(10).		<-ALL-FMTS
80	+000041	06	BLIPNO7	PIC X(10).		<-ALL-FMTS
81	+000042	06	BLIPNO8	PIC X(10).		<-ALL-FMTS
82	+000043	06	BLIPNO9	PIC X(10).		<-ALL-FMTS
83	+000044	06	BLIPNO10	PIC X(10).		<-ALL-FMTS
84	+000045	06	DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
85	+000046	06	ORIGITEM	PIC X(12).		<-ALL-FMTS
86	+000047	06	ORIGNAM	PIC X(40).		<-ALL-FMTS
87	+000048	06	COMPANY	PIC X(4).		<-ALL-FMTS
88	+000049	06	ORIGDATE	PIC X(10).		<-ALL-FMTS
89	+000050	06	STATUSX	PIC X(1).		<-ALL-FMTS
90	+000051	06	STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
91	+000052	06	EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
92	+000053	06	IDADD	PIC X(10).		<-ALL-FMTS
93	+000054	06	DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
94	+000055	06	IDCHG	PIC X(10).		<-ALL-FMTS
95	+000056	06	DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000057*	I-O FORMAT:RWH010002 FROM FILE WH010001 OF LIBRARY NAICDATA1				<-ALL-FMTS
	+000058*					<-ALL-FMTS
	+000059*	THE KEY DEFINITIONS FOR RECORD FORMAT RWH010002				<-ALL-FMTS
	+000060*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000061*	0001	NAME	ASCENDING	NO	<-ALL-FMTS
	+000062*	0002	ITEMTYPE	ASCENDING	NO	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000063*	0003	ITEM	ASCENDING	NO	<-ALL-FMTS
96	+000064	05	RWH010002	REDEFINES WH010001-RECORD.		<-ALL-FMTS
97	+000065		06 ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
98	+000066		06 ITEM	PIC X(12).		<-ALL-FMTS
99	+000067		06 CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
100	+000068		06 LOCDESC	PIC X(30).		<-ALL-FMTS
101	+000069		06 ROW	PIC X(2).		<-ALL-FMTS
102	+000070		06 COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS
103	+000071		06 SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS
104	+000072		06 BOXNO	PIC X(5).		<-ALL-FMTS
105	+000073		06 NAME	PIC X(30).		<-ALL-FMTS
106	+000074		06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
107	+000075		06 EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
108	+000076		06 CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
109	+000077		06 REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS
110	+000078		06 AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
111	+000079		06 CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
112	+000080		06 MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
113	+000081		06 REELNO1	PIC X(10).		<-ALL-FMTS
114	+000082		06 REELNO2	PIC X(10).		<-ALL-FMTS
115	+000083		06 REELNO3	PIC X(10).		<-ALL-FMTS
116	+000084		06 REELNO4	PIC X(10).		<-ALL-FMTS
117	+000085		06 REELNO5	PIC X(10).		<-ALL-FMTS
118	+000086		06 REELNO6	PIC X(10).		<-ALL-FMTS
119	+000087		06 REELNO7	PIC X(10).		<-ALL-FMTS
120	+000088		06 REELNO8	PIC X(10).		<-ALL-FMTS
121	+000089		06 REELNO9	PIC X(10).		<-ALL-FMTS
122	+000090		06 REELNO10	PIC X(10).		<-ALL-FMTS
123	+000091		06 BLIPNO1	PIC X(10).		<-ALL-FMTS
124	+000092		06 BLIPNO2	PIC X(10).		<-ALL-FMTS
125	+000093		06 BLIPNO3	PIC X(10).		<-ALL-FMTS
126	+000094		06 BLIPNO4	PIC X(10).		<-ALL-FMTS
127	+000095		06 BLIPNO5	PIC X(10).		<-ALL-FMTS
128	+000096		06 BLIPNO6	PIC X(10).		<-ALL-FMTS
129	+000097		06 BLIPNO7	PIC X(10).		<-ALL-FMTS
130	+000098		06 BLIPNO8	PIC X(10).		<-ALL-FMTS
131	+000099		06 BLIPNO9	PIC X(10).		<-ALL-FMTS
132	+000100		06 BLIPNO10	PIC X(10).		<-ALL-FMTS
133	+000101		06 DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
134	+000102		06 ORIGITEM	PIC X(12).		<-ALL-FMTS
135	+000103		06 ORIGNAM	PIC X(40).		<-ALL-FMTS
136	+000104		06 COMPANY	PIC X(4).		<-ALL-FMTS
137	+000105		06 ORIGDATE	PIC X(10).		<-ALL-FMTS
138	+000106		06 STATUSX	PIC X(1).		<-ALL-FMTS
139	+000107		06 STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
140	+000108		06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
141	+000109		06 IDADD	PIC X(10).		<-ALL-FMTS
142	+000110		06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
143	+000111		06 IDCHG	PIC X(10).		<-ALL-FMTS
144	+000112		06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000113*		I-O FORMAT:RWH010003	FROM FILE WH010001	OF LIBRARY NAICDATA1	<-ALL-FMTS
	+000114*					<-ALL-FMTS
	+000115*		THE KEY DEFINITIONS FOR RECORD FORMAT	RWH010003		<-ALL-FMTS
	+000116*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000117*	0001	DESTDTE	ASCENDING	NO	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000118*	0002	MICRODTE	ASCENDING	NO	<-ALL-FMTS
	+000119*	0003	CLOSDTE	ASCENDING	NO	<-ALL-FMTS
	+000120*	0004	ITEMTYPE	ASCENDING	NO	<-ALL-FMTS
	+000121*	0005	ITEM	ASCENDING	NO	<-ALL-FMTS
145	+000122	05	RWH010003	REDEFINES WH010001-RECORD.		<-ALL-FMTS
146	+000123	06	ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
147	+000124	06	ITEM	PIC X(12).		<-ALL-FMTS
148	+000125	06	CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
149	+000126	06	LOCDESC	PIC X(30).		<-ALL-FMTS
150	+000127	06	ROW	PIC X(2).		<-ALL-FMTS
151	+000128	06	COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS
152	+000129	06	SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS
153	+000130	06	BOXNO	PIC X(5).		<-ALL-FMTS
154	+000131	06	NAME	PIC X(30).		<-ALL-FMTS
155	+000132	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
156	+000133	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
157	+000134	06	CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
158	+000135	06	REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS
159	+000136	06	AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
160	+000137	06	CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
161	+000138	06	MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
162	+000139	06	REELNO1	PIC X(10).		<-ALL-FMTS
163	+000140	06	REELNO2	PIC X(10).		<-ALL-FMTS
164	+000141	06	REELNO3	PIC X(10).		<-ALL-FMTS
165	+000142	06	REELNO4	PIC X(10).		<-ALL-FMTS
166	+000143	06	REELNO5	PIC X(10).		<-ALL-FMTS
167	+000144	06	REELNO6	PIC X(10).		<-ALL-FMTS
168	+000145	06	REELNO7	PIC X(10).		<-ALL-FMTS
169	+000146	06	REELNO8	PIC X(10).		<-ALL-FMTS
170	+000147	06	REELNO9	PIC X(10).		<-ALL-FMTS
171	+000148	06	REELNO10	PIC X(10).		<-ALL-FMTS
172	+000149	06	BLIPNO1	PIC X(10).		<-ALL-FMTS
173	+000150	06	BLIPNO2	PIC X(10).		<-ALL-FMTS
174	+000151	06	BLIPNO3	PIC X(10).		<-ALL-FMTS
175	+000152	06	BLIPNO4	PIC X(10).		<-ALL-FMTS
176	+000153	06	BLIPNO5	PIC X(10).		<-ALL-FMTS
177	+000154	06	BLIPNO6	PIC X(10).		<-ALL-FMTS
178	+000155	06	BLIPNO7	PIC X(10).		<-ALL-FMTS
179	+000156	06	BLIPNO8	PIC X(10).		<-ALL-FMTS
180	+000157	06	BLIPNO9	PIC X(10).		<-ALL-FMTS
181	+000158	06	BLIPNO10	PIC X(10).		<-ALL-FMTS
182	+000159	06	DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
183	+000160	06	ORIGITEM	PIC X(12).		<-ALL-FMTS
184	+000161	06	ORIGNAM	PIC X(40).		<-ALL-FMTS
185	+000162	06	COMPANY	PIC X(4).		<-ALL-FMTS
186	+000163	06	ORIGDATE	PIC X(10).		<-ALL-FMTS
187	+000164	06	STATUSX	PIC X(1).		<-ALL-FMTS
188	+000165	06	STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
189	+000166	06	EXPRDNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
190	+000167	06	IDADD	PIC X(10).		<-ALL-FMTS
191	+000168	06	DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
192	+000169	06	IDCHG	PIC X(10).		<-ALL-FMTS
193	+000170	06	DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000171*		I-O FORMAT:RWH010004	FROM FILE WH010001	OF LIBRARY NAICDATA1	<-ALL-FMTS
	+000172*					<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

		NUMBER	NAME	RETRIEVAL	ALTSEQ	
	+000173*	THE KEY DEFINITIONS FOR RECORD FORMAT RWH010004				<-ALL-FMTS
	+000174*	0001	DESTDTE	ASCENDING	NO	<-ALL-FMTS
	+000175*	0002	ROW	ASCENDING	NO	<-ALL-FMTS
	+000176*	0003	COLUMNS	ASCENDING	NO	<-ALL-FMTS
	+000177*	0004	SHELF	ASCENDING	NO	<-ALL-FMTS
	+000178*	0005	LOCDESC	ASCENDING	NO	<-ALL-FMTS
	+000179*	0006	ITEM	ASCENDING	NO	<-ALL-FMTS
194	+000181	05	RWH010004	REDEFINES WH010001-RECORD.		<-ALL-FMTS
195	+000182	06	ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
196	+000183	06	ITEM	PIC X(12).		<-ALL-FMTS
197	+000184	06	CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
198	+000185	06	LOCDESC	PIC X(30).		<-ALL-FMTS
199	+000186	06	ROW	PIC X(2).		<-ALL-FMTS
200	+000187	06	COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS
201	+000188	06	SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS
202	+000189	06	BOXNO	PIC X(5).		<-ALL-FMTS
203	+000190	06	NAME	PIC X(30).		<-ALL-FMTS
204	+000191	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
205	+000192	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
206	+000193	06	CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
207	+000194	06	REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS
208	+000195	06	AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
209	+000196	06	CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
210	+000197	06	MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
211	+000198	06	REELNO1	PIC X(10).		<-ALL-FMTS
212	+000199	06	REELNO2	PIC X(10).		<-ALL-FMTS
213	+000200	06	REELNO3	PIC X(10).		<-ALL-FMTS
214	+000201	06	REELNO4	PIC X(10).		<-ALL-FMTS
215	+000202	06	REELNO5	PIC X(10).		<-ALL-FMTS
216	+000203	06	REELNO6	PIC X(10).		<-ALL-FMTS
217	+000204	06	REELNO7	PIC X(10).		<-ALL-FMTS
218	+000205	06	REELNO8	PIC X(10).		<-ALL-FMTS
219	+000206	06	REELNO9	PIC X(10).		<-ALL-FMTS
220	+000207	06	REELNO10	PIC X(10).		<-ALL-FMTS
221	+000208	06	BLIPNO1	PIC X(10).		<-ALL-FMTS
222	+000209	06	BLIPNO2	PIC X(10).		<-ALL-FMTS
223	+000210	06	BLIPNO3	PIC X(10).		<-ALL-FMTS
224	+000211	06	BLIPNO4	PIC X(10).		<-ALL-FMTS
225	+000212	06	BLIPNO5	PIC X(10).		<-ALL-FMTS
226	+000213	06	BLIPNO6	PIC X(10).		<-ALL-FMTS
227	+000214	06	BLIPNO7	PIC X(10).		<-ALL-FMTS
228	+000215	06	BLIPNO8	PIC X(10).		<-ALL-FMTS
229	+000216	06	BLIPNO9	PIC X(10).		<-ALL-FMTS
230	+000217	06	BLIPNO10	PIC X(10).		<-ALL-FMTS
231	+000218	06	DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
232	+000219	06	ORIGITEM	PIC X(12).		<-ALL-FMTS
233	+000220	06	ORIGNAM	PIC X(40).		<-ALL-FMTS
234	+000221	06	COMPANY	PIC X(4).		<-ALL-FMTS
235	+000222	06	ORIGDATE	PIC X(10).		<-ALL-FMTS
236	+000223	06	STATUSX	PIC X(1).		<-ALL-FMTS
237	+000224	06	STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
238	+000225	06	EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
239	+000226	06	IDADD	PIC X(10).		<-ALL-FMTS
240	+000227	06	DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

241	+000228	06	IDCHG	PIC X(10).		<-ALL-FMTS
242	+000229	06	DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000230*		I-O FORMAT:RWH010005	FROM FILE WH010001	OF LIBRARY NAICDATA1	<-ALL-FMTS
	+000231*					<-ALL-FMTS
	+000232*		THE KEY DEFINITIONS FOR RECORD FORMAT	RWH010005		<-ALL-FMTS
	+000233*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000234*	0001	STATUSX	ASCENDING	NO	<-ALL-FMTS
	+000235*	0002	DESTDTE	ASCENDING	NO	<-ALL-FMTS
	+000236*	0003	STSDTE	ASCENDING	NO	<-ALL-FMTS
	+000237*	0004	ITEM	ASCENDING	NO	<-ALL-FMTS
243	+000238	05	RWH010005	REDEFINES WH010001-RECORD.		<-ALL-FMTS
244	+000239	06	ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
245	+000240	06	ITEM	PIC X(12).		<-ALL-FMTS
246	+000241	06	CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
247	+000242	06	LOCDESC	PIC X(30).		<-ALL-FMTS
248	+000243	06	ROW	PIC X(2).		<-ALL-FMTS
249	+000244	06	COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS
250	+000245	06	SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS
251	+000246	06	BOXNO	PIC X(5).		<-ALL-FMTS
252	+000247	06	NAME	PIC X(30).		<-ALL-FMTS
253	+000248	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
254	+000249	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
255	+000250	06	CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
256	+000251	06	REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS
257	+000252	06	AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
258	+000253	06	CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
259	+000254	06	MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
260	+000255	06	REELNO1	PIC X(10).		<-ALL-FMTS
261	+000256	06	REELNO2	PIC X(10).		<-ALL-FMTS
262	+000257	06	REELNO3	PIC X(10).		<-ALL-FMTS
263	+000258	06	REELNO4	PIC X(10).		<-ALL-FMTS
264	+000259	06	REELNO5	PIC X(10).		<-ALL-FMTS
265	+000260	06	REELNO6	PIC X(10).		<-ALL-FMTS
266	+000261	06	REELNO7	PIC X(10).		<-ALL-FMTS
267	+000262	06	REELNO8	PIC X(10).		<-ALL-FMTS
268	+000263	06	REELNO9	PIC X(10).		<-ALL-FMTS
269	+000264	06	REELNO10	PIC X(10).		<-ALL-FMTS
270	+000265	06	BLIPNO1	PIC X(10).		<-ALL-FMTS
271	+000266	06	BLIPNO2	PIC X(10).		<-ALL-FMTS
272	+000267	06	BLIPNO3	PIC X(10).		<-ALL-FMTS
273	+000268	06	BLIPNO4	PIC X(10).		<-ALL-FMTS
274	+000269	06	BLIPNO5	PIC X(10).		<-ALL-FMTS
275	+000270	06	BLIPNO6	PIC X(10).		<-ALL-FMTS
276	+000271	06	BLIPNO7	PIC X(10).		<-ALL-FMTS
277	+000272	06	BLIPNO8	PIC X(10).		<-ALL-FMTS
278	+000273	06	BLIPNO9	PIC X(10).		<-ALL-FMTS
279	+000274	06	BLIPNO10	PIC X(10).		<-ALL-FMTS
280	+000275	06	DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
281	+000276	06	ORIGITEM	PIC X(12).		<-ALL-FMTS
282	+000277	06	ORIGNAM	PIC X(40).		<-ALL-FMTS
283	+000278	06	COMPANY	PIC X(4).		<-ALL-FMTS
284	+000279	06	ORIGDATE	PIC X(10).		<-ALL-FMTS
285	+000280	06	STATUSX	PIC X(1).		<-ALL-FMTS
286	+000281	06	STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
287	+000282	06	EXPRDNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

288	+000283	06	IDADD	PIC X(10).		<-ALL-FMTS
289	+000284	06	DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
290	+000285	06	IDCHG	PIC X(10).		<-ALL-FMTS
291	+000286	06	DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000287*		I-O FORMAT:RWH010006	FROM FILE WH010001	OF LIBRARY NAICDATA1	<-ALL-FMTS
	+000288*					<-ALL-FMTS
	+000289*		THE KEY DEFINITIONS FOR RECORD FORMAT	RWH010006		<-ALL-FMTS
	+000290*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000291*	0001	DESTDTE	ASCENDING	NO	<-ALL-FMTS
	+000292*	0002	ITEMTYPE	ASCENDING	NO	<-ALL-FMTS
	+000293*	0003	BOXNO	ASCENDING	NO	<-ALL-FMTS
	+000294*	0004	ITEM	ASCENDING	NO	<-ALL-FMTS
292	+000295	05	RWH010006	REDEFINES WH010001-RECORD.		<-ALL-FMTS
293	+000296	06	ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
294	+000297	06	ITEM	PIC X(12).		<-ALL-FMTS
295	+000298	06	CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
296	+000299	06	LOCDESC	PIC X(30).		<-ALL-FMTS
297	+000300	06	ROW	PIC X(2).		<-ALL-FMTS
298	+000301	06	COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS
299	+000302	06	SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS
300	+000303	06	BOXNO	PIC X(5).		<-ALL-FMTS
301	+000304	06	NAME	PIC X(30).		<-ALL-FMTS
302	+000305	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
303	+000306	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
304	+000307	06	CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
305	+000308	06	REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS
306	+000309	06	AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
307	+000310	06	CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
308	+000311	06	MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
309	+000312	06	REELNO1	PIC X(10).		<-ALL-FMTS
310	+000313	06	REELNO2	PIC X(10).		<-ALL-FMTS
311	+000314	06	REELNO3	PIC X(10).		<-ALL-FMTS
312	+000315	06	REELNO4	PIC X(10).		<-ALL-FMTS
313	+000316	06	REELNO5	PIC X(10).		<-ALL-FMTS
314	+000317	06	REELNO6	PIC X(10).		<-ALL-FMTS
315	+000318	06	REELNO7	PIC X(10).		<-ALL-FMTS
316	+000319	06	REELNO8	PIC X(10).		<-ALL-FMTS
317	+000320	06	REELNO9	PIC X(10).		<-ALL-FMTS
318	+000321	06	REELNO10	PIC X(10).		<-ALL-FMTS
319	+000322	06	BLIPNO1	PIC X(10).		<-ALL-FMTS
320	+000323	06	BLIPNO2	PIC X(10).		<-ALL-FMTS
321	+000324	06	BLIPNO3	PIC X(10).		<-ALL-FMTS
322	+000325	06	BLIPNO4	PIC X(10).		<-ALL-FMTS
323	+000326	06	BLIPNO5	PIC X(10).		<-ALL-FMTS
324	+000327	06	BLIPNO6	PIC X(10).		<-ALL-FMTS
325	+000328	06	BLIPNO7	PIC X(10).		<-ALL-FMTS
326	+000329	06	BLIPNO8	PIC X(10).		<-ALL-FMTS
327	+000330	06	BLIPNO9	PIC X(10).		<-ALL-FMTS
328	+000331	06	BLIPNO10	PIC X(10).		<-ALL-FMTS
329	+000332	06	DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
330	+000333	06	ORIGITEM	PIC X(12).		<-ALL-FMTS
331	+000334	06	ORIGNAM	PIC X(40).		<-ALL-FMTS
332	+000335	06	COMPANY	PIC X(4).		<-ALL-FMTS
333	+000336	06	ORIGDATE	PIC X(10).		<-ALL-FMTS
334	+000337	06	STATUSX	PIC X(1).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

335	+000338	06	STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
336	+000339	06	EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
337	+000340	06	IDADD	PIC X(10).		<-ALL-FMTS
338	+000341	06	DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
339	+000342	06	IDCHG	PIC X(10).		<-ALL-FMTS
340	+000343	06	DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000344*		I-O FORMAT:RWH010007 FROM FILE WH010001 OF LIBRARY NAICDATA1			<-ALL-FMTS
	+000345*					<-ALL-FMTS
	+000346*		THE KEY DEFINITIONS FOR RECORD FORMAT RWH010007			<-ALL-FMTS
	+000347*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000348*	0001	ITEM	ASCENDING	NO	<-ALL-FMTS
	+000349*	0002	ITEMTYPE	ASCENDING	NO	<-ALL-FMTS
341	+000350	05	RWH010007 REDEFINES WH010001-RECORD.			<-ALL-FMTS
342	+000351	06	ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
343	+000352	06	ITEM	PIC X(12).		<-ALL-FMTS
344	+000353	06	CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
345	+000354	06	LOCDESC	PIC X(30).		<-ALL-FMTS
346	+000355	06	ROW	PIC X(2).		<-ALL-FMTS
347	+000356	06	COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS
348	+000357	06	SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS
349	+000358	06	BOXNO	PIC X(5).		<-ALL-FMTS
350	+000359	06	NAME	PIC X(30).		<-ALL-FMTS
351	+000360	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
352	+000361	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
353	+000362	06	CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
354	+000363	06	REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS
355	+000364	06	AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
356	+000365	06	CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
357	+000366	06	MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
358	+000367	06	REELNO1	PIC X(10).		<-ALL-FMTS
359	+000368	06	REELNO2	PIC X(10).		<-ALL-FMTS
360	+000369	06	REELNO3	PIC X(10).		<-ALL-FMTS
361	+000370	06	REELNO4	PIC X(10).		<-ALL-FMTS
362	+000371	06	REELNO5	PIC X(10).		<-ALL-FMTS
363	+000372	06	REELNO6	PIC X(10).		<-ALL-FMTS
364	+000373	06	REELNO7	PIC X(10).		<-ALL-FMTS
365	+000374	06	REELNO8	PIC X(10).		<-ALL-FMTS
366	+000375	06	REELNO9	PIC X(10).		<-ALL-FMTS
367	+000376	06	REELNO10	PIC X(10).		<-ALL-FMTS
368	+000377	06	BLIPNO1	PIC X(10).		<-ALL-FMTS
369	+000378	06	BLIPNO2	PIC X(10).		<-ALL-FMTS
370	+000379	06	BLIPNO3	PIC X(10).		<-ALL-FMTS
371	+000380	06	BLIPNO4	PIC X(10).		<-ALL-FMTS
372	+000381	06	BLIPNO5	PIC X(10).		<-ALL-FMTS
373	+000382	06	BLIPNO6	PIC X(10).		<-ALL-FMTS
374	+000383	06	BLIPNO7	PIC X(10).		<-ALL-FMTS
375	+000384	06	BLIPNO8	PIC X(10).		<-ALL-FMTS
376	+000385	06	BLIPNO9	PIC X(10).		<-ALL-FMTS
377	+000386	06	BLIPNO10	PIC X(10).		<-ALL-FMTS
378	+000387	06	DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
379	+000388	06	ORIGITEM	PIC X(12).		<-ALL-FMTS
380	+000389	06	ORIGNAM	PIC X(40).		<-ALL-FMTS
381	+000390	06	COMPANY	PIC X(4).		<-ALL-FMTS
382	+000391	06	ORIGDATE	PIC X(10).		<-ALL-FMTS
383	+000392	06	STATUSX	PIC X(1).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

384	+000393	06 STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
385	+000394	06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
386	+000395	06 IDADD	PIC X(10).		<-ALL-FMTS		
387	+000396	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS		
388	+000397	06 IDCHG	PIC X(10).		<-ALL-FMTS		
389	+000398	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS		
390	000047	06 STATUS2 REDEFINES STATUSX	PIC X.			/	/
391	000048	88 AVAILABLE	VALUE '1'.			/	/
392	000049	88 CHECK-OUT	VALUE '2'.			/	/
393	000050	FD DETAIL-FILE-U.				/	/
394	000051	01 UPDATE-RECORD.				/	/
	000052	COPY DDS-ALL-FORMATS OF WH0100.				/	/
395	+000001	05 WH0100-RECORD	PIC X(423).		<-ALL-FMTS		
	+000002*	I-O FORMAT:RWH010001	FROM FILE WH0100	OF LIBRARY NAICDATA1	<-ALL-FMTS		
	+000003*		WAREHOUSE ITEM DETAIL RECS		<-ALL-FMTS		
	+000004*	THE KEY DEFINITIONS FOR RECORD FORMAT	RWH010001		<-ALL-FMTS		
	+000005*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS	
	+000006*	0001	ITEMTYPE	ASCENDING	NO	<-ALL-FMTS	
	+000007*	0002	ITEM	ASCENDING	NO	<-ALL-FMTS	
	+000008*	0003	CNTR	ASCENDING	NO	<-ALL-FMTS	
396	+000009	05 RWH010001	REDEFINES WH0100-RECORD.		<-ALL-FMTS		
397	+000010	06 ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS		
398	+000011	06 ITEM	PIC X(12).		<-ALL-FMTS		
399	+000012	06 CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS		
400	+000013	06 LOCDESC	PIC X(30).		<-ALL-FMTS		
401	+000014	06 ROW	PIC X(2).		<-ALL-FMTS		
402	+000015	06 COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS		
403	+000016	06 SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS		
404	+000017	06 BOXNO	PIC X(5).		<-ALL-FMTS		
405	+000018	06 NAME	PIC X(30).		<-ALL-FMTS		
406	+000019	06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
407	+000020	06 EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
408	+000021	06 CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS		
409	+000022	06 REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS		
410	+000023	06 AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS		
411	+000024	06 CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
412	+000025	06 MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
413	+000026	06 REELNO1	PIC X(10).		<-ALL-FMTS		
414	+000027	06 REELNO2	PIC X(10).		<-ALL-FMTS		
415	+000028	06 REELNO3	PIC X(10).		<-ALL-FMTS		
416	+000029	06 REELNO4	PIC X(10).		<-ALL-FMTS		
417	+000030	06 REELNO5	PIC X(10).		<-ALL-FMTS		
418	+000031	06 REELNO6	PIC X(10).		<-ALL-FMTS		
419	+000032	06 REELNO7	PIC X(10).		<-ALL-FMTS		
420	+000033	06 REELNO8	PIC X(10).		<-ALL-FMTS		
421	+000034	06 REELNO9	PIC X(10).		<-ALL-FMTS		
422	+000035	06 REELNO10	PIC X(10).		<-ALL-FMTS		
423	+000036	06 BLIPNO1	PIC X(10).		<-ALL-FMTS		
424	+000037	06 BLIPNO2	PIC X(10).		<-ALL-FMTS		
425	+000038	06 BLIPNO3	PIC X(10).		<-ALL-FMTS		
426	+000039	06 BLIPNO4	PIC X(10).		<-ALL-FMTS		
427	+000040	06 BLIPNO5	PIC X(10).		<-ALL-FMTS		
428	+000041	06 BLIPNO6	PIC X(10).		<-ALL-FMTS		
429	+000042	06 BLIPNO7	PIC X(10).		<-ALL-FMTS		
430	+000043	06 BLIPNO8	PIC X(10).		<-ALL-FMTS		

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

431	+000044	06 BLIPNO9	PIC X(10).		<-ALL-FMTS
432	+000045	06 BLIPNO10	PIC X(10).		<-ALL-FMTS
433	+000046	06 DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
434	+000047	06 ORIGITEM	PIC X(12).		<-ALL-FMTS
435	+000048	06 ORIGNAM	PIC X(40).		<-ALL-FMTS
436	+000049	06 COMPANY	PIC X(4).		<-ALL-FMTS
437	+000050	06 ORIGDATE	PIC X(10).		<-ALL-FMTS
438	+000051	06 STATUSX	PIC X(1).		<-ALL-FMTS
439	+000052	06 STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
440	+000053	06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
441	+000054	06 IDADD	PIC X(10).		<-ALL-FMTS
442	+000055	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
443	+000056	06 IDCHG	PIC X(10).		<-ALL-FMTS
444	+000057	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
445	000053	FD HISTORY-FILE.			/ /
446	000054	01 HISTORY-RCD.			/ /
	000055	COPY DDS-ALL-FORMATS OF WH0105.			/ /
447	+000001	05 WH0105-RECORD	PIC X(70).		<-ALL-FMTS
	+000002*	I-O FORMAT:RWH010501	FROM FILE WH0105	OF LIBRARY NAICDATA1	<-ALL-FMTS
	+000003*		WAREHOUSE ITEM TRANS RECS		<-ALL-FMTS
	+000004*	THE KEY DEFINITIONS FOR RECORD FORMAT	RWH010501		<-ALL-FMTS
	+000005*	NUMBER	NAME	RETRIEVAL	ALTSEQ
	+000006*	0001	ITEMTYPE	ASCENDING	NO
	+000007*	0002	ITEM	ASCENDING	NO
	+000008*	0003	CNTR	ASCENDING	NO
	+000009*	0004	TRNDTE	DESCENDING	NO
448	+000010	05 RWH010501	REDEFINES WH0105-RECORD.		<-ALL-FMTS
449	+000011	06 ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
450	+000012	06 ITEM	PIC X(12).		<-ALL-FMTS
451	+000013	06 CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
452	+000014	06 ACTION	PIC X(2).		<-ALL-FMTS
453	+000015	06 IDREQ	PIC X(10).		<-ALL-FMTS
	+000016*		PERSON REQUESTING		<-ALL-FMTS
454	+000017	06 FORID	PIC X(10).		<-ALL-FMTS
	+000018*		PERSON REQUESTED FOR		<-ALL-FMTS
455	+000019	06 IDKEY	PIC X(10).		<-ALL-FMTS
	+000020*		PERSON KEYING		<-ALL-FMTS
456	+000021	06 TRNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
457	+000022	06 TRNAMT	PIC S9(7)	COMP-3.	<-ALL-FMTS
458	+000023	06 RTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
459	+000024	06 AMTPEND	PIC S9(7)	COMP-3.	<-ALL-FMTS
460	+000025	06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
461	+000026	06 STATUSX	PIC X(1).		<-ALL-FMTS
462	000056	06 STATUS2	REDEFINES STATUSX	PIC X.	/ /
463	000057	88 AVAILABLE	VALUE '1'.		/ /
464	000058	88 CHECK-OUT	VALUE '2'.		/ /
465	000059	06 ACTION2	REDEFINES ACTION	PIC XX.	/ /
466	000060	88 CHECK-ACT	VALUE '01'.		/ /
467	000061	88 RETURN-ACT	VALUE '02'.		/ /
468	000062	88 REPLEN-ACT	VALUE '03'.		/ /
469	000063	FD POLICY-FILE.			/ /
470	000064	01 POLICY-RCD.			/ /
	000065	COPY DDS-ALL-FORMATS OF POL0109.			/ /
471	+000001	05 POL0109-RECORD	PIC X(193).		<-ALL-FMTS
	+000002*	I-O FORMAT:RPOL0101	FROM FILE POL0109	OF LIBRARY GLOBALDATA	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	NUMBER	POLICY	NAME	RETRIEVAL	ALTSEQ	
	0001	POLICY		ASCENDING	NO	
	0002	EFFDTE		ASCENDING	NO	
472	05	RPOL0101	REDEFINES POL0109-RECORD.			
473	06	POLICY	PIC X(10).			
		POLICY NUMBER				
474	06	EFFDTE	PIC S9(7)	COMP-3.		
		EFFECTIVE DATE				
475	06	EXPDTE	PIC S9(7)	COMP-3.		
		EXPIRATION DATE				
476	06	CANDTE	PIC S9(7)	COMP-3.		
		CANCEL DATE				
477	06	CANPND	PIC X(1).			
		CANCEL PEND FLAG				
478	06	POLTRM	PIC S9(3)	COMP-3.		
		POLICY TERM - MOS				
479	06	CANOPT	PIC X(1).			
		CANCEL OPTION				
480	06	CANRSN	PIC X(2).			
		CANCELLATION REASON				
481	06	CANMTD	PIC X(1).			
		CANCEL METHOD				
482	06	INSNAM	PIC X(30).			
		INSURED NAME				
483	06	INSCTY	PIC X(18).			
		INSURED CITY				
484	06	INSST	PIC X(2).			
		INSURED STATE				
485	06	INSZIP	PIC X(9).			
		INSURED ZIP				
486	06	SERCH	PIC X(15).			
		SERCH NAME				
487	06	CO	PIC X(4).			
		COMPANY NUMBER				
488	06	AGENT	PIC X(5).			
		AGENT NUMBER				
489	06	SUBPRO	PIC X(5).			
		SUB PRODUCER				
490	06	AGYTYP	PIC X(1).			
		AGENCY TYPE				
491	06	TRNSAG	PIC X(5).			
		TRANSFER AGENT				
492	06	DIRASS	PIC X(1).			
		DIRECT/ASSUMED				
493	06	PROD	PIC X(3).			
		PRODUCT				
494	06	CLMOCC	PIC X(1).			
		CLAIMS-MADE/OCCUR				
495	06	REINST	PIC X(1).			
		REINSTATEMENT FLAG				
496	06	FILING	PIC X(1).			
		FILINGS Y/N				
497	06	ERNBAS	PIC X(1).			

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000058*	EARNING BASIS				<-ALL-FMTS
498	+000059	06 REINFL	PIC X(1).			<-ALL-FMTS
	+000060*	REINSURANCE FLAG				<-ALL-FMTS
499	+000061	06 PAYPLN	PIC X(2).			<-ALL-FMTS
	+000062*	PAYMENT PLAN				<-ALL-FMTS
500	+000063	06 PROGRM	PIC S9(5)	COMP-3.		<-ALL-FMTS
	+000064*	PROGRAM CODE				<-ALL-FMTS
501	+000065	06 PGMMAJ	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000066*	PROGRAM MAJOR				<-ALL-FMTS
502	+000067	06 PGMMIN	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000068*	PROGRAM MINOR				<-ALL-FMTS
503	+000069	06 UWYEAR	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000070*	UNDERWRITING YEAR				<-ALL-FMTS
504	+000071	06 CUSTNO	PIC S9(7)	COMP-3.		<-ALL-FMTS
	+000072*	CUSTOMER NUMBER				<-ALL-FMTS
505	+000073	06 COLDED	PIC S9(11)	COMP-3.		<-ALL-FMTS
	+000074*	COLLECT DEDUCTIBLE				<-ALL-FMTS
506	+000075	06 LCFPCT	PIC S9(3)V9(2)	COMP-3.		<-ALL-FMTS
	+000076*	LCF PERCENT				<-ALL-FMTS
507	+000077	06 SIC	PIC S9(5)	COMP-3.		<-ALL-FMTS
	+000078*	SIC CODES				<-ALL-FMTS
508	+000079	06 FILCTL	PIC S9(11)	COMP-3.		<-ALL-FMTS
	+000080*	FILE CONTROL #				<-ALL-FMTS
509	+000081	06 OFFNUM	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000082*	OFFICE NUMBER				<-ALL-FMTS
510	+000083	06 PNGRP	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000084*	GROUP NO.				<-ALL-FMTS
511	+000085	06 PNRPT	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000086*	REPORT NUMBER				<-ALL-FMTS
512	+000087	06 PNPLMT	PIC S9(9)	COMP-3.		<-ALL-FMTS
	+000088*	PROPERTY HIGH LIMIT				<-ALL-FMTS
513	+000089	06 PNOLMT	PIC S9(9)	COMP-3.		<-ALL-FMTS
	+000090*	OTHER HIGH LIMIT				<-ALL-FMTS
514	+000091	06 PNLMIT	PIC S9(9)	COMP-3.		<-ALL-FMTS
	+000092*	POLICY HIGH LIMIT				<-ALL-FMTS
515	+000093	06 PNDED	PIC S9(9)	COMP-3.		<-ALL-FMTS
	+000094*	POLICY DEDUCTIBLE				<-ALL-FMTS
516	+000095	06 PNTYP	PIC X(2).			<-ALL-FMTS
	+000096*	POLICY TYPE				<-ALL-FMTS
	+000097*	I-O FORMAT:RPOL0102	FROM FILE POL0109	OF LIBRARY GLOBALDATA		<-ALL-FMTS
	+000098*		BY POLICY,EFFDTE			<-ALL-FMTS
	+000099*	THE KEY DEFINITIONS FOR RECORD FORMAT	RPOL0102			<-ALL-FMTS
	+000100*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000101*	0001	POLICY	ASCENDING	NO	<-ALL-FMTS
	+000102*	0002	EFFDTE	ASCENDING	NO	<-ALL-FMTS
517	+000103	05	RPOL0102	REDEFINES POL0109-RECORD.		<-ALL-FMTS
518	+000104	06	POLICY	PIC X(10).		<-ALL-FMTS
	+000105*		POLICY NUMBER			<-ALL-FMTS
519	+000106	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000107*		EFFECTIVE DATE			<-ALL-FMTS
520	+000108	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000109*		EXPIRATION DATE			<-ALL-FMTS
521	+000110	06	CANDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000111*		CANCEL DATE			<-ALL-FMTS
522	+000112	06	CANPND	PIC X(1).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000113*	CANCEL PEND FLAG			<-ALL-FMTS
523	+000114	06 POLTRM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000115*	POLICY TERM - MOS			<-ALL-FMTS
524	+000116	06 CANOPT	PIC X(1).		<-ALL-FMTS
	+000117*	CANCEL OPTION			<-ALL-FMTS
525	+000118	06 CANRSN	PIC X(2).		<-ALL-FMTS
	+000119*	CANCELLATION REASON			<-ALL-FMTS
526	+000120	06 CANMTD	PIC X(1).		<-ALL-FMTS
	+000121*	CANCEL METHOD			<-ALL-FMTS
527	+000122	06 INSNAM	PIC X(30).		<-ALL-FMTS
	+000123*	INSURED NAME			<-ALL-FMTS
528	+000124	06 INSCTY	PIC X(18).		<-ALL-FMTS
	+000125*	INSURED CITY			<-ALL-FMTS
529	+000126	06 INSST	PIC X(2).		<-ALL-FMTS
	+000127*	INSURED STATE			<-ALL-FMTS
530	+000128	06 INSZIP	PIC X(9).		<-ALL-FMTS
	+000129*	INSURED ZIP			<-ALL-FMTS
531	+000130	06 SERCH	PIC X(15).		<-ALL-FMTS
	+000131*	SERCH NAME			<-ALL-FMTS
532	+000132	06 CO	PIC X(4).		<-ALL-FMTS
	+000133*	COMPANY NUMBER			<-ALL-FMTS
533	+000134	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000135*	AGENT NUMBER			<-ALL-FMTS
534	+000136	06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000137*	SUB PRODUCER			<-ALL-FMTS
535	+000138	06 AGYTYP	PIC X(1).		<-ALL-FMTS
	+000139*	AGENCY TYPE			<-ALL-FMTS
536	+000140	06 TRNSAG	PIC X(5).		<-ALL-FMTS
	+000141*	TRANSFER AGENT			<-ALL-FMTS
537	+000142	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000143*	DIRECT/ASSUMED			<-ALL-FMTS
538	+000144	06 PROD	PIC X(3).		<-ALL-FMTS
	+000145*	PRODUCT			<-ALL-FMTS
539	+000146	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000147*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
540	+000148	06 REINST	PIC X(1).		<-ALL-FMTS
	+000149*	REINSTATEMENT FLAG			<-ALL-FMTS
541	+000150	06 FILING	PIC X(1).		<-ALL-FMTS
	+000151*	FILINGS Y/N			<-ALL-FMTS
542	+000152	06 ERNBAS	PIC X(1).		<-ALL-FMTS
	+000153*	EARNING BASIS			<-ALL-FMTS
543	+000154	06 REINFL	PIC X(1).		<-ALL-FMTS
	+000155*	REINSURANCE FLAG			<-ALL-FMTS
544	+000156	06 PAYPLN	PIC X(2).		<-ALL-FMTS
	+000157*	PAYMENT PLAN			<-ALL-FMTS
545	+000158	06 PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000159*	PROGRAM CODE			<-ALL-FMTS
546	+000160	06 PGMMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000161*	PROGRAM MAJOR			<-ALL-FMTS
547	+000162	06 PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000163*	PROGRAM MINOR			<-ALL-FMTS
548	+000164	06 UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000165*	UNDERWRITING YEAR			<-ALL-FMTS
549	+000166	06 CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000167*	CUSTOMER NUMBER			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

550	+000168	06 COLDED	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000169*	COLLECT DEDUCTIBLE			<-ALL-FMTS
551	+000170	06 LCFPCT	PIC S9(3)V9(2)	COMP-3.	<-ALL-FMTS
	+000171*	LCF PERCENT			<-ALL-FMTS
552	+000172	06 SIC	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000173*	SIC CODES			<-ALL-FMTS
553	+000174	06 FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000175*	FILE CONTROL #			<-ALL-FMTS
554	+000176	06 OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000177*	OFFICE NUMBER			<-ALL-FMTS
555	+000178	06 PNGRP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000179*	GROUP NO.			<-ALL-FMTS
556	+000180	06 PNRPT	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000181*	REPORT NUMBER			<-ALL-FMTS
557	+000182	06 PNPLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000183*	PROPERTY HIGH LIMIT			<-ALL-FMTS
558	+000184	06 PNOLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000185*	OTHER HIGH LIMIT			<-ALL-FMTS
559	+000186	06 PNLIMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000187*	POLICY HIGH LIMIT			<-ALL-FMTS
560	+000188	06 PNDED	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000189*	POLICY DEDUCTIBLE			<-ALL-FMTS
561	+000190	06 PNTYP	PIC X(2).		<-ALL-FMTS
	+000191*	POLICY TYPE			<-ALL-FMTS
	+000192*	I-O FORMAT:RPOL0106	FROM FILE POL0109	OF LIBRARY GLOBALDATA	<-ALL-FMTS
	+000193*		BY POLICY,EFFDTE		<-ALL-FMTS
	+000194*	THE KEY DEFINITIONS FOR RECORD FORMAT	RPOL0106		<-ALL-FMTS
	+000195*	NUMBER	NAME	RETRIEVAL	ALTSEQ
	+000196*	0001	POLICY	ASCENDING	NO
	+000197*	0002	EFFDTE	ASCENDING	NO
562	+000198	05	RPOL0106	REDEFINES POL0109-RECORD.	<-ALL-FMTS
563	+000199	06	POLICY	PIC X(10).	<-ALL-FMTS
	+000200*		POLICY NUMBER		<-ALL-FMTS
564	+000201	06	EFFDTE	PIC S9(7)	COMP-3.
	+000202*		EFFECTIVE DATE		<-ALL-FMTS
565	+000203	06	EXPDTE	PIC S9(7)	COMP-3.
	+000204*		EXPIRATION DATE		<-ALL-FMTS
566	+000205	06	CANDTE	PIC S9(7)	COMP-3.
	+000206*		CANCEL DATE		<-ALL-FMTS
567	+000207	06	CANPND	PIC X(1).	<-ALL-FMTS
	+000208*		CANCEL PEND FLAG		<-ALL-FMTS
568	+000209	06	POLTRM	PIC S9(3)	COMP-3.
	+000210*		POLICY TERM - MOS		<-ALL-FMTS
569	+000211	06	CANOPT	PIC X(1).	<-ALL-FMTS
	+000212*		CANCEL OPTION		<-ALL-FMTS
570	+000213	06	CANRSN	PIC X(2).	<-ALL-FMTS
	+000214*		CANCELLATION REASON		<-ALL-FMTS
571	+000215	06	CANMTD	PIC X(1).	<-ALL-FMTS
	+000216*		CANCEL METHOD		<-ALL-FMTS
572	+000217	06	INSNAM	PIC X(30).	<-ALL-FMTS
	+000218*		INSURED NAME		<-ALL-FMTS
573	+000219	06	INSCTY	PIC X(18).	<-ALL-FMTS
	+000220*		INSURED CITY		<-ALL-FMTS
574	+000221	06	INSST	PIC X(2).	<-ALL-FMTS
	+000222*		INSURED STATE		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

575	+000223	06	INSZIP	PIC X(9).		<-ALL-FMTS
	+000224*		INSURED ZIP			<-ALL-FMTS
576	+000225	06	SERCH	PIC X(15).		<-ALL-FMTS
	+000226*		SERCH NAME			<-ALL-FMTS
577	+000227	06	CO	PIC X(4).		<-ALL-FMTS
	+000228*		COMPANY NUMBER			<-ALL-FMTS
578	+000229	06	AGENT	PIC X(5).		<-ALL-FMTS
	+000230*		AGENT NUMBER			<-ALL-FMTS
579	+000231	06	SUBPRO	PIC X(5).		<-ALL-FMTS
	+000232*		SUB PRODUCER			<-ALL-FMTS
580	+000233	06	AGYTYP	PIC X(1).		<-ALL-FMTS
	+000234*		AGENCY TYPE			<-ALL-FMTS
581	+000235	06	TRNSAG	PIC X(5).		<-ALL-FMTS
	+000236*		TRANSFER AGENT			<-ALL-FMTS
582	+000237	06	DIRASS	PIC X(1).		<-ALL-FMTS
	+000238*		DIRECT/ASSUMED			<-ALL-FMTS
583	+000239	06	PROD	PIC X(3).		<-ALL-FMTS
	+000240*		PRODUCT			<-ALL-FMTS
584	+000241	06	CLMOCC	PIC X(1).		<-ALL-FMTS
	+000242*		CLAIMS-MADE/OCCUR			<-ALL-FMTS
585	+000243	06	REINST	PIC X(1).		<-ALL-FMTS
	+000244*		REINSTATEMENT FLAG			<-ALL-FMTS
586	+000245	06	FILING	PIC X(1).		<-ALL-FMTS
	+000246*		FILINGS Y/N			<-ALL-FMTS
587	+000247	06	ERNBAS	PIC X(1).		<-ALL-FMTS
	+000248*		EARNING BASIS			<-ALL-FMTS
588	+000249	06	REINFL	PIC X(1).		<-ALL-FMTS
	+000250*		REINSURANCE FLAG			<-ALL-FMTS
589	+000251	06	PAYPLN	PIC X(2).		<-ALL-FMTS
	+000252*		PAYMENT PLAN			<-ALL-FMTS
590	+000253	06	PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000254*		PROGRAM CODE			<-ALL-FMTS
591	+000255	06	PGMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000256*		PROGRAM MAJOR			<-ALL-FMTS
592	+000257	06	PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000258*		PROGRAM MINOR			<-ALL-FMTS
593	+000259	06	UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000260*		UNDERWRITING YEAR			<-ALL-FMTS
594	+000261	06	CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000262*		CUSTOMER NUMBER			<-ALL-FMTS
595	+000263	06	COLDED	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000264*		COLLECT DEDUCTIBLE			<-ALL-FMTS
596	+000265	06	LCFPCT	PIC S9(3)V9(2)	COMP-3.	<-ALL-FMTS
	+000266*		LCF PERCENT			<-ALL-FMTS
597	+000267	06	SIC	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000268*		SIC CODES			<-ALL-FMTS
598	+000269	06	FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000270*		FILE CONTROL #			<-ALL-FMTS
599	+000271	06	OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000272*		OFFICE NUMBER			<-ALL-FMTS
600	+000273	06	PNGRP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000274*		GROUP NO.			<-ALL-FMTS
601	+000275	06	PNRPT	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000276*		REPORT NUMBER			<-ALL-FMTS
602	+000277	06	PNPLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000278*		PROPERTY HIGH LIMIT			<-ALL-FMTS
603	+000279	06	PNOLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000280*		OTHER HIGH LIMIT			<-ALL-FMTS
604	+000281	06	PNLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000282*		POLICY HIGH LIMIT			<-ALL-FMTS
605	+000283	06	PNDED	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000284*		POLICY DEDUCTIBLE			<-ALL-FMTS
606	+000285	06	PNTYP	PIC X(2).		<-ALL-FMTS
	+000286*		POLICY TYPE			<-ALL-FMTS
	+000287*		I-O FORMAT:RPOL0108	FROM FILE POL0109	OF LIBRARY GLOBALDATA	<-ALL-FMTS
	+000288*			BY POLICY,EFFDTE		<-ALL-FMTS
	+000289*		THE KEY DEFINITIONS FOR RECORD FORMAT	RPOL0108		<-ALL-FMTS
	+000290*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000291*	0001	POLICY	ASCENDING	NO	<-ALL-FMTS
	+000292*	0002	EFFDTE	ASCENDING	NO	<-ALL-FMTS
607	+000293	05	RPOL0108	REDEFINES	POL0109-RECORD.	<-ALL-FMTS
608	+000294	06	POLICY	PIC X(10).		<-ALL-FMTS
	+000295*		POLICY NUMBER			<-ALL-FMTS
609	+000296	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000297*		EFFECTIVE DATE			<-ALL-FMTS
610	+000298	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000299*		EXPIRATION DATE			<-ALL-FMTS
611	+000300	06	CANDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000301*		CANCEL DATE			<-ALL-FMTS
612	+000302	06	CANPND	PIC X(1).		<-ALL-FMTS
	+000303*		CANCEL PEND FLAG			<-ALL-FMTS
613	+000304	06	POLTRM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000305*		POLICY TERM - MOS			<-ALL-FMTS
614	+000306	06	CANOPT	PIC X(1).		<-ALL-FMTS
	+000307*		CANCEL OPTION			<-ALL-FMTS
615	+000308	06	CANRSN	PIC X(2).		<-ALL-FMTS
	+000309*		CANCELLATION REASON			<-ALL-FMTS
616	+000310	06	CANMTD	PIC X(1).		<-ALL-FMTS
	+000311*		CANCEL METHOD			<-ALL-FMTS
617	+000312	06	INSNAM	PIC X(30).		<-ALL-FMTS
	+000313*		INSURED NAME			<-ALL-FMTS
618	+000314	06	INSCTY	PIC X(18).		<-ALL-FMTS
	+000315*		INSURED CITY			<-ALL-FMTS
619	+000316	06	INSST	PIC X(2).		<-ALL-FMTS
	+000317*		INSURED STATE			<-ALL-FMTS
620	+000318	06	INSZIP	PIC X(9).		<-ALL-FMTS
	+000319*		INSURED ZIP			<-ALL-FMTS
621	+000320	06	SERCH	PIC X(15).		<-ALL-FMTS
	+000321*		SERCH NAME			<-ALL-FMTS
622	+000322	06	CO	PIC X(4).		<-ALL-FMTS
	+000323*		COMPANY NUMBER			<-ALL-FMTS
623	+000324	06	AGENT	PIC X(5).		<-ALL-FMTS
	+000325*		AGENT NUMBER			<-ALL-FMTS
624	+000326	06	SUBPRO	PIC X(5).		<-ALL-FMTS
	+000327*		SUB PRODUCER			<-ALL-FMTS
625	+000328	06	AGYTYP	PIC X(1).		<-ALL-FMTS
	+000329*		AGENCY TYPE			<-ALL-FMTS
626	+000330	06	TRNSAG	PIC X(5).		<-ALL-FMTS
	+000331*		TRANSFER AGENT			<-ALL-FMTS
627	+000332	06	DIRASS	PIC X(1).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000333*	DIRECT/ASSUMED				<-ALL-FMTS
628	+000334	06 PROD	PIC X(3).			<-ALL-FMTS
	+000335*	PRODUCT				<-ALL-FMTS
629	+000336	06 CLMOCC	PIC X(1).			<-ALL-FMTS
	+000337*	CLAIMS-MADE/OCCUR				<-ALL-FMTS
630	+000338	06 REINST	PIC X(1).			<-ALL-FMTS
	+000339*	REINSTATEMENT FLAG				<-ALL-FMTS
631	+000340	06 FILING	PIC X(1).			<-ALL-FMTS
	+000341*	FILINGS Y/N				<-ALL-FMTS
632	+000342	06 ERNBAS	PIC X(1).			<-ALL-FMTS
	+000343*	EARNING BASIS				<-ALL-FMTS
633	+000344	06 REINFL	PIC X(1).			<-ALL-FMTS
	+000345*	REINSURANCE FLAG				<-ALL-FMTS
634	+000346	06 PAYPLN	PIC X(2).			<-ALL-FMTS
	+000347*	PAYMENT PLAN				<-ALL-FMTS
635	+000348	06 PROGRM	PIC S9(5)	COMP-3.		<-ALL-FMTS
	+000349*	PROGRAM CODE				<-ALL-FMTS
636	+000350	06 PGMMAJ	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000351*	PROGRAM MAJOR				<-ALL-FMTS
637	+000352	06 PGMMIN	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000353*	PROGRAM MINOR				<-ALL-FMTS
638	+000354	06 UWYEAR	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000355*	UNDERWRITING YEAR				<-ALL-FMTS
639	+000356	06 CUSTNO	PIC S9(7)	COMP-3.		<-ALL-FMTS
	+000357*	CUSTOMER NUMBER				<-ALL-FMTS
640	+000358	06 COLDED	PIC S9(11)	COMP-3.		<-ALL-FMTS
	+000359*	COLLECT DEDUCTIBLE				<-ALL-FMTS
641	+000360	06 LCFPCT	PIC S9(3)V9(2)	COMP-3.		<-ALL-FMTS
	+000361*	LCF PERCENT				<-ALL-FMTS
642	+000362	06 SIC	PIC S9(5)	COMP-3.		<-ALL-FMTS
	+000363*	SIC CODES				<-ALL-FMTS
643	+000364	06 FILCTL	PIC S9(11)	COMP-3.		<-ALL-FMTS
	+000365*	FILE CONTROL #				<-ALL-FMTS
644	+000366	06 OFFNUM	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000367*	OFFICE NUMBER				<-ALL-FMTS
645	+000368	06 PNGRP	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000369*	GROUP NO.				<-ALL-FMTS
646	+000370	06 PNRPT	PIC S9(3)	COMP-3.		<-ALL-FMTS
	+000371*	REPORT NUMBER				<-ALL-FMTS
647	+000372	06 PNPLMT	PIC S9(9)	COMP-3.		<-ALL-FMTS
	+000373*	PROPERTY HIGH LIMIT				<-ALL-FMTS
648	+000374	06 PNOLMT	PIC S9(9)	COMP-3.		<-ALL-FMTS
	+000375*	OTHER HIGH LIMIT				<-ALL-FMTS
649	+000376	06 PNLIMT	PIC S9(9)	COMP-3.		<-ALL-FMTS
	+000377*	POLICY HIGH LIMIT				<-ALL-FMTS
650	+000378	06 PNDED	PIC S9(9)	COMP-3.		<-ALL-FMTS
	+000379*	POLICY DEDUCTIBLE				<-ALL-FMTS
651	+000380	06 PNTYP	PIC X(2).			<-ALL-FMTS
	+000381*	POLICY TYPE				<-ALL-FMTS
	+000382*	I-O FORMAT:RPOL0109	FROM FILE POL0109	OF LIBRARY GLOBALDATA		<-ALL-FMTS
	+000383*		BY POLICY,EFFDTE			<-ALL-FMTS
	+000384*	THE KEY DEFINITIONS FOR RECORD FORMAT	RPOL0109			<-ALL-FMTS
	+000385*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000386*	0001	POLICY	ASCENDING	NO	<-ALL-FMTS
	+000387*	0002	EFFDTE	ASCENDING	NO	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

652	+000388	05	RPOL0109	REDEFINES POL0109-RECORD.		<-ALL-FMTS
653	+000389		06 POLICY	PIC X(10).		<-ALL-FMTS
	+000390*		POLICY NUMBER			<-ALL-FMTS
654	+000391		06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000392*		EFFECTIVE DATE			<-ALL-FMTS
655	+000393		06 EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000394*		EXPIRATION DATE			<-ALL-FMTS
656	+000395		06 CANDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000396*		CANCEL DATE			<-ALL-FMTS
657	+000397		06 CANPND	PIC X(1).		<-ALL-FMTS
	+000398*		CANCEL PEND FLAG			<-ALL-FMTS
658	+000399		06 POLTRM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000400*		POLICY TERM - MOS			<-ALL-FMTS
659	+000401		06 CANOPT	PIC X(1).		<-ALL-FMTS
	+000402*		CANCEL OPTION			<-ALL-FMTS
660	+000403		06 CANRSN	PIC X(2).		<-ALL-FMTS
	+000404*		CANCELLATION REASON			<-ALL-FMTS
661	+000405		06 CANMTD	PIC X(1).		<-ALL-FMTS
	+000406*		CANCEL METHOD			<-ALL-FMTS
662	+000407		06 INSNAM	PIC X(30).		<-ALL-FMTS
	+000408*		INSURED NAME			<-ALL-FMTS
663	+000409		06 INSCTY	PIC X(18).		<-ALL-FMTS
	+000410*		INSURED CITY			<-ALL-FMTS
664	+000411		06 INSST	PIC X(2).		<-ALL-FMTS
	+000412*		INSURED STATE			<-ALL-FMTS
665	+000413		06 INSZIP	PIC X(9).		<-ALL-FMTS
	+000414*		INSURED ZIP			<-ALL-FMTS
666	+000415		06 SERCH	PIC X(15).		<-ALL-FMTS
	+000416*		SERCH NAME			<-ALL-FMTS
667	+000417		06 CO	PIC X(4).		<-ALL-FMTS
	+000418*		COMPANY NUMBER			<-ALL-FMTS
668	+000419		06 AGENT	PIC X(5).		<-ALL-FMTS
	+000420*		AGENT NUMBER			<-ALL-FMTS
669	+000421		06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000422*		SUB PRODUCER			<-ALL-FMTS
670	+000423		06 AGYTYP	PIC X(1).		<-ALL-FMTS
	+000424*		AGENCY TYPE			<-ALL-FMTS
671	+000425		06 TRNSAG	PIC X(5).		<-ALL-FMTS
	+000426*		TRANSFER AGENT			<-ALL-FMTS
672	+000427		06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000428*		DIRECT/ASSUMED			<-ALL-FMTS
673	+000429		06 PROD	PIC X(3).		<-ALL-FMTS
	+000430*		PRODUCT			<-ALL-FMTS
674	+000431		06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000432*		CLAIMS-MADE/OCCUR			<-ALL-FMTS
675	+000433		06 REINST	PIC X(1).		<-ALL-FMTS
	+000434*		REINSTATEMENT FLAG			<-ALL-FMTS
676	+000435		06 FILING	PIC X(1).		<-ALL-FMTS
	+000436*		FILINGS Y/N			<-ALL-FMTS
677	+000437		06 ERNBAS	PIC X(1).		<-ALL-FMTS
	+000438*		EARNING BASIS			<-ALL-FMTS
678	+000439		06 REINFL	PIC X(1).		<-ALL-FMTS
	+000440*		REINSURANCE FLAG			<-ALL-FMTS
679	+000441		06 PAYPLN	PIC X(2).		<-ALL-FMTS
	+000442*		PAYMENT PLAN			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

680	+000443	06	PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000444*		PROGRAM CODE			<-ALL-FMTS
681	+000445	06	PGMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000446*		PROGRAM MAJOR			<-ALL-FMTS
682	+000447	06	PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000448*		PROGRAM MINOR			<-ALL-FMTS
683	+000449	06	UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000450*		UNDERWRITING YEAR			<-ALL-FMTS
684	+000451	06	CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000452*		CUSTOMER NUMBER			<-ALL-FMTS
685	+000453	06	COLDED	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000454*		COLLECT DEDUCTIBLE			<-ALL-FMTS
686	+000455	06	LCFPCT	PIC S9(3)V9(2)	COMP-3.	<-ALL-FMTS
	+000456*		LCF PERCENT			<-ALL-FMTS
687	+000457	06	SIC	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000458*		SIC CODES			<-ALL-FMTS
688	+000459	06	FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000460*		FILE CONTROL #			<-ALL-FMTS
689	+000461	06	OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000462*		OFFICE NUMBER			<-ALL-FMTS
690	+000463	06	PNGRP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000464*		GROUP NO.			<-ALL-FMTS
691	+000465	06	PNRPT	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000466*		REPORT NUMBER			<-ALL-FMTS
692	+000467	06	PNPLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000468*		PROPERTY HIGH LIMIT			<-ALL-FMTS
693	+000469	06	PNOLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000470*		OTHER HIGH LIMIT			<-ALL-FMTS
694	+000471	06	PNLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000472*		POLICY HIGH LIMIT			<-ALL-FMTS
695	+000473	06	PNDED	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000474*		POLICY DEDUCTIBLE			<-ALL-FMTS
696	+000475	06	PNTYP	PIC X(2).		<-ALL-FMTS
	+000476*		POLICY TYPE			<-ALL-FMTS
	+000477*	I-O FORMAT:RPOL0110 FROM FILE POL0109 OF LIBRARY GLOBALDATA				<-ALL-FMTS
	+000478*	BY POLICY,EFFDTE				<-ALL-FMTS
	+000479*	THE KEY DEFINITIONS FOR RECORD FORMAT RPOL0110				<-ALL-FMTS
	+000480*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000481*	0001	POLICY	ASCENDING	NO	<-ALL-FMTS
	+000482*	0002	EFFDTE	ASCENDING	NO	<-ALL-FMTS
697	+000483	05	RPOL0110	REDEFINES POL0109-RECORD.		<-ALL-FMTS
698	+000484	06	POLICY	PIC X(10).		<-ALL-FMTS
	+000485*		POLICY NUMBER			<-ALL-FMTS
699	+000486	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000487*		EFFECTIVE DATE			<-ALL-FMTS
700	+000488	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000489*		EXPIRATION DATE			<-ALL-FMTS
701	+000490	06	CANDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000491*		CANCEL DATE			<-ALL-FMTS
702	+000492	06	CANPND	PIC X(1).		<-ALL-FMTS
	+000493*		CANCEL PEND FLAG			<-ALL-FMTS
703	+000494	06	POLTRM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000495*		POLICY TERM - MOS			<-ALL-FMTS
704	+000496	06	CANOPT	PIC X(1).		<-ALL-FMTS
	+000497*		CANCEL OPTION			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

705	+000498	06 CANRSN	PIC X(2).		<-ALL-FMTS
	+000499*	CANCELLATION REASON			<-ALL-FMTS
706	+000500	06 CANMTD	PIC X(1).		<-ALL-FMTS
	+000501*	CANCEL METHOD			<-ALL-FMTS
707	+000502	06 INSNAM	PIC X(30).		<-ALL-FMTS
	+000503*	INSURED NAME			<-ALL-FMTS
708	+000504	06 INSCTY	PIC X(18).		<-ALL-FMTS
	+000505*	INSURED CITY			<-ALL-FMTS
709	+000506	06 INSST	PIC X(2).		<-ALL-FMTS
	+000507*	INSURED STATE			<-ALL-FMTS
710	+000508	06 INSZIP	PIC X(9).		<-ALL-FMTS
	+000509*	INSURED ZIP			<-ALL-FMTS
711	+000510	06 SERCH	PIC X(15).		<-ALL-FMTS
	+000511*	SERCH NAME			<-ALL-FMTS
712	+000512	06 CO	PIC X(4).		<-ALL-FMTS
	+000513*	COMPANY NUMBER			<-ALL-FMTS
713	+000514	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000515*	AGENT NUMBER			<-ALL-FMTS
714	+000516	06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000517*	SUB PRODUCER			<-ALL-FMTS
715	+000518	06 AGYTYP	PIC X(1).		<-ALL-FMTS
	+000519*	AGENCY TYPE			<-ALL-FMTS
716	+000520	06 TRNSAG	PIC X(5).		<-ALL-FMTS
	+000521*	TRANSFER AGENT			<-ALL-FMTS
717	+000522	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000523*	DIRECT/ASSUMED			<-ALL-FMTS
718	+000524	06 PROD	PIC X(3).		<-ALL-FMTS
	+000525*	PRODUCT			<-ALL-FMTS
719	+000526	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000527*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
720	+000528	06 REINST	PIC X(1).		<-ALL-FMTS
	+000529*	REINSTATEMENT FLAG			<-ALL-FMTS
721	+000530	06 FILING	PIC X(1).		<-ALL-FMTS
	+000531*	FILINGS Y/N			<-ALL-FMTS
722	+000532	06 ERNBAS	PIC X(1).		<-ALL-FMTS
	+000533*	EARNING BASIS			<-ALL-FMTS
723	+000534	06 REINFL	PIC X(1).		<-ALL-FMTS
	+000535*	REINSURANCE FLAG			<-ALL-FMTS
724	+000536	06 PAYPLN	PIC X(2).		<-ALL-FMTS
	+000537*	PAYMENT PLAN			<-ALL-FMTS
725	+000538	06 PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000539*	PROGRAM CODE			<-ALL-FMTS
726	+000540	06 PGMMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000541*	PROGRAM MAJOR			<-ALL-FMTS
727	+000542	06 PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000543*	PROGRAM MINOR			<-ALL-FMTS
728	+000544	06 UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000545*	UNDERWRITING YEAR			<-ALL-FMTS
729	+000546	06 CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000547*	CUSTOMER NUMBER			<-ALL-FMTS
730	+000548	06 COLDED	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000549*	COLLECT DEDUCTIBLE			<-ALL-FMTS
731	+000550	06 LCFPCT	PIC S9(3)V9(2)	COMP-3.	<-ALL-FMTS
	+000551*	LCF PERCENT			<-ALL-FMTS
732	+000552	06 SIC	PIC S9(5)	COMP-3.	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000553*		SIC CODES			<-ALL-FMTS
733	+000554	06	FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000555*		FILE CONTROL #			<-ALL-FMTS
734	+000556	06	OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000557*		OFFICE NUMBER			<-ALL-FMTS
735	+000558	06	PNGRP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000559*		GROUP NO.			<-ALL-FMTS
736	+000560	06	PNRPT	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000561*		REPORT NUMBER			<-ALL-FMTS
737	+000562	06	PNPLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000563*		PROPERTY HIGH LIMIT			<-ALL-FMTS
738	+000564	06	PNOLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000565*		OTHER HIGH LIMIT			<-ALL-FMTS
739	+000566	06	PNLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000567*		POLICY HIGH LIMIT			<-ALL-FMTS
740	+000568	06	PNDED	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000569*		POLICY DEDUCTIBLE			<-ALL-FMTS
741	+000570	06	PNTYP	PIC X(2).		<-ALL-FMTS
	+000571*		POLICY TYPE			<-ALL-FMTS
	+000572*	I-O	FORMAT:RPOL0111	FROM FILE POL0109	OF LIBRARY GLOBALDATA	<-ALL-FMTS
	+000573*			BY POLICY,EFFDTE		<-ALL-FMTS
	+000574*		THE KEY DEFINITIONS FOR RECORD FORMAT	RPOL0111		<-ALL-FMTS
	+000575*	NUMBER		NAME	RETRIEVAL	ALTSEQ
	+000576*	0001	POLICY		ASCENDING	NO
	+000577*	0002	EFFDTE		ASCENDING	NO
742	+000578	05	RPOL0111	REDEFINES POL0109-RECORD.		<-ALL-FMTS
743	+000579	06	POLICY	PIC X(10).		<-ALL-FMTS
	+000580*		POLICY NUMBER			<-ALL-FMTS
744	+000581	06	EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000582*		EFFECTIVE DATE			<-ALL-FMTS
745	+000583	06	EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000584*		EXPIRATION DATE			<-ALL-FMTS
746	+000585	06	CANDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000586*		CANCEL DATE			<-ALL-FMTS
747	+000587	06	CANPND	PIC X(1).		<-ALL-FMTS
	+000588*		CANCEL PEND FLAG			<-ALL-FMTS
748	+000589	06	POLTRM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000590*		POLICY TERM - MOS			<-ALL-FMTS
749	+000591	06	CANOPT	PIC X(1).		<-ALL-FMTS
	+000592*		CANCEL OPTION			<-ALL-FMTS
750	+000593	06	CANRSN	PIC X(2).		<-ALL-FMTS
	+000594*		CANCELLATION REASON			<-ALL-FMTS
751	+000595	06	CANMTD	PIC X(1).		<-ALL-FMTS
	+000596*		CANCEL METHOD			<-ALL-FMTS
752	+000597	06	INSNAM	PIC X(30).		<-ALL-FMTS
	+000598*		INSURED NAME			<-ALL-FMTS
753	+000599	06	INSCTY	PIC X(18).		<-ALL-FMTS
	+000600*		INSURED CITY			<-ALL-FMTS
754	+000601	06	INSST	PIC X(2).		<-ALL-FMTS
	+000602*		INSURED STATE			<-ALL-FMTS
755	+000603	06	INSZIP	PIC X(9).		<-ALL-FMTS
	+000604*		INSURED ZIP			<-ALL-FMTS
756	+000605	06	SERCH	PIC X(15).		<-ALL-FMTS
	+000606*		SERCH NAME			<-ALL-FMTS
757	+000607	06	CO	PIC X(4).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000608*	COMPANY NUMBER			<-ALL-FMTS
758	+000609	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000610*	AGENT NUMBER			<-ALL-FMTS
759	+000611	06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000612*	SUB PRODUCER			<-ALL-FMTS
760	+000613	06 AGYTYP	PIC X(1).		<-ALL-FMTS
	+000614*	AGENCY TYPE			<-ALL-FMTS
761	+000615	06 TRNSAG	PIC X(5).		<-ALL-FMTS
	+000616*	TRANSFER AGENT			<-ALL-FMTS
762	+000617	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000618*	DIRECT/ASSUMED			<-ALL-FMTS
763	+000619	06 PROD	PIC X(3).		<-ALL-FMTS
	+000620*	PRODUCT			<-ALL-FMTS
764	+000621	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000622*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
765	+000623	06 REINST	PIC X(1).		<-ALL-FMTS
	+000624*	REINSTATEMENT FLAG			<-ALL-FMTS
766	+000625	06 FILING	PIC X(1).		<-ALL-FMTS
	+000626*	FILINGS Y/N			<-ALL-FMTS
767	+000627	06 ERNBAS	PIC X(1).		<-ALL-FMTS
	+000628*	EARNING BASIS			<-ALL-FMTS
768	+000629	06 REINFL	PIC X(1).		<-ALL-FMTS
	+000630*	REINSURANCE FLAG			<-ALL-FMTS
769	+000631	06 PAYPLN	PIC X(2).		<-ALL-FMTS
	+000632*	PAYMENT PLAN			<-ALL-FMTS
770	+000633	06 PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000634*	PROGRAM CODE			<-ALL-FMTS
771	+000635	06 PGMMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000636*	PROGRAM MAJOR			<-ALL-FMTS
772	+000637	06 PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000638*	PROGRAM MINOR			<-ALL-FMTS
773	+000639	06 UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000640*	UNDERWRITING YEAR			<-ALL-FMTS
774	+000641	06 CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000642*	CUSTOMER NUMBER			<-ALL-FMTS
775	+000643	06 COLDED	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000644*	COLLECT DEDUCTIBLE			<-ALL-FMTS
776	+000645	06 LCFPCT	PIC S9(3)V9(2)	COMP-3.	<-ALL-FMTS
	+000646*	LCF PERCENT			<-ALL-FMTS
777	+000647	06 SIC	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000648*	SIC CODES			<-ALL-FMTS
778	+000649	06 FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000650*	FILE CONTROL #			<-ALL-FMTS
779	+000651	06 OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000652*	OFFICE NUMBER			<-ALL-FMTS
780	+000653	06 PNGRP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000654*	GROUP NO.			<-ALL-FMTS
781	+000655	06 PNRPT	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000656*	REPORT NUMBER			<-ALL-FMTS
782	+000657	06 PNPLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000658*	PROPERTY HIGH LIMIT			<-ALL-FMTS
783	+000659	06 PNOLMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000660*	OTHER HIGH LIMIT			<-ALL-FMTS
784	+000661	06 PNLIMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000662*	POLICY HIGH LIMIT			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

785	+000663	06 PNDED	PIC S9(9)	COMP-3.	<-ALL-FMTS		
	+000664*	POLICY DEDUCTIBLE			<-ALL-FMTS		
786	+000665	06 PNTYP	PIC X(2).		<-ALL-FMTS		
	+000666*	POLICY TYPE			<-ALL-FMTS		
787	000066	FD CLAIM-FILE.				/	/
788	000067	01 CLAIM-RCD.				/	/
	000068	COPY DDS-ALL-FORMATS OF DWXC010M.				/	/
789	+000001	05 DWXC010M-RECORD	PIC X(650).		<-ALL-FMTS		
	+000002*	I-O FORMAT:RWXC010A	FROM FILE DWXC010M	OF LIBRARY GLOBALDATA	<-ALL-FMTS		
	+000003*	CLAIM MASTER	ALL LIBRARIES		<-ALL-FMTS		
	+000004*	THE KEY DEFINITIONS FOR RECORD FORMAT	RWXC010A		<-ALL-FMTS		
	+000005*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS	
	+000006*	0001 CLAIM	ASCENDING	NO	<-ALL-FMTS		
790	+000007	05 RWXC010A	REDEFINES DWXC010M-RECORD.		<-ALL-FMTS		
791	+000008	06 POLICY	PIC X(10).		<-ALL-FMTS		
	+000009*	POLICY NUMBER			<-ALL-FMTS		
792	+000010	06 CLAIM	PIC X(8).		<-ALL-FMTS		
	+000011*	CLAIM			<-ALL-FMTS		
793	+000012	06 COVERG	PIC X(3).		<-ALL-FMTS		
	+000013*	COVERAGE PART			<-ALL-FMTS		
794	+000014	06 LOCNUM	PIC X(3).		<-ALL-FMTS		
	+000015*	LOCATION			<-ALL-FMTS		
795	+000016	06 BLDNUM	PIC X(3).		<-ALL-FMTS		
	+000017*	BUILDING NUMBER			<-ALL-FMTS		
796	+000018	06 INSNAM	PIC X(30).		<-ALL-FMTS		
	+000019*	INSURED NAME			<-ALL-FMTS		
797	+000020	06 INSAD1	PIC X(30).		<-ALL-FMTS		
	+000021*	INSURED ADDRESS 1			<-ALL-FMTS		
798	+000022	06 INSAD2	PIC X(30).		<-ALL-FMTS		
	+000023*	INSURED ADDRESS 2			<-ALL-FMTS		
799	+000024	06 INSAD3	PIC X(30).		<-ALL-FMTS		
	+000025*	INSURED ADDRESS 3			<-ALL-FMTS		
800	+000026	06 INSCTY	PIC X(18).		<-ALL-FMTS		
	+000027*	INSURED CITY			<-ALL-FMTS		
801	+000028	06 INSST	PIC X(2).		<-ALL-FMTS		
	+000029*	INSURED STATE			<-ALL-FMTS		
802	+000030	06 INSZIP	PIC X(9).		<-ALL-FMTS		
	+000031*	INSURED ZIP			<-ALL-FMTS		
803	+000032	06 INSTEL	PIC X(10).		<-ALL-FMTS		
	+000033*	INSURED TELEPHONE			<-ALL-FMTS		
804	+000034	06 INSTYP	PIC X(2).		<-ALL-FMTS		
	+000035*	INSURED TYPE			<-ALL-FMTS		
805	+000036	06 IRSNO	PIC X(9).		<-ALL-FMTS		
	+000037*	IRS SS NUMBER			<-ALL-FMTS		
806	+000038	06 CO	PIC X(4).		<-ALL-FMTS		
	+000039*	COMPANY NUMBER			<-ALL-FMTS		
807	+000040	06 SERCH	PIC X(15).		<-ALL-FMTS		
	+000041*	SERCH NAME			<-ALL-FMTS		
808	+000042	06 RPTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
	+000043*	REPORT DATE			<-ALL-FMTS		
809	+000044	06 ACCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
	+000045*	ACCIDENT DATE			<-ALL-FMTS		
810	+000046	06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
	+000047*	EFFECTIVE DATE			<-ALL-FMTS		
811	+000048	06 RETDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000049*	RETRO DATE			<-ALL-FMTS
812	+000050	06 TAIDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000051*	TAIL DATE			<-ALL-FMTS
813	+000052	06 ORPOYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000053*	ORIGINAL POL YEAR			<-ALL-FMTS
814	+000054	06 PRMSTE	PIC X(2).		<-ALL-FMTS
	+000055*	PREMIUM STATE			<-ALL-FMTS
815	+000056	06 TAXTER	PIC X(4).		<-ALL-FMTS
	+000057*	TAX TERRITORY			<-ALL-FMTS
816	+000058	06 TERR	PIC X(3).		<-ALL-FMTS
	+000059*	TERRITORY			<-ALL-FMTS
817	+000060	06 VENDOR	PIC X(5).		<-ALL-FMTS
	+000061*	VENDOR			<-ALL-FMTS
818	+000062	06 INCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000063*	INCURRED DATE			<-ALL-FMTS
819	+000064	06 PROD	PIC X(3).		<-ALL-FMTS
	+000065*	PRODUCT			<-ALL-FMTS
820	+000066	06 ACCSTE	PIC X(2).		<-ALL-FMTS
	+000067*	ACCIDENT STATE			<-ALL-FMTS
821	+000068	06 COMPAN	PIC X(5).		<-ALL-FMTS
	+000069*	COMPANION CODE			<-ALL-FMTS
822	+000070	06 CATAST	PIC X(4).		<-ALL-FMTS
	+000071*	CATASTROPHE			<-ALL-FMTS
823	+000072	06 CLDESC	PIC X(220).		<-ALL-FMTS
	+000073*	CLAIM DESCRIPTION			<-ALL-FMTS
824	+000074	06 MODLYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000075*	MODEL YEAR			<-ALL-FMTS
825	+000076	06 VEHNAM	PIC X(15).		<-ALL-FMTS
	+000077*	VEHICLE NAME			<-ALL-FMTS
826	+000078	06 SYMBOL	PIC X(2).		<-ALL-FMTS
	+000079*	SYMBOL			<-ALL-FMTS
827	+000080	06 VEHID	PIC X(17).		<-ALL-FMTS
	+000081*	VEHICLE ID			<-ALL-FMTS
828	+000082	06 DRVNUM	PIC X(3).		<-ALL-FMTS
	+000083*	DRIVER NUMBER			<-ALL-FMTS
829	+000084	06 DRVNAM	PIC X(30).		<-ALL-FMTS
	+000085*	DRIVER NAME			<-ALL-FMTS
830	+000086	06 DRVAGE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000087*	DRIVERS AGE			<-ALL-FMTS
831	+000088	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000089*	AGENT NUMBER			<-ALL-FMTS
832	+000090	06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000091*	SUB PRODUCER			<-ALL-FMTS
833	+000092	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000093*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
834	+000094	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000095*	DIRECT/ASSUMED			<-ALL-FMTS
835	+000096	06 EXAMNR	PIC X(5).		<-ALL-FMTS
	+000097*	EXAMINER			<-ALL-FMTS
836	+000098	06 INTRSK	PIC X(9).		<-ALL-FMTS
	+000099*	INTERSTATE RISK ID			<-ALL-FMTS
837	+000100	06 STAADM	PIC X(1).		<-ALL-FMTS
	+000101*	TAX TERR REQD Y/N			<-ALL-FMTS
838	+000102	06 IDADD	PIC X(4).		<-ALL-FMTS
	+000103*	USER ID ADD			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

839	+000104	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000105*	DATE ADDED			<-ALL-FMTS
840	+000106	06 IDCHG	PIC X(4).		<-ALL-FMTS
	+000107*	USER ID CHANGE			<-ALL-FMTS
841	+000108	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000109*	DATE CHANGED			<-ALL-FMTS
842	+000110	06 UNDWTR	PIC X(2).		<-ALL-FMTS
	+000111*	UNDER WRITER			<-ALL-FMTS
843	+000112	06 PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000113*	PROGRAM CODE			<-ALL-FMTS
844	+000114	06 PGMMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000115*	PROGRAM MAJOR			<-ALL-FMTS
845	+000116	06 PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000117*	PROGRAM MINOR			<-ALL-FMTS
846	+000118	06 UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000119*	UNDERWRITING YEAR			<-ALL-FMTS
847	+000120	06 CLDAMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000121*	CLAIM DEDUCTABLE			<-ALL-FMTS
848	+000122	06 DEDBLD	PIC S9(9)V9(2)	COMP-3.	<-ALL-FMTS
	+000123*	BILLED DED. AMOUNT			<-ALL-FMTS
849	+000124	06 EMPMOS	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000125*	EMPLOYMENT MONTHS			<-ALL-FMTS
850	+000126	06 ACCDOW	PIC S9(1)	COMP-3.	<-ALL-FMTS
	+000127*	ACC DAY OF WEEK			<-ALL-FMTS
851	+000128	06 ACCTIM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000129*	ACC TIME HH:MM			<-ALL-FMTS
852	+000130	06 INJCDE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000131*	INJURY CODE			<-ALL-FMTS
853	+000132	06 ACCTYP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000133*	ACC TYPE CODE			<-ALL-FMTS
854	+000134	06 PARINJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000135*	PART INJURED			<-ALL-FMTS
855	+000136	06 LOSTIM	PIC X(1).		<-ALL-FMTS
	+000137*	LOST TIME Y/N			<-ALL-FMTS
856	+000138	06 BENFST	PIC X(2).		<-ALL-FMTS
	+000139*	BENEFIT STATE			<-ALL-FMTS
857	+000140	06 FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000141*	FILE CONTROL #			<-ALL-FMTS
858	+000142	06 OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000143*	OFFICE NUMBER			<-ALL-FMTS
859	+000144	06 CLSTS	PIC X(1).		<-ALL-FMTS
	+000145*	CLAIM STATUS			<-ALL-FMTS
	+000146*	I-O FORMAT:RWXC010B FROM FILE DWXC010M OF LIBRARY GLOBALDATA			<-ALL-FMTS
	+000147*				<-ALL-FMTS
	+000148*	THE KEY DEFINITIONS FOR RECORD FORMAT RWXC010B			<-ALL-FMTS
	+000149*	NUMBER NAME RETRIEVAL ALTSEQ			<-ALL-FMTS
	+000150*	0001 CLAIM ASCENDING NO			<-ALL-FMTS
860	+000151	05 RWXC010B REDEFINES DWXC010M-RECORD.			<-ALL-FMTS
861	+000152	06 POLICY	PIC X(10).		<-ALL-FMTS
	+000153*	POLICY NUMBER			<-ALL-FMTS
862	+000154	06 CLAIM	PIC X(8).		<-ALL-FMTS
	+000155*	CLAIM			<-ALL-FMTS
863	+000156	06 COVERG	PIC X(3).		<-ALL-FMTS
	+000157*	COVERAGE PART			<-ALL-FMTS
864	+000158	06 LOCNUM	PIC X(3).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000159*	LOCATION			<-ALL-FMTS
865	+000160	06 BLDNUM	PIC X(3).		<-ALL-FMTS
	+000161*	BUILDING NUMBER			<-ALL-FMTS
866	+000162	06 INSNAM	PIC X(30).		<-ALL-FMTS
	+000163*	INSURED NAME			<-ALL-FMTS
867	+000164	06 INSAD1	PIC X(30).		<-ALL-FMTS
	+000165*	INSURED ADDRESS 1			<-ALL-FMTS
868	+000166	06 INSAD2	PIC X(30).		<-ALL-FMTS
	+000167*	INSURED ADDRESS 2			<-ALL-FMTS
869	+000168	06 INSAD3	PIC X(30).		<-ALL-FMTS
	+000169*	INSURED ADDRESS 3			<-ALL-FMTS
870	+000170	06 INSCTY	PIC X(18).		<-ALL-FMTS
	+000171*	INSURED CITY			<-ALL-FMTS
871	+000172	06 INSST	PIC X(2).		<-ALL-FMTS
	+000173*	INSURED STATE			<-ALL-FMTS
872	+000174	06 INSZIP	PIC X(9).		<-ALL-FMTS
	+000175*	INSURED ZIP			<-ALL-FMTS
873	+000176	06 INSTEL	PIC X(10).		<-ALL-FMTS
	+000177*	INSURED TELEPHONE			<-ALL-FMTS
874	+000178	06 INSTYP	PIC X(2).		<-ALL-FMTS
	+000179*	INSURED TYPE			<-ALL-FMTS
875	+000180	06 IRSNO	PIC X(9).		<-ALL-FMTS
	+000181*	IRS SS NUMBER			<-ALL-FMTS
876	+000182	06 CO	PIC X(4).		<-ALL-FMTS
	+000183*	COMPANY NUMBER			<-ALL-FMTS
877	+000184	06 SERCH	PIC X(15).		<-ALL-FMTS
	+000185*	SERCH NAME			<-ALL-FMTS
878	+000186	06 RPTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000187*	REPORT DATE			<-ALL-FMTS
879	+000188	06 ACCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000189*	ACCIDENT DATE			<-ALL-FMTS
880	+000190	06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000191*	EFFECTIVE DATE			<-ALL-FMTS
881	+000192	06 RETDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000193*	RETRO DATE			<-ALL-FMTS
882	+000194	06 TAIDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000195*	TAIL DATE			<-ALL-FMTS
883	+000196	06 ORPOYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000197*	ORIGINAL POL YEAR			<-ALL-FMTS
884	+000198	06 PRMSTE	PIC X(2).		<-ALL-FMTS
	+000199*	PREMIUM STATE			<-ALL-FMTS
885	+000200	06 TAXTER	PIC X(4).		<-ALL-FMTS
	+000201*	TAX TERRITORY			<-ALL-FMTS
886	+000202	06 TERR	PIC X(3).		<-ALL-FMTS
	+000203*	TERRITORY			<-ALL-FMTS
887	+000204	06 VENDOR	PIC X(5).		<-ALL-FMTS
	+000205*	VENDOR			<-ALL-FMTS
888	+000206	06 INCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000207*	INCURRED DATE			<-ALL-FMTS
889	+000208	06 PROD	PIC X(3).		<-ALL-FMTS
	+000209*	PRODUCT			<-ALL-FMTS
890	+000210	06 ACCSTE	PIC X(2).		<-ALL-FMTS
	+000211*	ACCIDENT STATE			<-ALL-FMTS
891	+000212	06 COMPAN	PIC X(5).		<-ALL-FMTS
	+000213*	COMPANION CODE			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

892	+000214	06 CATAST	PIC X(4).		<-ALL-FMTS
	+000215*	CATASTROPHE			<-ALL-FMTS
893	+000216	06 CLDESC	PIC X(220).		<-ALL-FMTS
	+000217*	CLAIM DESCRIPTION			<-ALL-FMTS
894	+000218	06 MODLYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000219*	MODEL YEAR			<-ALL-FMTS
895	+000220	06 VEHNAM	PIC X(15).		<-ALL-FMTS
	+000221*	VEHICLE NAME			<-ALL-FMTS
896	+000222	06 SYMBOL	PIC X(2).		<-ALL-FMTS
	+000223*	SYMBOL			<-ALL-FMTS
897	+000224	06 VEHID	PIC X(17).		<-ALL-FMTS
	+000225*	VEHICLE ID			<-ALL-FMTS
898	+000226	06 DRVNUM	PIC X(3).		<-ALL-FMTS
	+000227*	DRIVER NUMBER			<-ALL-FMTS
899	+000228	06 DRVNAM	PIC X(30).		<-ALL-FMTS
	+000229*	DRIVER NAME			<-ALL-FMTS
900	+000230	06 DRVAGE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000231*	DRIVERS AGE			<-ALL-FMTS
901	+000232	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000233*	AGENT NUMBER			<-ALL-FMTS
902	+000234	06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000235*	SUB PRODUCER			<-ALL-FMTS
903	+000236	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000237*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
904	+000238	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000239*	DIRECT/ASSUMED			<-ALL-FMTS
905	+000240	06 EXAMNR	PIC X(5).		<-ALL-FMTS
	+000241*	EXAMINER			<-ALL-FMTS
906	+000242	06 INTRSK	PIC X(9).		<-ALL-FMTS
	+000243*	INTERSTATE RISK ID			<-ALL-FMTS
907	+000244	06 STAADM	PIC X(1).		<-ALL-FMTS
	+000245*	TAX TERR REQD Y/N			<-ALL-FMTS
908	+000246	06 IDADD	PIC X(4).		<-ALL-FMTS
	+000247*	USER ID ADD			<-ALL-FMTS
909	+000248	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000249*	DATE ADDED			<-ALL-FMTS
910	+000250	06 IDCHG	PIC X(4).		<-ALL-FMTS
	+000251*	USER ID CHANGE			<-ALL-FMTS
911	+000252	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000253*	DATE CHANGED			<-ALL-FMTS
912	+000254	06 UNDWTR	PIC X(2).		<-ALL-FMTS
	+000255*	UNDER WRITER			<-ALL-FMTS
913	+000256	06 PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000257*	PROGRAM CODE			<-ALL-FMTS
914	+000258	06 PGMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000259*	PROGRAM MAJOR			<-ALL-FMTS
915	+000260	06 PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000261*	PROGRAM MINOR			<-ALL-FMTS
916	+000262	06 UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000263*	UNDERWRITING YEAR			<-ALL-FMTS
917	+000264	06 CLDAMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000265*	CLAIM DEDUCTABLE			<-ALL-FMTS
918	+000266	06 DEDBLD	PIC S9(9)V9(2)	COMP-3.	<-ALL-FMTS
	+000267*	BILLED DED. AMOUNT			<-ALL-FMTS
919	+000268	06 EMPMOS	PIC S9(3)	COMP-3.	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000269*	EMPLOYMENT MONTHS			<-ALL-FMTS
920	+000270	06 ACCDOW	PIC S9(1)	COMP-3.	<-ALL-FMTS
	+000271*	ACC DAY OF WEEK			<-ALL-FMTS
921	+000272	06 ACCTIM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000273*	ACC TIME HH:MM			<-ALL-FMTS
922	+000274	06 INJCDE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000275*	INJURY CODE			<-ALL-FMTS
923	+000276	06 ACCTYP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000277*	ACC TYPE CODE			<-ALL-FMTS
924	+000278	06 PARINJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000279*	PART INJURED			<-ALL-FMTS
925	+000280	06 LOSTIM	PIC X(1).		<-ALL-FMTS
	+000281*	LOST TIME Y/N			<-ALL-FMTS
926	+000282	06 BENFST	PIC X(2).		<-ALL-FMTS
	+000283*	BENEFIT STATE			<-ALL-FMTS
927	+000284	06 FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000285*	FILE CONTROL #			<-ALL-FMTS
928	+000286	06 OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000287*	OFFICE NUMBER			<-ALL-FMTS
929	+000288	06 CLSTS	PIC X(1).		<-ALL-FMTS
	+000289*	CLAIM STATUS			<-ALL-FMTS
	+000290*	I-O FORMAT:RWXC010F	FROM FILE DWXC010M	OF LIBRARY GLOBALDATA	<-ALL-FMTS
	+000291*				<-ALL-FMTS
	+000292*	THE KEY DEFINITIONS FOR RECORD FORMAT	RWXC010F		<-ALL-FMTS
	+000293*	NUMBER	NAME	RETRIEVAL	ALTSEQ
	+000294*	0001	CLAIM	ASCENDING	NO
930	+000295	05	RWXC010F	REDEFINES DWXC010M-RECORD.	<-ALL-FMTS
931	+000296	06	POLICY	PIC X(10).	<-ALL-FMTS
	+000297*		POLICY NUMBER		<-ALL-FMTS
932	+000298	06	CLAIM	PIC X(8).	<-ALL-FMTS
	+000299*		CLAIM		<-ALL-FMTS
933	+000300	06	COVERG	PIC X(3).	<-ALL-FMTS
	+000301*		COVERAGE PART		<-ALL-FMTS
934	+000302	06	LOCNUM	PIC X(3).	<-ALL-FMTS
	+000303*		LOCATION		<-ALL-FMTS
935	+000304	06	BLDNUM	PIC X(3).	<-ALL-FMTS
	+000305*		BUILDING NUMBER		<-ALL-FMTS
936	+000306	06	INSNAM	PIC X(30).	<-ALL-FMTS
	+000307*		INSURED NAME		<-ALL-FMTS
937	+000308	06	INSAD1	PIC X(30).	<-ALL-FMTS
	+000309*		INSURED ADDRESS 1		<-ALL-FMTS
938	+000310	06	INSAD2	PIC X(30).	<-ALL-FMTS
	+000311*		INSURED ADDRESS 2		<-ALL-FMTS
939	+000312	06	INSAD3	PIC X(30).	<-ALL-FMTS
	+000313*		INSURED ADDRESS 3		<-ALL-FMTS
940	+000314	06	INSCTY	PIC X(18).	<-ALL-FMTS
	+000315*		INSURED CITY		<-ALL-FMTS
941	+000316	06	INSST	PIC X(2).	<-ALL-FMTS
	+000317*		INSURED STATE		<-ALL-FMTS
942	+000318	06	INSZIP	PIC X(9).	<-ALL-FMTS
	+000319*		INSURED ZIP		<-ALL-FMTS
943	+000320	06	INSTEL	PIC X(10).	<-ALL-FMTS
	+000321*		INSURED TELEPHONE		<-ALL-FMTS
944	+000322	06	INSTYP	PIC X(2).	<-ALL-FMTS
	+000323*		INSURED TYPE		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

945	+000324	06 IRSNO	PIC X(9).		<-ALL-FMTS
	+000325*	IRS SS NUMBER			<-ALL-FMTS
946	+000326	06 CO	PIC X(4).		<-ALL-FMTS
	+000327*	COMPANY NUMBER			<-ALL-FMTS
947	+000328	06 SERCH	PIC X(15).		<-ALL-FMTS
	+000329*	SERCH NAME			<-ALL-FMTS
948	+000330	06 RPTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000331*	REPORT DATE			<-ALL-FMTS
949	+000332	06 ACCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000333*	ACCIDENT DATE			<-ALL-FMTS
950	+000334	06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000335*	EFFECTIVE DATE			<-ALL-FMTS
951	+000336	06 RETDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000337*	RETRO DATE			<-ALL-FMTS
952	+000338	06 TAIDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000339*	TAIL DATE			<-ALL-FMTS
953	+000340	06 ORPOYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000341*	ORIGINAL POL YEAR			<-ALL-FMTS
954	+000342	06 PRMSTE	PIC X(2).		<-ALL-FMTS
	+000343*	PREMIUM STATE			<-ALL-FMTS
955	+000344	06 TAXTER	PIC X(4).		<-ALL-FMTS
	+000345*	TAX TERRITORY			<-ALL-FMTS
956	+000346	06 TERR	PIC X(3).		<-ALL-FMTS
	+000347*	TERRITORY			<-ALL-FMTS
957	+000348	06 VENDOR	PIC X(5).		<-ALL-FMTS
	+000349*	VENDOR			<-ALL-FMTS
958	+000350	06 INCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000351*	INCURRED DATE			<-ALL-FMTS
959	+000352	06 PROD	PIC X(3).		<-ALL-FMTS
	+000353*	PRODUCT			<-ALL-FMTS
960	+000354	06 ACCSTE	PIC X(2).		<-ALL-FMTS
	+000355*	ACCIDENT STATE			<-ALL-FMTS
961	+000356	06 COMPAN	PIC X(5).		<-ALL-FMTS
	+000357*	COMPANION CODE			<-ALL-FMTS
962	+000358	06 CATAST	PIC X(4).		<-ALL-FMTS
	+000359*	CATASTROPHE			<-ALL-FMTS
963	+000360	06 CLDESC	PIC X(220).		<-ALL-FMTS
	+000361*	CLAIM DESCRIPTION			<-ALL-FMTS
964	+000362	06 MODLYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000363*	MODEL YEAR			<-ALL-FMTS
965	+000364	06 VEHNAM	PIC X(15).		<-ALL-FMTS
	+000365*	VEHICLE NAME			<-ALL-FMTS
966	+000366	06 SYMBOL	PIC X(2).		<-ALL-FMTS
	+000367*	SYMBOL			<-ALL-FMTS
967	+000368	06 VEHID	PIC X(17).		<-ALL-FMTS
	+000369*	VEHICLE ID			<-ALL-FMTS
968	+000370	06 DRVNUM	PIC X(3).		<-ALL-FMTS
	+000371*	DRIVER NUMBER			<-ALL-FMTS
969	+000372	06 DRVNAM	PIC X(30).		<-ALL-FMTS
	+000373*	DRIVER NAME			<-ALL-FMTS
970	+000374	06 DRVAGE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000375*	DRIVERS AGE			<-ALL-FMTS
971	+000376	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000377*	AGENT NUMBER			<-ALL-FMTS
972	+000378	06 SUBPRO	PIC X(5).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000379*	SUB PRODUCER			<-ALL-FMTS
973	+000380	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000381*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
974	+000382	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000383*	DIRECT/ASSUMED			<-ALL-FMTS
975	+000384	06 EXAMNR	PIC X(5).		<-ALL-FMTS
	+000385*	EXAMINER			<-ALL-FMTS
976	+000386	06 INTRSK	PIC X(9).		<-ALL-FMTS
	+000387*	INTERSTATE RISK ID			<-ALL-FMTS
977	+000388	06 STAADM	PIC X(1).		<-ALL-FMTS
	+000389*	TAX TERR REQD Y/N			<-ALL-FMTS
978	+000390	06 IDADD	PIC X(4).		<-ALL-FMTS
	+000391*	USER ID ADD			<-ALL-FMTS
979	+000392	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000393*	DATE ADDED			<-ALL-FMTS
980	+000394	06 IDCHG	PIC X(4).		<-ALL-FMTS
	+000395*	USER ID CHANGE			<-ALL-FMTS
981	+000396	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000397*	DATE CHANGED			<-ALL-FMTS
982	+000398	06 UNDWTR	PIC X(2).		<-ALL-FMTS
	+000399*	UNDER WRITER			<-ALL-FMTS
983	+000400	06 PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000401*	PROGRAM CODE			<-ALL-FMTS
984	+000402	06 PGMMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000403*	PROGRAM MAJOR			<-ALL-FMTS
985	+000404	06 PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000405*	PROGRAM MINOR			<-ALL-FMTS
986	+000406	06 UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000407*	UNDERWRITING YEAR			<-ALL-FMTS
987	+000408	06 CLDAMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000409*	CLAIM DEDUCTABLE			<-ALL-FMTS
988	+000410	06 DEDBLD	PIC S9(9)V9(2)	COMP-3.	<-ALL-FMTS
	+000411*	BILLED DED. AMOUNT			<-ALL-FMTS
989	+000412	06 EMPMOS	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000413*	EMPLOYMENT MONTHS			<-ALL-FMTS
990	+000414	06 ACCDOW	PIC S9(1)	COMP-3.	<-ALL-FMTS
	+000415*	ACC DAY OF WEEK			<-ALL-FMTS
991	+000416	06 ACCTIM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000417*	ACC TIME HH:MM			<-ALL-FMTS
992	+000418	06 INJCDE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000419*	INJURY CODE			<-ALL-FMTS
993	+000420	06 ACCTYP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000421*	ACC TYPE CODE			<-ALL-FMTS
994	+000422	06 PARINJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000423*	PART INJURED			<-ALL-FMTS
995	+000424	06 LOSTIM	PIC X(1).		<-ALL-FMTS
	+000425*	LOST TIME Y/N			<-ALL-FMTS
996	+000426	06 BENFST	PIC X(2).		<-ALL-FMTS
	+000427*	BENEFIT STATE			<-ALL-FMTS
997	+000428	06 FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000429*	FILE CONTROL #			<-ALL-FMTS
998	+000430	06 OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000431*	OFFICE NUMBER			<-ALL-FMTS
999	+000432	06 CLSTS	PIC X(1).		<-ALL-FMTS
	+000433*	CLAIM STATUS			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000434*	I-O FORMAT:RWXC010H	FROM FILE DWXC010M	OF LIBRARY GLOBALDATA	<-ALL-FMTS
	+000435*				<-ALL-FMTS
	+000436*	THE KEY DEFINITIONS FOR RECORD FORMAT	RWXC010H		<-ALL-FMTS
	+000437*	NUMBER	NAME	RETRIEVAL	ALTSEQ
	+000438*	0001	CLAIM	ASCENDING	NO
1000	+000439	05	RWXC010H	REDEFINES DWXC010M-RECORD.	<-ALL-FMTS
1001	+000440		06 POLICY	PIC X(10).	<-ALL-FMTS
	+000441*		POLICY NUMBER		<-ALL-FMTS
1002	+000442		06 CLAIM	PIC X(8).	<-ALL-FMTS
	+000443*		CLAIM		<-ALL-FMTS
1003	+000444		06 COVERG	PIC X(3).	<-ALL-FMTS
	+000445*		COVERAGE PART		<-ALL-FMTS
1004	+000446		06 LOCNUM	PIC X(3).	<-ALL-FMTS
	+000447*		LOCATION		<-ALL-FMTS
1005	+000448		06 BLDNUM	PIC X(3).	<-ALL-FMTS
	+000449*		BUILDING NUMBER		<-ALL-FMTS
1006	+000450		06 INSNAM	PIC X(30).	<-ALL-FMTS
	+000451*		INSURED NAME		<-ALL-FMTS
1007	+000452		06 INSAD1	PIC X(30).	<-ALL-FMTS
	+000453*		INSURED ADDRESS 1		<-ALL-FMTS
1008	+000454		06 INSAD2	PIC X(30).	<-ALL-FMTS
	+000455*		INSURED ADDRESS 2		<-ALL-FMTS
1009	+000456		06 INSAD3	PIC X(30).	<-ALL-FMTS
	+000457*		INSURED ADDRESS 3		<-ALL-FMTS
1010	+000458		06 INSCTY	PIC X(18).	<-ALL-FMTS
	+000459*		INSURED CITY		<-ALL-FMTS
1011	+000460		06 INSST	PIC X(2).	<-ALL-FMTS
	+000461*		INSURED STATE		<-ALL-FMTS
1012	+000462		06 INSZIP	PIC X(9).	<-ALL-FMTS
	+000463*		INSURED ZIP		<-ALL-FMTS
1013	+000464		06 INSTEL	PIC X(10).	<-ALL-FMTS
	+000465*		INSURED TELEPHONE		<-ALL-FMTS
1014	+000466		06 INSTYP	PIC X(2).	<-ALL-FMTS
	+000467*		INSURED TYPE		<-ALL-FMTS
1015	+000468		06 IRSNO	PIC X(9).	<-ALL-FMTS
	+000469*		IRS SS NUMBER		<-ALL-FMTS
1016	+000470		06 CO	PIC X(4).	<-ALL-FMTS
	+000471*		COMPANY NUMBER		<-ALL-FMTS
1017	+000472		06 SERCH	PIC X(15).	<-ALL-FMTS
	+000473*		SERCH NAME		<-ALL-FMTS
1018	+000474		06 RPTDTE	PIC S9(7)	COMP-3.
	+000475*		REPORT DATE		<-ALL-FMTS
1019	+000476		06 ACCDTE	PIC S9(7)	COMP-3.
	+000477*		ACCIDENT DATE		<-ALL-FMTS
1020	+000478		06 EFFDTE	PIC S9(7)	COMP-3.
	+000479*		EFFECTIVE DATE		<-ALL-FMTS
1021	+000480		06 RETDTE	PIC S9(7)	COMP-3.
	+000481*		RETRO DATE		<-ALL-FMTS
1022	+000482		06 TAIDTE	PIC S9(7)	COMP-3.
	+000483*		TAIL DATE		<-ALL-FMTS
1023	+000484		06 ORPOYR	PIC S9(3)	COMP-3.
	+000485*		ORIGINAL POL YEAR		<-ALL-FMTS
1024	+000486		06 PRMSTE	PIC X(2).	<-ALL-FMTS
	+000487*		PREMIUM STATE		<-ALL-FMTS
1025	+000488		06 TAXTER	PIC X(4).	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000489*	TAX TERRITORY			<-ALL-FMTS
1026	+000490	06 TERR	PIC X(3).		<-ALL-FMTS
	+000491*	TERRITORY			<-ALL-FMTS
1027	+000492	06 VENDOR	PIC X(5).		<-ALL-FMTS
	+000493*	VENDOR			<-ALL-FMTS
1028	+000494	06 INCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000495*	INCURRED DATE			<-ALL-FMTS
1029	+000496	06 PROD	PIC X(3).		<-ALL-FMTS
	+000497*	PRODUCT			<-ALL-FMTS
1030	+000498	06 ACCSTE	PIC X(2).		<-ALL-FMTS
	+000499*	ACCIDENT STATE			<-ALL-FMTS
1031	+000500	06 COMPAN	PIC X(5).		<-ALL-FMTS
	+000501*	COMPANION CODE			<-ALL-FMTS
1032	+000502	06 CATAST	PIC X(4).		<-ALL-FMTS
	+000503*	CATASTROPHE			<-ALL-FMTS
1033	+000504	06 CLDESC	PIC X(220).		<-ALL-FMTS
	+000505*	CLAIM DESCRIPTION			<-ALL-FMTS
1034	+000506	06 MODLYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000507*	MODEL YEAR			<-ALL-FMTS
1035	+000508	06 VEHNAM	PIC X(15).		<-ALL-FMTS
	+000509*	VEHICLE NAME			<-ALL-FMTS
1036	+000510	06 SYMBOL	PIC X(2).		<-ALL-FMTS
	+000511*	SYMBOL			<-ALL-FMTS
1037	+000512	06 VEHID	PIC X(17).		<-ALL-FMTS
	+000513*	VEHICLE ID			<-ALL-FMTS
1038	+000514	06 DRVNUM	PIC X(3).		<-ALL-FMTS
	+000515*	DRIVER NUMBER			<-ALL-FMTS
1039	+000516	06 DRVNAM	PIC X(30).		<-ALL-FMTS
	+000517*	DRIVER NAME			<-ALL-FMTS
1040	+000518	06 DRVAGE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000519*	DRIVERS AGE			<-ALL-FMTS
1041	+000520	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000521*	AGENT NUMBER			<-ALL-FMTS
1042	+000522	06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000523*	SUB PRODUCER			<-ALL-FMTS
1043	+000524	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000525*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
1044	+000526	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000527*	DIRECT/ASSUMED			<-ALL-FMTS
1045	+000528	06 EXAMNR	PIC X(5).		<-ALL-FMTS
	+000529*	EXAMINER			<-ALL-FMTS
1046	+000530	06 INTRSK	PIC X(9).		<-ALL-FMTS
	+000531*	INTERSTATE RISK ID			<-ALL-FMTS
1047	+000532	06 STAADM	PIC X(1).		<-ALL-FMTS
	+000533*	TAX TERR REQD Y/N			<-ALL-FMTS
1048	+000534	06 IDADD	PIC X(4).		<-ALL-FMTS
	+000535*	USER ID ADD			<-ALL-FMTS
1049	+000536	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000537*	DATE ADDED			<-ALL-FMTS
1050	+000538	06 IDCHG	PIC X(4).		<-ALL-FMTS
	+000539*	USER ID CHANGE			<-ALL-FMTS
1051	+000540	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000541*	DATE CHANGED			<-ALL-FMTS
1052	+000542	06 UNDWTR	PIC X(2).		<-ALL-FMTS
	+000543*	UNDER WRITER			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1053	+000544	06	PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000545*		PROGRAM CODE			<-ALL-FMTS
1054	+000546	06	PGMMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000547*		PROGRAM MAJOR			<-ALL-FMTS
1055	+000548	06	PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000549*		PROGRAM MINOR			<-ALL-FMTS
1056	+000550	06	UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000551*		UNDERWRITING YEAR			<-ALL-FMTS
1057	+000552	06	CLDAMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000553*		CLAIM DEDUCTABLE			<-ALL-FMTS
1058	+000554	06	DEDBLD	PIC S9(9)V9(2)	COMP-3.	<-ALL-FMTS
	+000555*		BILLED DED. AMOUNT			<-ALL-FMTS
1059	+000556	06	EMPMOS	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000557*		EMPLOYMENT MONTHS			<-ALL-FMTS
1060	+000558	06	ACCDOW	PIC S9(1)	COMP-3.	<-ALL-FMTS
	+000559*		ACC DAY OF WEEK			<-ALL-FMTS
1061	+000560	06	ACCTIM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000561*		ACC TIME HH:MM			<-ALL-FMTS
1062	+000562	06	INJCDE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000563*		INJURY CODE			<-ALL-FMTS
1063	+000564	06	ACCTYP	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000565*		ACC TYPE CODE			<-ALL-FMTS
1064	+000566	06	PARINJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000567*		PART INJURED			<-ALL-FMTS
1065	+000568	06	LOSTIM	PIC X(1).		<-ALL-FMTS
	+000569*		LOST TIME Y/N			<-ALL-FMTS
1066	+000570	06	BENFST	PIC X(2).		<-ALL-FMTS
	+000571*		BENEFIT STATE			<-ALL-FMTS
1067	+000572	06	FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000573*		FILE CONTROL #			<-ALL-FMTS
1068	+000574	06	OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000575*		OFFICE NUMBER			<-ALL-FMTS
1069	+000576	06	CLSTS	PIC X(1).		<-ALL-FMTS
	+000577*		CLAIM STATUS			<-ALL-FMTS
	+000578*	I-O FORMAT:RWXC010I FROM FILE DWXC010M OF LIBRARY GLOBALDATA				<-ALL-FMTS
	+000579*					<-ALL-FMTS
	+000580*	THE KEY DEFINITIONS FOR RECORD FORMAT RWXC010I				<-ALL-FMTS
	+000581*	NUMBER	NAME	RETRIEVAL	ALTSEQ	<-ALL-FMTS
	+000582*	0001	CLAIM	ASCENDING	NO	<-ALL-FMTS
1070	+000583	05	RWXC010I	REDEFINES DWXC010M-RECORD.		<-ALL-FMTS
1071	+000584	06	POLICY	PIC X(10).		<-ALL-FMTS
	+000585*		POLICY NUMBER			<-ALL-FMTS
1072	+000586	06	CLAIM	PIC X(8).		<-ALL-FMTS
	+000587*		CLAIM			<-ALL-FMTS
1073	+000588	06	COVERG	PIC X(3).		<-ALL-FMTS
	+000589*		COVERAGE PART			<-ALL-FMTS
1074	+000590	06	LOCNUM	PIC X(3).		<-ALL-FMTS
	+000591*		LOCATION			<-ALL-FMTS
1075	+000592	06	BLDNUM	PIC X(3).		<-ALL-FMTS
	+000593*		BUILDING NUMBER			<-ALL-FMTS
1076	+000594	06	INSNAM	PIC X(30).		<-ALL-FMTS
	+000595*		INSURED NAME			<-ALL-FMTS
1077	+000596	06	INSAD1	PIC X(30).		<-ALL-FMTS
	+000597*		INSURED ADDRESS 1			<-ALL-FMTS
1078	+000598	06	INSAD2	PIC X(30).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000599*	INSURED ADDRESS 2			<-ALL-FMTS
1079	+000600	06 INSAD3	PIC X(30).		<-ALL-FMTS
	+000601*	INSURED ADDRESS 3			<-ALL-FMTS
1080	+000602	06 INSCTY	PIC X(18).		<-ALL-FMTS
	+000603*	INSURED CITY			<-ALL-FMTS
1081	+000604	06 INSST	PIC X(2).		<-ALL-FMTS
	+000605*	INSURED STATE			<-ALL-FMTS
1082	+000606	06 INSZIP	PIC X(9).		<-ALL-FMTS
	+000607*	INSURED ZIP			<-ALL-FMTS
1083	+000608	06 INSTEL	PIC X(10).		<-ALL-FMTS
	+000609*	INSURED TELEPHONE			<-ALL-FMTS
1084	+000610	06 INSTYP	PIC X(2).		<-ALL-FMTS
	+000611*	INSURED TYPE			<-ALL-FMTS
1085	+000612	06 IRSNO	PIC X(9).		<-ALL-FMTS
	+000613*	IRS SS NUMBER			<-ALL-FMTS
1086	+000614	06 CO	PIC X(4).		<-ALL-FMTS
	+000615*	COMPANY NUMBER			<-ALL-FMTS
1087	+000616	06 SERCH	PIC X(15).		<-ALL-FMTS
	+000617*	SERCH NAME			<-ALL-FMTS
1088	+000618	06 RPTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000619*	REPORT DATE			<-ALL-FMTS
1089	+000620	06 ACCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000621*	ACCIDENT DATE			<-ALL-FMTS
1090	+000622	06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000623*	EFFECTIVE DATE			<-ALL-FMTS
1091	+000624	06 RETDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000625*	RETRO DATE			<-ALL-FMTS
1092	+000626	06 TAIDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000627*	TAIL DATE			<-ALL-FMTS
1093	+000628	06 ORPOYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000629*	ORIGINAL POL YEAR			<-ALL-FMTS
1094	+000630	06 PRMSTE	PIC X(2).		<-ALL-FMTS
	+000631*	PREMIUM STATE			<-ALL-FMTS
1095	+000632	06 TAXTER	PIC X(4).		<-ALL-FMTS
	+000633*	TAX TERRITORY			<-ALL-FMTS
1096	+000634	06 TERR	PIC X(3).		<-ALL-FMTS
	+000635*	TERRITORY			<-ALL-FMTS
1097	+000636	06 VENDOR	PIC X(5).		<-ALL-FMTS
	+000637*	VENDOR			<-ALL-FMTS
1098	+000638	06 INCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000639*	INCURRED DATE			<-ALL-FMTS
1099	+000640	06 PROD	PIC X(3).		<-ALL-FMTS
	+000641*	PRODUCT			<-ALL-FMTS
1100	+000642	06 ACCSTE	PIC X(2).		<-ALL-FMTS
	+000643*	ACCIDENT STATE			<-ALL-FMTS
1101	+000644	06 COMPAN	PIC X(5).		<-ALL-FMTS
	+000645*	COMPANION CODE			<-ALL-FMTS
1102	+000646	06 CATAST	PIC X(4).		<-ALL-FMTS
	+000647*	CATASTROPHE			<-ALL-FMTS
1103	+000648	06 CLDESC	PIC X(220).		<-ALL-FMTS
	+000649*	CLAIM DESCRIPTION			<-ALL-FMTS
1104	+000650	06 MODLYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000651*	MODEL YEAR			<-ALL-FMTS
1105	+000652	06 VEHNAM	PIC X(15).		<-ALL-FMTS
	+000653*	VEHICLE NAME			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1106	+000654	06 SYMBOL	PIC X(2).		<-ALL-FMTS
	+000655*	SYMBOL			<-ALL-FMTS
1107	+000656	06 VEHID	PIC X(17).		<-ALL-FMTS
	+000657*	VEHICLE ID			<-ALL-FMTS
1108	+000658	06 DRVNUM	PIC X(3).		<-ALL-FMTS
	+000659*	DRIVER NUMBER			<-ALL-FMTS
1109	+000660	06 DRVNAM	PIC X(30).		<-ALL-FMTS
	+000661*	DRIVER NAME			<-ALL-FMTS
1110	+000662	06 DRVAGE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000663*	DRIVERS AGE			<-ALL-FMTS
1111	+000664	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000665*	AGENT NUMBER			<-ALL-FMTS
1112	+000666	06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000667*	SUB PRODUCER			<-ALL-FMTS
1113	+000668	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000669*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
1114	+000670	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000671*	DIRECT/ASSUMED			<-ALL-FMTS
1115	+000672	06 EXAMNR	PIC X(5).		<-ALL-FMTS
	+000673*	EXAMINER			<-ALL-FMTS
1116	+000674	06 INTRSK	PIC X(9).		<-ALL-FMTS
	+000675*	INTERSTATE RISK ID			<-ALL-FMTS
1117	+000676	06 STAADM	PIC X(1).		<-ALL-FMTS
	+000677*	TAX TERR REQD Y/N			<-ALL-FMTS
1118	+000678	06 IDADD	PIC X(4).		<-ALL-FMTS
	+000679*	USER ID ADD			<-ALL-FMTS
1119	+000680	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000681*	DATE ADDED			<-ALL-FMTS
1120	+000682	06 IDCHG	PIC X(4).		<-ALL-FMTS
	+000683*	USER ID CHANGE			<-ALL-FMTS
1121	+000684	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000685*	DATE CHANGED			<-ALL-FMTS
1122	+000686	06 UNDWTR	PIC X(2).		<-ALL-FMTS
	+000687*	UNDER WRITER			<-ALL-FMTS
1123	+000688	06 PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000689*	PROGRAM CODE			<-ALL-FMTS
1124	+000690	06 PGMMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000691*	PROGRAM MAJOR			<-ALL-FMTS
1125	+000692	06 PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000693*	PROGRAM MINOR			<-ALL-FMTS
1126	+000694	06 UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000695*	UNDERWRITING YEAR			<-ALL-FMTS
1127	+000696	06 CLDAMT	PIC S9(9)	COMP-3.	<-ALL-FMTS
	+000697*	CLAIM DEDUCTABLE			<-ALL-FMTS
1128	+000698	06 DEDBLD	PIC S9(9)V9(2)	COMP-3.	<-ALL-FMTS
	+000699*	BILLED DED. AMOUNT			<-ALL-FMTS
1129	+000700	06 EMPMOS	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000701*	EMPLOYMENT MONTHS			<-ALL-FMTS
1130	+000702	06 ACCDOW	PIC S9(1)	COMP-3.	<-ALL-FMTS
	+000703*	ACC DAY OF WEEK			<-ALL-FMTS
1131	+000704	06 ACCTIM	PIC S9(5)	COMP-3.	<-ALL-FMTS
	+000705*	ACC TIME HH:MM			<-ALL-FMTS
1132	+000706	06 INJCDE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000707*	INJURY CODE			<-ALL-FMTS
1133	+000708	06 ACCTYP	PIC S9(3)	COMP-3.	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000709*	ACC TYPE CODE			<-ALL-FMTS
1134	+000710	06 PARINJ	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000711*	PART INJURED			<-ALL-FMTS
1135	+000712	06 LOSTIM	PIC X(1).		<-ALL-FMTS
	+000713*	LOST TIME Y/N			<-ALL-FMTS
1136	+000714	06 BENFST	PIC X(2).		<-ALL-FMTS
	+000715*	BENEFIT STATE			<-ALL-FMTS
1137	+000716	06 FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS
	+000717*	FILE CONTROL #			<-ALL-FMTS
1138	+000718	06 OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000719*	OFFICE NUMBER			<-ALL-FMTS
1139	+000720	06 CLSTS	PIC X(1).		<-ALL-FMTS
	+000721*	CLAIM STATUS			<-ALL-FMTS
	+000722*	I-O FORMAT:RWXC010J	FROM FILE DWXC010M	OF LIBRARY GLOBALDATA	<-ALL-FMTS
	+000723*				<-ALL-FMTS
	+000724*	THE KEY DEFINITIONS FOR RECORD FORMAT	RWXC010J		<-ALL-FMTS
	+000725*	NUMBER	NAME	RETRIEVAL	ALTSEQ
	+000726*	0001	CLAIM	ASCENDING	NO
1140	+000727	05	REDEFINES DWXC010M-RECORD.		<-ALL-FMTS
1141	+000728	06 POLICY	PIC X(10).		<-ALL-FMTS
	+000729*	POLICY NUMBER			<-ALL-FMTS
1142	+000730	06 CLAIM	PIC X(8).		<-ALL-FMTS
	+000731*	CLAIM			<-ALL-FMTS
1143	+000732	06 COVERG	PIC X(3).		<-ALL-FMTS
	+000733*	COVERAGE PART			<-ALL-FMTS
1144	+000734	06 LOCNUM	PIC X(3).		<-ALL-FMTS
	+000735*	LOCATION			<-ALL-FMTS
1145	+000736	06 BLDNUM	PIC X(3).		<-ALL-FMTS
	+000737*	BUILDING NUMBER			<-ALL-FMTS
1146	+000738	06 INSNAM	PIC X(30).		<-ALL-FMTS
	+000739*	INSURED NAME			<-ALL-FMTS
1147	+000740	06 INSAD1	PIC X(30).		<-ALL-FMTS
	+000741*	INSURED ADDRESS 1			<-ALL-FMTS
1148	+000742	06 INSAD2	PIC X(30).		<-ALL-FMTS
	+000743*	INSURED ADDRESS 2			<-ALL-FMTS
1149	+000744	06 INSAD3	PIC X(30).		<-ALL-FMTS
	+000745*	INSURED ADDRESS 3			<-ALL-FMTS
1150	+000746	06 INSCTY	PIC X(18).		<-ALL-FMTS
	+000747*	INSURED CITY			<-ALL-FMTS
1151	+000748	06 INSST	PIC X(2).		<-ALL-FMTS
	+000749*	INSURED STATE			<-ALL-FMTS
1152	+000750	06 INSZIP	PIC X(9).		<-ALL-FMTS
	+000751*	INSURED ZIP			<-ALL-FMTS
1153	+000752	06 INSTEL	PIC X(10).		<-ALL-FMTS
	+000753*	INSURED TELEPHONE			<-ALL-FMTS
1154	+000754	06 INSTYP	PIC X(2).		<-ALL-FMTS
	+000755*	INSURED TYPE			<-ALL-FMTS
1155	+000756	06 IRSNO	PIC X(9).		<-ALL-FMTS
	+000757*	IRS SS NUMBER			<-ALL-FMTS
1156	+000758	06 CO	PIC X(4).		<-ALL-FMTS
	+000759*	COMPANY NUMBER			<-ALL-FMTS
1157	+000760	06 SERCH	PIC X(15).		<-ALL-FMTS
	+000761*	SERCH NAME			<-ALL-FMTS
1158	+000762	06 RPTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000763*	REPORT DATE			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1159	+000764	06 ACCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000765*	ACCIDENT DATE			<-ALL-FMTS
1160	+000766	06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000767*	EFFECTIVE DATE			<-ALL-FMTS
1161	+000768	06 RETDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000769*	RETRO DATE			<-ALL-FMTS
1162	+000770	06 TAIDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000771*	TAIL DATE			<-ALL-FMTS
1163	+000772	06 ORPOYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000773*	ORIGINAL POL YEAR			<-ALL-FMTS
1164	+000774	06 PRMSTE	PIC X(2).		<-ALL-FMTS
	+000775*	PREMIUM STATE			<-ALL-FMTS
1165	+000776	06 TAXTER	PIC X(4).		<-ALL-FMTS
	+000777*	TAX TERRITORY			<-ALL-FMTS
1166	+000778	06 TERR	PIC X(3).		<-ALL-FMTS
	+000779*	TERRITORY			<-ALL-FMTS
1167	+000780	06 VENDOR	PIC X(5).		<-ALL-FMTS
	+000781*	VENDOR			<-ALL-FMTS
1168	+000782	06 INCDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
	+000783*	INCURRED DATE			<-ALL-FMTS
1169	+000784	06 PROD	PIC X(3).		<-ALL-FMTS
	+000785*	PRODUCT			<-ALL-FMTS
1170	+000786	06 ACCSTE	PIC X(2).		<-ALL-FMTS
	+000787*	ACCIDENT STATE			<-ALL-FMTS
1171	+000788	06 COMPAN	PIC X(5).		<-ALL-FMTS
	+000789*	COMPANION CODE			<-ALL-FMTS
1172	+000790	06 CATAST	PIC X(4).		<-ALL-FMTS
	+000791*	CATASTROPHE			<-ALL-FMTS
1173	+000792	06 CLDESC	PIC X(220).		<-ALL-FMTS
	+000793*	CLAIM DESCRIPTION			<-ALL-FMTS
1174	+000794	06 MODLYR	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000795*	MODEL YEAR			<-ALL-FMTS
1175	+000796	06 VEHNAM	PIC X(15).		<-ALL-FMTS
	+000797*	VEHICLE NAME			<-ALL-FMTS
1176	+000798	06 SYMBOL	PIC X(2).		<-ALL-FMTS
	+000799*	SYMBOL			<-ALL-FMTS
1177	+000800	06 VEHID	PIC X(17).		<-ALL-FMTS
	+000801*	VEHICLE ID			<-ALL-FMTS
1178	+000802	06 DRVNUM	PIC X(3).		<-ALL-FMTS
	+000803*	DRIVER NUMBER			<-ALL-FMTS
1179	+000804	06 DRVNAM	PIC X(30).		<-ALL-FMTS
	+000805*	DRIVER NAME			<-ALL-FMTS
1180	+000806	06 DRVAGE	PIC S9(3)	COMP-3.	<-ALL-FMTS
	+000807*	DRIVERS AGE			<-ALL-FMTS
1181	+000808	06 AGENT	PIC X(5).		<-ALL-FMTS
	+000809*	AGENT NUMBER			<-ALL-FMTS
1182	+000810	06 SUBPRO	PIC X(5).		<-ALL-FMTS
	+000811*	SUB PRODUCER			<-ALL-FMTS
1183	+000812	06 CLMOCC	PIC X(1).		<-ALL-FMTS
	+000813*	CLAIMS-MADE/OCCUR			<-ALL-FMTS
1184	+000814	06 DIRASS	PIC X(1).		<-ALL-FMTS
	+000815*	DIRECT/ASSUMED			<-ALL-FMTS
1185	+000816	06 EXAMNR	PIC X(5).		<-ALL-FMTS
	+000817*	EXAMINER			<-ALL-FMTS
1186	+000818	06 INTRSK	PIC X(9).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	+000819*	INTERSTATE RISK ID			<-ALL-FMTS		
1187	+000820	06 STAADM	PIC X(1).		<-ALL-FMTS		
	+000821*	TAX TERR REQD Y/N			<-ALL-FMTS		
1188	+000822	06 IDADD	PIC X(4).		<-ALL-FMTS		
	+000823*	USER ID ADD			<-ALL-FMTS		
1189	+000824	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS		
	+000825*	DATE ADDED			<-ALL-FMTS		
1190	+000826	06 IDCHG	PIC X(4).		<-ALL-FMTS		
	+000827*	USER ID CHANGE			<-ALL-FMTS		
1191	+000828	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS		
	+000829*	DATE CHANGED			<-ALL-FMTS		
1192	+000830	06 UNDWTR	PIC X(2).		<-ALL-FMTS		
	+000831*	UNDER WRITER			<-ALL-FMTS		
1193	+000832	06 PROGRM	PIC S9(5)	COMP-3.	<-ALL-FMTS		
	+000833*	PROGRAM CODE			<-ALL-FMTS		
1194	+000834	06 PGMMAJ	PIC S9(3)	COMP-3.	<-ALL-FMTS		
	+000835*	PROGRAM MAJOR			<-ALL-FMTS		
1195	+000836	06 PGMMIN	PIC S9(3)	COMP-3.	<-ALL-FMTS		
	+000837*	PROGRAM MINOR			<-ALL-FMTS		
1196	+000838	06 UWYEAR	PIC S9(3)	COMP-3.	<-ALL-FMTS		
	+000839*	UNDERWRITING YEAR			<-ALL-FMTS		
1197	+000840	06 CLDAMT	PIC S9(9)	COMP-3.	<-ALL-FMTS		
	+000841*	CLAIM DEDUCTABLE			<-ALL-FMTS		
1198	+000842	06 DEDBLD	PIC S9(9)V9(2)	COMP-3.	<-ALL-FMTS		
	+000843*	BILLED DED. AMOUNT			<-ALL-FMTS		
1199	+000844	06 EMPMOS	PIC S9(3)	COMP-3.	<-ALL-FMTS		
	+000845*	EMPLOYMENT MONTHS			<-ALL-FMTS		
1200	+000846	06 ACCDOW	PIC S9(1)	COMP-3.	<-ALL-FMTS		
	+000847*	ACC DAY OF WEEK			<-ALL-FMTS		
1201	+000848	06 ACCTIM	PIC S9(5)	COMP-3.	<-ALL-FMTS		
	+000849*	ACC TIME HH:MM			<-ALL-FMTS		
1202	+000850	06 INJCDE	PIC S9(3)	COMP-3.	<-ALL-FMTS		
	+000851*	INJURY CODE			<-ALL-FMTS		
1203	+000852	06 ACCTYP	PIC S9(3)	COMP-3.	<-ALL-FMTS		
	+000853*	ACC TYPE CODE			<-ALL-FMTS		
1204	+000854	06 PARINJ	PIC S9(3)	COMP-3.	<-ALL-FMTS		
	+000855*	PART INJURED			<-ALL-FMTS		
1205	+000856	06 LOSTIM	PIC X(1).		<-ALL-FMTS		
	+000857*	LOST TIME Y/N			<-ALL-FMTS		
1206	+000858	06 BENFST	PIC X(2).		<-ALL-FMTS		
	+000859*	BENEFIT STATE			<-ALL-FMTS		
1207	+000860	06 FILCTL	PIC S9(11)	COMP-3.	<-ALL-FMTS		
	+000861*	FILE CONTROL #			<-ALL-FMTS		
1208	+000862	06 OFFNUM	PIC S9(3)	COMP-3.	<-ALL-FMTS		
	+000863*	OFFICE NUMBER			<-ALL-FMTS		
1209	+000864	06 CLSTS	PIC X(1).		<-ALL-FMTS		
	+000865*	CLAIM STATUS			<-ALL-FMTS		
1210	000069	WORKING-STORAGE SECTION.				/	/
1211	000070	77 DSP-RCD-NO	PIC 9(3)	VALUE ZERO.		/	/
1212	000071	77 HLD-RCD-NO	PIC S9(3)	COMP-3 VALUE ZERO.		/	/
1213	000072	77 HLD-RCD-NO2	PIC S9(3)	COMP-3 VALUE ZERO.		/	/
1214	000073	77 SFL01-RCDNO	PIC S9(3)	COMP-3 VALUE ZERO.		/	/
1215	000074	77 DSP-STATUS	PIC X(2)	VALUE SPACES.		/	/
1216	000075	77 DOWN-RCDS	PIC S9(3)	COMP-3 VALUE ZERO.		/	/
1217	000076	77 SFL-SIZE	PIC S9(3)	COMP-3 VALUE 15.		/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1218	000077	77	SFL06-SIZE	PIC S9(3) COMP-3	VALUE 15.	/	/
1219	000078	77	COMMON-STATUS	PIC X(2)	VALUE SPACES.	/	/
1220	000079	77	UPDATE-STATUS	PIC X(2)	VALUE SPACES.	/	/
1221	000080	77	HISTORY-STATUS	PIC X(2)	VALUE SPACES.	/	/
1222	000081	77	POLICY-STATUS	PIC X(2)	VALUE SPACES.	/	/
1223	000082	77	CLAIM-STATUS	PIC X(2)	VALUE SPACES.	/	/
1224	000083	77	HOLD-STATUS	PIC X(2)	VALUE SPACES.	/	/
1225	000084	77	I-O-OK	PIC X(2)	VALUE '00'.	/	/
1226	000085	77	CNT	PIC S9(3) COMP-3	VALUE 0.	/	/
1227	000086	77	CNT2	PIC S9(3) COMP-3	VALUE 0.	/	/
1228	000087		88 VALID-CMD04-ITEMS	VALUES +001 +002 +005 +008		/	/
	000088			+009 THRU +012		/	/
	000089			+015 THRU +020.		/	/
1229	000090		88 VALID-ITEM12-ITEMS	VALUES +011 +016.		/	/
1230	000091		88 VALID-ITEMS	VALUES +001 +002 +005 +008		/	/
	000092			+011 +012		/	/
	000093			+016 THRU +020.		/	/
1231	000094	77	EXIT-LOAD	PIC 1	VALUE B'0'.	/	/
1232	000095		88 NO-EXIT		VALUE B'0'.	/	/
1233	000096		88 EXIT-YES		VALUE B'1'.	/	/
1234	000097	77	CURDTE	PIC S9(9) COMP-3	VALUE 0.	/	/
1235	000098	77	DSP-CURDTE	PIC S9(9) COMP-3	VALUE 0.	/	/
1236	000099	77	COMPANY-FLAG	PIC 1	VALUE B'0'.	/	/
1237	000100		88 CO-FOUND		VALUE B'1'.	/	/
1238	000101		88 CO-SEARCH		VALUE B'0'.	/	/
1239	000102	77	NO-DATES	PIC S9(3) COMP-3	VALUE 0.	/	/
1240	000103	77	ITEMTYPE-SHOWN-VALID	PIC 1	VALUE B'0'.	/	/
1241	000104		88 NOT-SHOW-VALID-ITEMS		VALUE B'0'.	/	/
1242	000105		88 SHOW-VALID-ITEMS		VALUE B'1'.	/	/
1243	000106	77	ITEMTYPE-SHOWN-CMD04	PIC 1	VALUE B'0'.	/	/
1244	000107		88 NOT-SHOW-CMD04-ITEMS		VALUE B'0'.	/	/
1245	000108		88 SHOW-CMD04-ITEMS		VALUE B'1'.	/	/
1246	000109	77	ITEMTYPE-SHOWN-ITEM12	PIC 1	VALUE B'0'.	/	/
1247	000110		88 NOT-SHOW-ITEM12-ITEMS		VALUE B'0'.	/	/
1248	000111		88 SHOW-ITEM12-ITEMS		VALUE B'1'.	/	/
1249	000112	77	CHK-VALUE	PIC S9(3) COMP-3	VALUE 0.	/	/
1250	000113		88 VALID-POSITION	VALUES +001 +003		/	/
	000114			+007 +008.		/	/
1251	000115	77	CHK-ITMTYPE	PIC S9(3) COMP-3	VALUE 0.	/	/
1252	000116		88 CLAIM-TYPE	VALUES +001 THRU +007.		/	/
1253	000117		88 POLICY-TYPE	VALUES +012 THRU +014.		/	/
1254	000118		88 EQUIP-TYPE	VALUES +008.		/	/
1255	000119	77	NOTEPAD-CALLTYPES	PIC S9(3) COMP-3	VALUE 0.	/	/
1256	000120		88 NOTEPAD-CALL-CLAIM	VALUES +002 +005.		/	/
1257	000121		88 NOTEPAD-CALL-POLICY	VALUES +012 +019.		/	/
1258	000122	77	HOLD-INDICATORS	PIC X(100)	VALUE SPACES.	/	/
1259	000123	77	ERRORS-FLG	PIC 1	VALUE B'0'.	/	/
1260	000124		88 ERRORS-FND		VALUE B'1'.	/	/
1261	000125		88 NO-ERRORS		VALUE B'0'.	/	/
1262	000126	77	CHG-KEY-FLG	PIC 1	VALUE B'0'.	/	/
1263	000127		88 CHANGE-KEYS		VALUE B'1'.	/	/
1264	000128		88 NO-KEY-CHG		VALUE B'0'.	/	/
1265	000129	77	RECORD-ADD-FLG	PIC 1	VALUE B'0'.	/	/
1266	000130		88 ADD-RCD		VALUE B'1'.	/	/
1267	000131		88 NOT-ADD		VALUE B'0'.	/	/

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

1268	000132	77	RCD-DELETE-FLG	PIC 1	VALUE B'0'.	/	/
1269	000133		88 DELETE-RCD		VALUE B'1'.	/	/
1270	000134		88 NOT-DELETE		VALUE B'0'.	/	/
1271	000135	77	CHK-ROW	PIC X(3)	VALUE SPACES.	/	/
1272	000136		88 VALID-ROW	VALUES	'A' 'B' 'C' 'D' 'E' 'F'	/	/
	000137				'G' 'H' 'I' 'J' 'K' 'L'	/	/
	000138				'M' 'N' 'O' 'P' 'Q' 'R'	/	/
	000139				'S' 'T' 'U' 'V' 'W' 'X'	/	/
	000140				'Y' 'Z'.	/	/
1273	000141	77	CHK-COLUMN	PIC S9(3)	COMP-3 VALUE 0.	/	/
1274	000142		88 VALID-COLUMN		VALUES +1 THRU +24.	/	/
1275	000143	77	CHK-SHELF	PIC S9(3)	COMP-3 VALUE 0.	/	/
1276	000144		88 VALID-SHELF		VALUES +1 THRU +16.	/	/
1277	000145	77	DELETE-CHK	PIC 1	VALUE B'0'.	/	/
1278	000146		88 USER-FND		VALUE B'1'.	/	/
1279	000147		88 USER-SEEK		VALUE B'0'.	/	/
1280	000148	77	UPDATE-SUBFILE	PIC 1	VALUE B'0'.	/	/
1281	000149		88 UPDATE-RCD		VALUE B'1'.	/	/
1282	000150		88 NOT-UPDATED		VALUE B'0'.	/	/
1283	000151	77	HELD-RCD	PIC X(430)	VALUE SPACE.	/	/
1284	000152	77	CONFIRM-DELETE	PIC 1	VALUE B'0'.	/	/
1285	000153		88 ABORT-DELETE		VALUE B'0'.	/	/
1286	000154		88 YES-DELETE		VALUE B'1'.	/	/
1287	000155	77	PROTECT-FLG	PIC 1	VALUE B'0'.	/	/
1288	000156		88 PROTECT-YES		VALUE B'1'.	/	/
1289	000157		88 PROTECT-NO		VALUE B'0'.	/	/
1290	000158	77	HISTORY-FLG	PIC 1	VALUE B'0'.	/	/
1291	000159		88 SHOW-HISTORY		VALUE B'1'.	/	/
1292	000160		88 NOT-HISTORY		VALUE B'0'.	/	/
1293	000161	77	REFRESH-FIRST-RCD	PIC 1	VALUE B'0'.	/	/
1294	000162		88 NO-VIEW-CHG		VALUE B'0'.	/	/
1295	000163		88 VIEW-HAS-CHANGED		VALUE B'1'.	/	/
1296	000164	77	HOLD-STATUSX	PIC X(2)	VALUE SPACES.	/	/
1297	000165	77	AMT-PEND-FLG	PIC S9(3)	COMP-3 VALUE 0.	/	/
1298	000166		88 ONLY-AMTPEND		VALUE +001.	/	/
1299	000167	77	C	PIC S9(3)	COMP-3 VALUE 0.	/	/
1300	000168	77	OVERRIDE-DUP-FLG	PIC 1	VALUE B'0'.	/	/
1301	000169		88 OVERRIDE-DUP		VALUE B'1'.	/	/
1302	000170		88 NOT-OVERRIDE-DUP		VALUE B'0'.	/	/
1303	000171	77	HOLD-ITEM	PIC X(12)	VALUE SPACES.	/	/
1304	000172	77	CURBOX	PIC X(5)	VALUE SPACES.	/	/
1305	000173	77	NEWBOX	PIC X(5)	VALUE SPACES.	/	/
1306	000174	77	HOLD-ID	PIC X(10)	VALUE SPACES.	/	/
1307	000175	77	NUM-SPACES	PIC S9.		/	/
1308	000176	77	HLD-BOXNO	PIC X(5).		/	/
1309	000177	77	HLD-DESTDTE	PIC S9(7).		/	/
1310	000178	01	WORK-FLAGS.			/	/
1311	000179	05	CHKOUT-FLAG	PIC 1	VALUE B'0'.	/	/
1312	000180		88 NOT-CHECK-OUT		VALUE B'0'.	/	/
1313	000181		88 CHECK-OUT-FLG		VALUE B'1'.	/	/
1314	000182	05	RETURN-FLAG	PIC 1	VALUE B'0'.	/	/
1315	000183		88 NOT-RETURN		VALUE B'0'.	/	/
1316	000184		88 RETURN-FLG		VALUE B'1'.	/	/
1317	000185	05	BOX-NUMBER-FLAG	PIC 1	VALUE B'0'.	/	/
1318	000186		88 BOXNO-SAME		VALUE B'0'.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1319	000187	88 BOXNO-CHANGED	VALUE B'1'.	/	/
1320	000188	05 DESTROY-DATE-FLAG	PIC 1 VALUE B'0'.	/	/
1321	000189	88 DESTDTE-SAME	VALUE B'0'.	/	/
1322	000190	88 DESTDTE-CHANGED	VALUE B'1'.	/	/
1323	000191	66 NOTEPAD-FLAGS RENAMES CHKOUT-FLAG THRU DESTROY-DATE-FLAG.		/	/
1324	000192	01 DTA-LINK.		/	/
1325	000193	05 DTAARA	PIC X(100) VALUE SPACE.	/	/
1326	000194	01 DTAARA-TABLE.		/	/
1327	000195	05 DTA OCCURS 10 INDEXED BY DTAX.		/	/
1328	000196	10 USRDLT	PIC X(10).	/	/
1329	000197	01 SCREEN-CONTROL.		/	/
1330	000198	05 CURSOR-ADDRESS.		/	/
1331	000199	10 ROW-NO	PIC S9(3) COMP-3.	/	/
1332	000200	88 VALID-ROW-NO	VALUES +001 THRU +008.	/	/
1333	000201	01 WORK-FIELDS.		/	/
1334	000202	05 DATES-TABLE.		/	/
1335	000203	10 DATE-TBL OCCURS 10 TIMES INDEXED BY DATX.		/	/
1336	000204	15 F7-DATE.		/	/
1337	000205	20 YY	PIC S9(3).	/	/
1338	000206	20 MM	PIC S9(2).	/	/
1339	000207	20 DD	PIC S9(2).	/	/
1340	000208	15 F7-DATE2 REDEFINES F7-DATE	PIC S9(7).	/	/
1341	000209	15 D8-DATE.		/	/
1342	000210	20 MM	PIC S9(2).	/	/
1343	000211	20 DD	PIC S9(2).	/	/
1344	000212	20 YY	PIC S9(4).	/	/
1345	000213	15 D8-DATE2 REDEFINES D8-DATE	PIC S9(8).	/	/
1346	000214	05 VIEW-TBL.		/	/
1347	000215	10 FILLER	PIC X(10) VALUE 'RWH010001 '.	/	/
1348	000216	10 FILLER	PIC X(10) VALUE 'RWH010002 '.	/	/
1349	000217	10 FILLER	PIC X(10) VALUE 'RWH010003 '.	/	/
1350	000218	10 FILLER	PIC X(10) VALUE 'RWH010003 '.	/	/
1351	000219	10 FILLER	PIC X(10) VALUE 'RWH010004 '.	/	/
1352	000220	10 FILLER	PIC X(10) VALUE 'RWH010005 '.	/	/
1353	000221	10 FILLER	PIC X(10) VALUE 'RWH010006 '.	/	/
1354	000222	10 FILLER	PIC X(10) VALUE 'RWH010007 '.	/	/
1355	000223	05 FILLER REDEFINES VIEW-TBL OCCURS 8 INDEXED BY VX.		/	/
1356	000224	10 VIEWFMT	PIC X(10).	/	/
1357	000225	01 RIGHT-JUST-TABLE.		/	/
1358	000226	05 RJ-FIELDS.		/	/
1359	000227	10 REELNO1	PIC X(10).	/	/
1360	000228	10 REELNO2	PIC X(10).	/	/
1361	000229	10 REELNO3	PIC X(10).	/	/
1362	000230	10 REELNO4	PIC X(10).	/	/
1363	000231	10 REELNO5	PIC X(10).	/	/
1364	000232	10 REELNO6	PIC X(10).	/	/
1365	000233	10 REELNO7	PIC X(10).	/	/
1366	000234	10 REELNO8	PIC X(10).	/	/
1367	000235	10 REELNO9	PIC X(10).	/	/
1368	000236	10 REELNO10	PIC X(10).	/	/
1369	000237	10 BLIPNO1	PIC X(10).	/	/
1370	000238	10 BLIPNO2	PIC X(10).	/	/
1371	000239	10 BLIPNO3	PIC X(10).	/	/
1372	000240	10 BLIPNO4	PIC X(10).	/	/
1373	000241	10 BLIPNO5	PIC X(10).	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1374	000242	10	BLIPNO6	PIC X(10).		/	/
1375	000243	10	BLIPNO7	PIC X(10).		/	/
1376	000244	10	BLIPNO8	PIC X(10).		/	/
1377	000245	10	BLIPNO9	PIC X(10).		/	/
1378	000246	10	BLIPNO10	PIC X(10).		/	/
1379	000247	05	RJ-WORK-FLD	REDEFINES RJ-FIELDS OCCURS 20 INDEXED BY RJX.		/	/
1380	000248	10	RJ-FIELD	PIC X(10) JUSTIFIED RIGHT.		/	/
1381	000249	01	START-KEYS.			/	/
1382	000250	05	ITEMTYPE	PIC S9(3) COMP-3 VALUE 0.		/	/
1383	000251	05	NAME	PIC X(30) VALUE SPACE.		/	/
1384	000252	05	STATUSX	PIC X VALUE SPACE.		/	/
1385	000253	05	STSDTE	PIC S9(7) COMP-3 VALUE 0.		/	/
1386	000254	05	DESTDTE	PIC S9(7) COMP-3 VALUE 0.		/	/
1387	000255	05	MICRODTE	PIC S9(7) COMP-3 VALUE 0.		/	/
1388	000256	05	CLOSDTE	PIC S9(7) COMP-3 VALUE 0.		/	/
1389	000257	05	ROW	PIC X(2) VALUE SPACE.		/	/
1390	000258	05	COLUMNS	PIC S9(3) COMP-3 VALUE 0.		/	/
1391	000259	05	SHELF	PIC S9(3) COMP-3 VALUE 0.		/	/
1392	000260	05	LOCDESC	PIC X(30) VALUE SPACE.		/	/
1393	000261	05	BOXNO	PIC X(5) VALUE SPACE		/	/
	000262			JUSTIFIED RIGHT.		/	/
1394	000263	05	ITEM	PIC X(12) VALUE SPACE.		/	/
1395	000264	01	HOLD-RCD.			/	/
	000265		COPY DDS-ALL-FORMATS OF WH0100.			/	/
1396	+000001	05	WH0100-RECORD	PIC X(423).	<-ALL-FMTS		
	+000002*		I-O FORMAT:RWH010001 FROM FILE WH0100 OF LIBRARY NAICDATA1		<-ALL-FMTS		
	+000003*		WAREHOUSE ITEM DETAIL RECS		<-ALL-FMTS		
1397	+000004	05	RWH010001	REDEFINES WH0100-RECORD.	<-ALL-FMTS		
1398	+000005	06	ITEMTYPE	PIC S9(3) COMP-3.	<-ALL-FMTS		
1399	+000006	06	ITEM	PIC X(12).	<-ALL-FMTS		
1400	+000007	06	CNTR	PIC S9(5) COMP-3.	<-ALL-FMTS		
1401	+000008	06	LOCDESC	PIC X(30).	<-ALL-FMTS		
1402	+000009	06	ROW	PIC X(2).	<-ALL-FMTS		
1403	+000010	06	COLUMNS	PIC S9(3) COMP-3.	<-ALL-FMTS		
1404	+000011	06	SHELF	PIC S9(3) COMP-3.	<-ALL-FMTS		
1405	+000012	06	BOXNO	PIC X(5).	<-ALL-FMTS		
1406	+000013	06	NAME	PIC X(30).	<-ALL-FMTS		
1407	+000014	06	EFFDTE	PIC S9(7) COMP-3.	<-ALL-FMTS		
1408	+000015	06	EXPDTE	PIC S9(7) COMP-3.	<-ALL-FMTS		
1409	+000016	06	CUSTNO	PIC S9(7) COMP-3.	<-ALL-FMTS		
1410	+000017	06	REORDPNT	PIC S9(7) COMP-3.	<-ALL-FMTS		
1411	+000018	06	AMTHAND	PIC S9(7) COMP-3.	<-ALL-FMTS		
1412	+000019	06	CLOSDTE	PIC S9(7) COMP-3.	<-ALL-FMTS		
1413	+000020	06	MICRODTE	PIC S9(7) COMP-3.	<-ALL-FMTS		
1414	+000021	06	REELNO1	PIC X(10).	<-ALL-FMTS		
1415	+000022	06	REELNO2	PIC X(10).	<-ALL-FMTS		
1416	+000023	06	REELNO3	PIC X(10).	<-ALL-FMTS		
1417	+000024	06	REELNO4	PIC X(10).	<-ALL-FMTS		
1418	+000025	06	REELNO5	PIC X(10).	<-ALL-FMTS		
1419	+000026	06	REELNO6	PIC X(10).	<-ALL-FMTS		
1420	+000027	06	REELNO7	PIC X(10).	<-ALL-FMTS		
1421	+000028	06	REELNO8	PIC X(10).	<-ALL-FMTS		
1422	+000029	06	REELNO9	PIC X(10).	<-ALL-FMTS		
1423	+000030	06	REELNO10	PIC X(10).	<-ALL-FMTS		
1424	+000031	06	BLIPNO1	PIC X(10).	<-ALL-FMTS		

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1425	+000032	06 BLIPNO2	PIC X(10).		<-ALL-FMTS		
1426	+000033	06 BLIPNO3	PIC X(10).		<-ALL-FMTS		
1427	+000034	06 BLIPNO4	PIC X(10).		<-ALL-FMTS		
1428	+000035	06 BLIPNO5	PIC X(10).		<-ALL-FMTS		
1429	+000036	06 BLIPNO6	PIC X(10).		<-ALL-FMTS		
1430	+000037	06 BLIPNO7	PIC X(10).		<-ALL-FMTS		
1431	+000038	06 BLIPNO8	PIC X(10).		<-ALL-FMTS		
1432	+000039	06 BLIPNO9	PIC X(10).		<-ALL-FMTS		
1433	+000040	06 BLIPNO10	PIC X(10).		<-ALL-FMTS		
1434	+000041	06 DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1435	+000042	06 ORIGITEM	PIC X(12).		<-ALL-FMTS		
1436	+000043	06 ORIGNAM	PIC X(40).		<-ALL-FMTS		
1437	+000044	06 COMPANY	PIC X(4).		<-ALL-FMTS		
1438	+000045	06 ORIGDATE	PIC X(10).		<-ALL-FMTS		
1439	+000046	06 STATUSX	PIC X(1).		<-ALL-FMTS		
1440	+000047	06 STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1441	+000048	06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1442	+000049	06 IDADD	PIC X(10).		<-ALL-FMTS		
1443	+000050	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1444	+000051	06 IDCHG	PIC X(10).		<-ALL-FMTS		
1445	+000052	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1446	000266	06 TYPE2 REDEFINES ITEMTYPE	PIC S9(3) COMP-3.			/	/
1447	000267	88 CLAIM-TYPE	VALUES +001 THRU +007.			/	/
1448	000268	88 POLICY-TYPE	VALUES +012 +013 +014			/	/
	000269		+019 +020.			/	/
1449	000270	88 EQUIP-TYPE	VALUES +008.			/	/
1450	000271	88 ALLOW-TYPE-CHG	VALUES +003 +004 +006 +007			/	/
	000272		+009 THRU +015.			/	/
1451	000273	88 VALID-TYPES	VALUES +001 +002 +005 +008			/	/
	000274		+011 +012 +016 THRU +020.			/	/
1452	000275	88 VALID-TYPES-TYPE12	VALUE +011 +016.			/	/
1453	000276	06 STATUS2 REDEFINES STATUSX	PIC X.			/	/
1454	000277	88 AVAILABLE	VALUE '1'.			/	/
1455	000278	06 FILLER REDEFINES ORIGNAM.				/	/
1456	000279	10 FILLER	PIC X(39).			/	/
1457	000280	10 FILLER	PIC X.			/	/
1458	000281	88 REOPENED	VALUE 'Y'.			/	/
1459	000282	01 LAST-RECORD.				/	/
	000283	COPY DDS-ALL-FORMATS OF WH0100.				/	/
1460	+000001	05 WH0100-RECORD	PIC X(423).		<-ALL-FMTS		
	+000002*	I-O FORMAT:RWH010001 FROM FILE WH0100	OF LIBRARY NAICDATA1		<-ALL-FMTS		
	+000003*	WAREHOUSE ITEM DETAIL RECS			<-ALL-FMTS		
1461	+000004	05 RWH010001 REDEFINES WH0100-RECORD.			<-ALL-FMTS		
1462	+000005	06 ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS		
1463	+000006	06 ITEM	PIC X(12).		<-ALL-FMTS		
1464	+000007	06 CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS		
1465	+000008	06 LOCDESC	PIC X(30).		<-ALL-FMTS		
1466	+000009	06 ROW	PIC X(2).		<-ALL-FMTS		
1467	+000010	06 COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS		
1468	+000011	06 SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS		
1469	+000012	06 BOXNO	PIC X(5).		<-ALL-FMTS		
1470	+000013	06 NAME	PIC X(30).		<-ALL-FMTS		
1471	+000014	06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1472	+000015	06 EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1473	+000016	06 CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS		

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1474	+000017	06 REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS
1475	+000018	06 AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
1476	+000019	06 CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1477	+000020	06 MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1478	+000021	06 REELNO1	PIC X(10).		<-ALL-FMTS
1479	+000022	06 REELNO2	PIC X(10).		<-ALL-FMTS
1480	+000023	06 REELNO3	PIC X(10).		<-ALL-FMTS
1481	+000024	06 REELNO4	PIC X(10).		<-ALL-FMTS
1482	+000025	06 REELNO5	PIC X(10).		<-ALL-FMTS
1483	+000026	06 REELNO6	PIC X(10).		<-ALL-FMTS
1484	+000027	06 REELNO7	PIC X(10).		<-ALL-FMTS
1485	+000028	06 REELNO8	PIC X(10).		<-ALL-FMTS
1486	+000029	06 REELNO9	PIC X(10).		<-ALL-FMTS
1487	+000030	06 REELNO10	PIC X(10).		<-ALL-FMTS
1488	+000031	06 BLIPNO1	PIC X(10).		<-ALL-FMTS
1489	+000032	06 BLIPNO2	PIC X(10).		<-ALL-FMTS
1490	+000033	06 BLIPNO3	PIC X(10).		<-ALL-FMTS
1491	+000034	06 BLIPNO4	PIC X(10).		<-ALL-FMTS
1492	+000035	06 BLIPNO5	PIC X(10).		<-ALL-FMTS
1493	+000036	06 BLIPNO6	PIC X(10).		<-ALL-FMTS
1494	+000037	06 BLIPNO7	PIC X(10).		<-ALL-FMTS
1495	+000038	06 BLIPNO8	PIC X(10).		<-ALL-FMTS
1496	+000039	06 BLIPNO9	PIC X(10).		<-ALL-FMTS
1497	+000040	06 BLIPNO10	PIC X(10).		<-ALL-FMTS
1498	+000041	06 DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1499	+000042	06 ORIGITEM	PIC X(12).		<-ALL-FMTS
1500	+000043	06 ORIGNAM	PIC X(40).		<-ALL-FMTS
1501	+000044	06 COMPANY	PIC X(4).		<-ALL-FMTS
1502	+000045	06 ORIGDATE	PIC X(10).		<-ALL-FMTS
1503	+000046	06 STATUSX	PIC X(1).		<-ALL-FMTS
1504	+000047	06 STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1505	+000048	06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1506	+000049	06 IDADD	PIC X(10).		<-ALL-FMTS
1507	+000050	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
1508	+000051	06 IDCHG	PIC X(10).		<-ALL-FMTS
1509	+000052	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
1510	000284	01 FIRST-RECORD.			/ /
	000285	COPY DDS-ALL-FORMATS OF WH0100.			/ /
1511	+000001	05 WH0100-RECORD PIC X(423).			<-ALL-FMTS
	+000002*	I-O FORMAT:RWH010001 FROM FILE WH0100 OF LIBRARY NAICDATA1			<-ALL-FMTS
	+000003*	WAREHOUSE ITEM DETAIL RECS			<-ALL-FMTS
1512	+000004	05 RWH010001 REDEFINES WH0100-RECORD.			<-ALL-FMTS
1513	+000005	06 ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
1514	+000006	06 ITEM	PIC X(12).		<-ALL-FMTS
1515	+000007	06 CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
1516	+000008	06 LOCDESC	PIC X(30).		<-ALL-FMTS
1517	+000009	06 ROW	PIC X(2).		<-ALL-FMTS
1518	+000010	06 COLUMNS	PIC S9(3)	COMP-3.	<-ALL-FMTS
1519	+000011	06 SHELF	PIC S9(3)	COMP-3.	<-ALL-FMTS
1520	+000012	06 BOXNO	PIC X(5).		<-ALL-FMTS
1521	+000013	06 NAME	PIC X(30).		<-ALL-FMTS
1522	+000014	06 EFFDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1523	+000015	06 EXPDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1524	+000016	06 CUSTNO	PIC S9(7)	COMP-3.	<-ALL-FMTS
1525	+000017	06 REORDPNT	PIC S9(7)	COMP-3.	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1526	+000018	06 AMTHAND	PIC S9(7)	COMP-3.	<-ALL-FMTS
1527	+000019	06 CLOSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1528	+000020	06 MICRODTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1529	+000021	06 REELNO1	PIC X(10).		<-ALL-FMTS
1530	+000022	06 REELNO2	PIC X(10).		<-ALL-FMTS
1531	+000023	06 REELNO3	PIC X(10).		<-ALL-FMTS
1532	+000024	06 REELNO4	PIC X(10).		<-ALL-FMTS
1533	+000025	06 REELNO5	PIC X(10).		<-ALL-FMTS
1534	+000026	06 REELNO6	PIC X(10).		<-ALL-FMTS
1535	+000027	06 REELNO7	PIC X(10).		<-ALL-FMTS
1536	+000028	06 REELNO8	PIC X(10).		<-ALL-FMTS
1537	+000029	06 REELNO9	PIC X(10).		<-ALL-FMTS
1538	+000030	06 REELNO10	PIC X(10).		<-ALL-FMTS
1539	+000031	06 BLIPNO1	PIC X(10).		<-ALL-FMTS
1540	+000032	06 BLIPNO2	PIC X(10).		<-ALL-FMTS
1541	+000033	06 BLIPNO3	PIC X(10).		<-ALL-FMTS
1542	+000034	06 BLIPNO4	PIC X(10).		<-ALL-FMTS
1543	+000035	06 BLIPNO5	PIC X(10).		<-ALL-FMTS
1544	+000036	06 BLIPNO6	PIC X(10).		<-ALL-FMTS
1545	+000037	06 BLIPNO7	PIC X(10).		<-ALL-FMTS
1546	+000038	06 BLIPNO8	PIC X(10).		<-ALL-FMTS
1547	+000039	06 BLIPNO9	PIC X(10).		<-ALL-FMTS
1548	+000040	06 BLIPNO10	PIC X(10).		<-ALL-FMTS
1549	+000041	06 DESTDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1550	+000042	06 ORIGITEM	PIC X(12).		<-ALL-FMTS
1551	+000043	06 ORIGNAM	PIC X(40).		<-ALL-FMTS
1552	+000044	06 COMPANY	PIC X(4).		<-ALL-FMTS
1553	+000045	06 ORIGDATE	PIC X(10).		<-ALL-FMTS
1554	+000046	06 STATUSX	PIC X(1).		<-ALL-FMTS
1555	+000047	06 STSDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1556	+000048	06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1557	+000049	06 IDADD	PIC X(10).		<-ALL-FMTS
1558	+000050	06 DTEADD	PIC S9(7)	COMP-3.	<-ALL-FMTS
1559	+000051	06 IDCHG	PIC X(10).		<-ALL-FMTS
1560	+000052	06 DTECHG	PIC S9(7)	COMP-3.	<-ALL-FMTS
1561	000286 01	HOLD-HIST-RCD.			/ /
	000287	COPY DDS-ALL-FORMATS OF WH0105.			/ /
1562	+000001	05 WH0105-RECORD PIC X(70).			<-ALL-FMTS
	+000002*	I-O FORMAT:RWH010501 FROM FILE WH0105 OF LIBRARY NAICDATA1			<-ALL-FMTS
	+000003*	WAREHOUSE ITEM TRANS RECS			<-ALL-FMTS
1563	+000004	05 RWH010501 REDEFINES WH0105-RECORD.			<-ALL-FMTS
1564	+000005	06 ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS
1565	+000006	06 ITEM	PIC X(12).		<-ALL-FMTS
1566	+000007	06 CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS
1567	+000008	06 ACTION	PIC X(2).		<-ALL-FMTS
1568	+000009	06 IDREQ	PIC X(10).		<-ALL-FMTS
	+000010*	PERSON REQUESTING			<-ALL-FMTS
1569	+000011	06 FORID	PIC X(10).		<-ALL-FMTS
	+000012*	PERSON REQUESTED FOR			<-ALL-FMTS
1570	+000013	06 IDKEY	PIC X(10).		<-ALL-FMTS
	+000014*	PERSON KEYING			<-ALL-FMTS
1571	+000015	06 TRNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1572	+000016	06 TRNAMT	PIC S9(7)	COMP-3.	<-ALL-FMTS
1573	+000017	06 RTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS
1574	+000018	06 AMTPEND	PIC S9(7)	COMP-3.	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1575	+000019	06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1576	+000020	06 STATUSX	PIC X(1).		<-ALL-FMTS		
1577	000288	01 LAST-HIST-RCD.				/	/
	000289	COPY DDS-ALL-FORMATS OF WH0105.				/	/
1578	+000001	05 WH0105-RECORD PIC X(70).			<-ALL-FMTS		
	+000002*	I-O FORMAT:RWH010501 FROM FILE WH0105 OF LIBRARY NAICDATA1			<-ALL-FMTS		
	+000003*	WAREHOUSE ITEM TRANS RECS			<-ALL-FMTS		
1579	+000004	05 RWH010501 REDEFINES WH0105-RECORD.			<-ALL-FMTS		
1580	+000005	06 ITEMTYPE	PIC S9(3)	COMP-3.	<-ALL-FMTS		
1581	+000006	06 ITEM	PIC X(12).		<-ALL-FMTS		
1582	+000007	06 CNTR	PIC S9(5)	COMP-3.	<-ALL-FMTS		
1583	+000008	06 ACTION	PIC X(2).		<-ALL-FMTS		
1584	+000009	06 IDREQ	PIC X(10).		<-ALL-FMTS		
	+000010*	PERSON REQUESTING			<-ALL-FMTS		
1585	+000011	06 FORID	PIC X(10).		<-ALL-FMTS		
	+000012*	PERSON REQUESTED FOR			<-ALL-FMTS		
1586	+000013	06 IDKEY	PIC X(10).		<-ALL-FMTS		
	+000014*	PERSON KEYING			<-ALL-FMTS		
1587	+000015	06 TRNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1588	+000016	06 TRNAMT	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1589	+000017	06 RTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1590	+000018	06 AMTPEND	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1591	+000019	06 EXPRTNDTE	PIC S9(7)	COMP-3.	<-ALL-FMTS		
1592	+000020	06 STATUSX	PIC X(1).		<-ALL-FMTS		
1593	000290	01 HOLD-POSKEYS.				/	/
1594	000291	05 ITEMDESC	PIC X(32) VALUE SPACE.			/	/
1595	000292	05 ITEMTYPE	PIC S9(3) COMP-3 VALUE 0.			/	/
1596	000293	88 CLAIM-TYPE	VALUES +001 THRU +007.			/	/
1597	000294	88 POLICY-TYPE	VALUES +012 THRU +014			/	/
	000295		+019.			/	/
1598	000296	88 EQUIP-TYPE	VALUES +008.			/	/
1599	000297	88 OTHER-TYPE	VALUES +011 +016 +017 +018.			/	/
1600	000298	88 ITEM12-TYPE	VALUE +012.			/	/
1601	000299	05 CLOSDTE	PIC S9(9) COMP-3 VALUE 0.			/	/
1602	000300	05 MICRODTE	PIC S9(9) COMP-3 VALUE 0.			/	/
1603	000301	05 STSDTE	PIC S9(9) COMP-3 VALUE 0.			/	/
1604	000302	05 ROW	PIC X(3) VALUE SPACE.			/	/
1605	000303	05 COLUMNS	PIC S9(3) COMP-3 VALUE 0.			/	/
1606	000304	05 SHELF	PIC S9(3) COMP-3 VALUE 0.			/	/
1607	000305	05 LOCDESC	PIC X(30) VALUE SPACE.			/	/
1608	000306	05 NAME	PIC X(30) VALUE SPACE.			/	/
1609	000307	05 ITEM	PIC X(12) VALUE SPACE.			/	/
1610	000308	05 BOXNO	PIC X(5) JUSTIFIED RIGHT.			/	/
1611	000309	01 HOLD-CHKDTA.				/	/
1612	000310	05 IDREQ	PIC X(10) VALUE SPACE.			/	/
1613	000311	05 FORID	PIC X(10) VALUE SPACE.			/	/
1614	000312	05 TRNDTE	PIC S9(9) COMP-3 VALUE 0.			/	/
1615	000313	05 TRNAMT	PIC S9(7) COMP-3 VALUE 0.			/	/
1616	000314	05 AMTPEND	PIC S9(7) COMP-3 VALUE 0.			/	/
1617	000315	05 EXPRTNDTE	PIC S9(9) COMP-3 VALUE 0.			/	/
1618	000316	05 RTNDTE	PIC S9(9) COMP-3 VALUE 0.			/	/
1619	000317	05 EQPFLG	PIC X VALUE SPACE.			/	/
1620	000318	05 RTNAMT	PIC S9(7) COMP-3 VALUE 0.			/	/
1621	000319	01 ORIG-KEYS.				/	/
1622	000320	05 ITEMTYPE	PIC S9(3) COMP-3 VALUE 0.			/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1623	000321	05 ITEM	PIC X(12)	VALUE SPACE.	/	/
1624	000322	05 CNTR	PIC S9(5) COMP-3	VALUE 0.	/	/
1625	000323	01 LOAD-SFL01.			/	/
1626	000324	05 SET-1.			/	/
1627	000325	10 ITEMTYPE	PIC S9(3) COMP-3	VALUE 0.	/	/
1628	000326	10 ITEM	PIC X(12)	VALUE SPACE.	/	/
1629	000327	10 NAME	PIC X(30)	VALUE SPACE.	/	/
1630	000328	10 MICRODTE	PIC S9(9) COMP-3	VALUE 0.	/	/
1631	000329	10 CLOSDTE	PIC S9(8) COMP-3	VALUE 0.	/	/
1632	000330	10 ROW	PIC X(2)	VALUE SPACE.	/	/
1633	000331	10 COLUMNS	PIC S9(3) COMP-3	VALUE 0.	/	/
1634	000332	10 SHELF	PIC S9(3) COMP-3	VALUE 0.	/	/
1635	000333	10 LOCDESC	PIC X(30)	VALUE SPACE.	/	/
1636	000334	10 STSDTE	PIC S9(9) COMP-3	VALUE 0.	/	/
1637	000335	10 BOXNO	PIC X(5)	VALUE SPACE	/	/
	000336			JUSTIFIED RIGHT.	/	/
1638	000337	10 CNTR	PIC S9(5) COMP-3	VALUE +0.	/	/
1639	000338	05 SET-2 REDEFINES SET-1.			/	/
1640	000339	10 ITEMTYPE2	PIC S9(3) COMP-3.		/	/
1641	000340	10 ITEM2	PIC X(12).		/	/
1642	000341	10 NAME2	PIC X(30).		/	/
1643	000342	10 MICRODTE2	PIC S9(9) COMP-3.		/	/
1644	000343	10 CLOSDTE2	PIC S9(9) COMP-3.		/	/
1645	000344	10 ROW2	PIC X(2).		/	/
1646	000345	10 COLUMN2	PIC S9(3) COMP-3.		/	/
1647	000346	10 SHELF2	PIC S9(3) COMP-3.		/	/
1648	000347	10 LOCDESC2	PIC X(30).		/	/
1649	000348	10 STSDTE2	PIC S9(9) COMP-3.		/	/
1650	000349	10 BOXNO2	PIC X(5).		/	/
1651	000350	10 CNTR2	PIC S9(5) COMP-3.		/	/
1652	000351	05 SET-3 REDEFINES SET-1.			/	/
1653	000352	10 ITEMTYPE3	PIC S9(3) COMP-3.		/	/
1654	000353	10 ITEM3	PIC X(12).		/	/
1655	000354	10 NAME3	PIC X(30).		/	/
1656	000355	10 MICRODTE3	PIC S9(9) COMP-3.		/	/
1657	000356	10 CLOSDTE3	PIC S9(9) COMP-3.		/	/
1658	000357	10 ROW3	PIC X(2).		/	/
1659	000358	10 COLUMN3	PIC S9(3) COMP-3.		/	/
1660	000359	10 SHELF3	PIC S9(3) COMP-3.		/	/
1661	000360	10 LOCDESC3	PIC X(30).		/	/
1662	000361	10 STSDTE3	PIC S9(9) COMP-3.		/	/
1663	000362	10 BOXNO3	PIC X(5).		/	/
1664	000363	10 CNTR3	PIC S9(5) COMP-3.		/	/
1665	000364	05 SET-4 REDEFINES SET-1.			/	/
1666	000365	10 ITEMTYPE4	PIC S9(3) COMP-3.		/	/
1667	000366	10 ITEM4	PIC X(12).		/	/
1668	000367	10 NAME4	PIC X(30).		/	/
1669	000368	10 MICRODTE4	PIC S9(9) COMP-3.		/	/
1670	000369	10 CLOSDTE4	PIC S9(9) COMP-3.		/	/
1671	000370	10 ROW4	PIC X(2).		/	/
1672	000371	10 COLUMN4	PIC S9(3) COMP-3.		/	/
1673	000372	10 SHELF4	PIC S9(3) COMP-3.		/	/
1674	000373	10 LOCDESC4	PIC X(30).		/	/
1675	000374	10 STSDTE4	PIC S9(9) COMP-3.		/	/
1676	000375	10 BOXNO4	PIC X(5).		/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1677	000376	10 CNTR4	PIC S9(5) COMP-3.	/	/
1678	000377	05 SET-5 REDEFINES SET-1.		/	/
1679	000378	10 ITEMTYPE5	PIC S9(3) COMP-3.	/	/
1680	000379	10 ITEM5	PIC X(12).	/	/
1681	000380	10 NAME5	PIC X(30).	/	/
1682	000381	10 MICRODTE5	PIC S9(9) COMP-3.	/	/
1683	000382	10 CLOSDTE5	PIC S9(9) COMP-3.	/	/
1684	000383	10 ROW5	PIC X(2).	/	/
1685	000384	10 COLUMN5	PIC S9(3) COMP-3.	/	/
1686	000385	10 SHELF5	PIC S9(3) COMP-3.	/	/
1687	000386	10 LOCDESC5	PIC X(30).	/	/
1688	000387	10 STSDTE5	PIC S9(9) COMP-3.	/	/
1689	000388	10 BOXNO5	PIC X(5).	/	/
1690	000389	10 CNTR5	PIC S9(5) COMP-3.	/	/
1691	000390	05 SET-6 REDEFINES SET-1.		/	/
1692	000391	10 ITEMTYPE6	PIC S9(3) COMP-3.	/	/
1693	000392	10 ITEM6	PIC X(12).	/	/
1694	000393	10 NAME6	PIC X(30).	/	/
1695	000394	10 MICRODTE6	PIC S9(9) COMP-3.	/	/
1696	000395	10 CLOSDTE6	PIC S9(9) COMP-3.	/	/
1697	000396	10 ROW6	PIC X(2).	/	/
1698	000397	10 COLUMN6	PIC S9(3) COMP-3.	/	/
1699	000398	10 SHELF6	PIC S9(3) COMP-3.	/	/
1700	000399	10 LOCDESC6	PIC X(30).	/	/
1701	000400	10 STSDTE6	PIC S9(9) COMP-3.	/	/
1702	000401	10 BOXNO6	PIC X(5).	/	/
1703	000402	10 CNTR6	PIC S9(5) COMP-3.	/	/
1704	000403	05 SET-7 REDEFINES SET-1.		/	/
1705	000404	10 ITEMTYPE7	PIC S9(3) COMP-3.	/	/
1706	000405	10 ITEM7	PIC X(12).	/	/
1707	000406	10 NAME7	PIC X(30).	/	/
1708	000407	10 MICRODTE7	PIC S9(9) COMP-3.	/	/
1709	000408	10 CLOSDTE7	PIC S9(9) COMP-3.	/	/
1710	000409	10 ROW7	PIC X(2).	/	/
1711	000410	10 COLUMN7	PIC S9(3) COMP-3.	/	/
1712	000411	10 SHELF7	PIC S9(3) COMP-3.	/	/
1713	000412	10 LOCDESC7	PIC X(30).	/	/
1714	000413	10 STSDTE7	PIC S9(9) COMP-3.	/	/
1715	000414	10 BOXNO7	PIC X(5).	/	/
1716	000415	10 CNTR7	PIC S9(5) COMP-3.	/	/
1717	000416	05 SET-8 REDEFINES SET-1.		/	/
1718	000417	10 ITEMTYPE8	PIC S9(3) COMP-3.	/	/
1719	000418	10 ITEM8	PIC X(12).	/	/
1720	000419	10 NAME8	PIC X(30).	/	/
1721	000420	10 MICRODTE8	PIC S9(9) COMP-3.	/	/
1722	000421	10 CLOSDTE8	PIC S9(9) COMP-3.	/	/
1723	000422	10 ROW8	PIC X(2).	/	/
1724	000423	10 COLUMN8	PIC S9(3) COMP-3.	/	/
1725	000424	10 SHELF8	PIC S9(3) COMP-3.	/	/
1726	000425	10 LOCDESC8	PIC X(30).	/	/
1727	000426	10 STSDTE8	PIC S9(9) COMP-3.	/	/
1728	000427	10 BOXNO8	PIC X(5).	/	/
1729	000428	10 CNTR8	PIC S9(5) COMP-3.	/	/
1730	000429	01 ITEMTYPE-TABLE.		/	/
1731	000430	05 DESCR-TABLE.		/	/

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

1732	000431	10 FILLER	PIC X(29)		/	/
	000432		VALUE '01Claim: Network Admin	'.	/	/
1733	000433	10 FILLER	PIC X(29)		/	/
	000434		VALUE '02Claim: Property & Casualty	'.	/	/
1734	000435	10 FILLER	PIC X(29)		/	/
	000436		VALUE '03Claim: PRP & CAS Duplicates'	.	/	/
1735	000437	10 FILLER	PIC X(29)		/	/
	000438		VALUE '04Claim: PRP & CAS Matches	'.	/	/
1736	000439	10 FILLER	PIC X(29)		/	/
	000440		VALUE '05Claim: Work Comp	'.	/	/
1737	000441	10 FILLER	PIC X(29)		/	/
	000442		VALUE '06Claim: Work Comp Duplicates'	.	/	/
1738	000443	10 FILLER	PIC X(29)		/	/
	000444		VALUE '07Claim: Work Comp Matches	'.	/	/
1739	000445	10 FILLER	PIC X(29)		/	/
	000446		VALUE '08Equipment	'.	/	/
1740	000447	10 FILLER	PIC X(29)		/	/
	000448		VALUE '09Error	'.	/	/
1741	000449	10 FILLER	PIC X(29)		/	/
	000450		VALUE '10Invalid MicroFilm Data	'.	/	/
1742	000451	10 FILLER	PIC X(29)		/	/
	000452		VALUE '11Other Type	'.	/	/
1743	000453	10 FILLER	PIC X(29)		/	/
	000454		VALUE '12Policy	'.	/	/
1744	000455	10 FILLER	PIC X(29)		/	/
	000456		VALUE '13Policy Duplicates	'.	/	/
1745	000457	10 FILLER	PIC X(29)		/	/
	000458		VALUE '14Policy Matches	'.	/	/
1746	000459	10 FILLER	PIC X(29)		/	/
	000460		VALUE '15Bid/Void Bonds	'.	/	/
1747	000461	10 FILLER	PIC X(29)		/	/
	000462		VALUE '16L&W Policies	'.	/	/
1748	000463	10 FILLER	PIC X(29)		/	/
	000464		VALUE '17L&W Claims	'.	/	/
1749	000465	10 FILLER	PIC X(29)		/	/
	000466		VALUE '18L&W Other	'.	/	/
1750	000467	10 FILLER	PIC X(29)		/	/
	000468		VALUE '19Bonds	'.	/	/
1751	000469	10 FILLER	PIC X(29)		/	/
	000470		VALUE '20Submissions	'.	/	/
1752	000471	05 TYPE-TBL REDEFINES	DESCR-TABLE OCCURS 20.		/	/
1753	000472	10 ITEM TYPE	PIC 9(2).		/	/
1754	000473	10 ITEM DESC	PIC X(27).		/	/
1755	000474	01 COMPANY-TABLE.			/	/
1756	000475	05 CO-TABLE.			/	/
1757	000476	10 FILLER	PIC X(39)		/	/
	000477		VALUE '1000National American Insurance Company'	.	/	/
1758	000478	10 FILLER	PIC X(39)		/	/
	000479		VALUE '2000National American - Caymen	'.	/	/
1759	000480	10 FILLER	PIC X(39)		/	/
	000481		VALUE '2500Oklahoma Nursing Home Assoc.	'.	/	/
1760	000482	10 FILLER	PIC X(39)		/	/
	000483		VALUE '3000Chandler Insurance Mgrs, Inc.	'.	/	/
1761	000484	10 FILLER	PIC X(39)		/	/
	000485		VALUE '3500Braums Self Insured Program	'.	/	/

STMT	PL	SEQNBR	-A 1 B...	2...	3...	4...	5...	6...	7...	IDENTFCN	S	COPYNAME	CHG	DATE
1762		000486	10 FILLER	PIC X(39)									/	/
		000487	VALUE	'3600Self Insured Risks									/	/
1763		000488	10 FILLER	PIC X(39)									/	/
		000489	VALUE	'5000Houston General									/	/
1764		000490	05 CO-TBL REDEFINES	CO-TABLE OCCURS 7.									/	/
1765		000491	10 COMPANY	PIC 9(4).									/	/
1766		000492	10 CONAME	PIC X(35).									/	/
1767		000493	05 MAX-CO	PIC S9(2) COMP-4 VALUE +7.									/	/
		000494	COPY DTPRMCBL	OF QCOPYSRC.									/	/
		+000100	*****								DTPRMCBL		96/03/28	
		+000200*	PROGRAM: DTPRMCBL PARS USED WITH ZRDATCVT FOR CBL								DTPRMCBL		96/03/28	
		+000300*	**** SEE ZRDATCVT FOR INFO ABOUT PARS ****								DTPRMCBL		96/03/28	
		+000400*									DTPRMCBL		96/03/28	
		+000500*	- - - - - PROGRAM MODIFICATION LOG - - - - -								DTPRMCBL		96/03/28	
		+000600*	VER	DATE	TR/DR	PGMR	DESCRIPTION OF INTERVENTION			DTPRMCBL		96/03/28		
		+000700*									DTPRMCBL		96/03/28	
		+000800*	001	03/19/96	9310317	KTY	ORIGINAL CODING			DTPRMCBL		96/03/28		
		+000900*	001	6/01/97		DAL	CHANGE QUOTE TO APOST			DTPRMCBL		97/06/01		
		+001000	*****								DTPRMCBL		96/03/28	
1768		+001100	01	ZRDATCVT-LINKAGE.								DTPRMCBL		96/03/25
1769		+001200	05 DTECNT				PIC S9(3).				DTPRMCBL		96/03/25	
1770		+001300	05 DTEP				PIC X(1725).				DTPRMCBL		96/03/28	
1771		+001400	05	DATE-CONV-TABLE REDEFINES			DTEP.				DTPRMCBL		96/03/25	
1772		+001500	10 DTECNV-TABLE	OCCURS 25 TIMES INDEXED BY			DATE-INDEX.				DTPRMCBL		96/03/25	
1773		+001600	15 FRMFMT				PIC X(7).				DTPRMCBL		96/03/25	
1774		+001700	15 TOFMT				PIC X(7).				DTPRMCBL		96/03/25	
1775		+001800	15 DATE1				PIC S9(8).				DTPRMCBL		96/03/27	
1776		+001900	15 DATE2				PIC S9(8).				DTPRMCBL		96/03/27	
1777		+002000	15 DUR				PIC S9(6).				DTPRMCBL		96/03/26	
1778		+002100	15 DURTYPE				PIC X(7).				DTPRMCBL		96/03/26	
1779		+002200	15 TXTDTE				PIC X(25).				DTPRMCBL		96/03/28	
1780		+002300	15 DATEERR				PIC X.				DTPRMCBL		96/03/25	
1781		+002400	88 DATE-VALID				VALUE ' '.				DTPRMCBL		97/06/01	
1782		+002500	88 DATE-INVALID				VALUE '1' '2' '3' '4' '5'.				DTPRMCBL		97/06/01	
		000495	COPY LWXX011LNK	OF QCOPYSRC.									/	/
		+000100	*****								LWXX011LNK		05/09/07	
		+000200*	PROGRAM: LWXX011LNK								LWXX011LNK		05/09/07	
		+000300*									LWXX011LNK		05/09/07	
		+000400*	-----PROGRAM MODIFICATION LOG-----								LWXX011LNK		05/09/07	
		+000500*	VER	DATE	TR#	PGMR	DESCRIPTION OF INTERVENTION			LWXX011LNK		05/09/07		
		+000600*	001	09/07/05	TR2310	GGG	ORIGINAL CODE			LWXX011LNK		05/09/07		
		+000601*	002	07/09/07	TK3680	GGG	ADD NEW FIELD IMDOCID			LWXX011LNK		07/07/09		
		+000700	*****								LWXX011LNK		05/09/07	
1783		+000800	01	LWXX011-LINKAGE.								LWXX011LNK		05/09/07
1784		+000801	05 POLICY				PIC X(10).				LWXX011LNK		05/09/07	
1785		+000802	05 NOTKEY				PIC X(19).				LWXX011LNK		05/09/07	
1786		+000803	05 NOTDES				PIC X(80).				LWXX011LNK		05/09/07	
1787		+000804	05 IMDOCID				PIC X(100).				LWXX011LNK		07/07/09	
1788		+000805	05 IDADD				PIC X(10).				LWXX011LNK		05/09/07	
1789		+000806	05 DTEADD				PIC 9(7).				LWXX011LNK		05/09/07	
1790		+000807	05 IDCHG				PIC X(10).				LWXX011LNK		05/09/07	
1791		+000808	05 DTECHG				PIC 9(7).				LWXX011LNK		05/09/07	
1792		+001000	05 NOTCODE				PIC X.				LWXX011LNK		05/09/07	
1793		+001100	05 RTNSTS				PIC X.				LWXX011LNK		05/09/07	
1794		+001200	05 COMPANY				PIC X(4).				LWXX011LNK		05/09/07	

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

1795	000496	01	WHB0051-LINKAGE.			/	/
1796	000497		05 RQSUSR	PIC X(10)	VALUE SPACES.	/	/
1797	000498		05 FORID	PIC X(10)	VALUE SPACES.	/	/
1798	000499		88 INVALID-USER		VALUE SPACES.	/	/
1799	000500		05 ITEM	PIC X(12)	VALUE SPACES.	/	/
1800	000501		05 ITEMTYPE	PIC S9(3)	COMP-3 VALUE 0.	/	/
1801	000502		05 CNTR	PIC S9(5)	COMP-3 VALUE 0.	/	/
1802	000503		05 AMTREQ	PIC S9(7)	COMP-3 VALUE 0.	/	/
1803	000504		05 RTNDTE	PIC S9(7)	COMP-3.	/	/
1804	000505		05 NAME	PIC X(30)	VALUE SPACES.	/	/
1805	000506		05 EMAIL-TYPE	PIC S9(3)	COMP-3 VALUE 0.	/	/
1806	000507		88 ITM-REQUEST		VALUE 1.	/	/
1807	000508	01	WHB0052-LINKAGE.			/	/
1808	000509		05 RQSUSR	PIC X(10)	VALUE SPACES.	/	/
1809	000510		05 FILLER	PIC X.		/	/
1810	000511		88 CHG-BOX		VALUE 'B'.	/	/
1811	000512		88 CHG-LOC		VALUE 'L'.	/	/
1812	000513		88 ASGN-REEL		VALUE 'R'.	/	/
1813	000514	01	WHR0105-LINKAGE.			/	/
1814	000515		05 FILLER	PIC X(20)	VALUE SPACES.	/	/
1815	000516		05 FILLER	PIC X	VALUE '3'.	/	/
1816	000517	01	WHC0055-LINKAGE.			/	/
1817	000518		05 CMD-CALL.			/	/
1818	000519		10 CALL1	PIC X(29)	VALUE	/	/
	000520		'SBMJOB CMDCALL WHC0055 PARM' .			/	/
1819	000521		10 NAME	PIC X(30).		/	/
1820	000522		10 CALL2	PIC X(2)	VALUE	/	/
	000523		''))'.			/	/
1821	000524		05 CALLLEN	PIC S9(10)V9(5)	COMP-3	/	/
	000525				VALUE +61.	/	/
	000526		COPY CWXXDATEW OF QCOPYSRC.			/	/
1822	+000100	01	WORK-DATE-VARIABLES.			CWXXDATEW	96/04/22
1823	+000200		05 DATE-CHECK-IN	PIC S9(8).		CWXXDATEW	96/04/22
1824	+000300		05 DATE-CHECK-OUT	PIC S9(8).		CWXXDATEW	96/04/22
1825	+000400		05 DATE-CHECK-TYPE	PIC S9(2).		CWXXDATEW	96/04/23
1826	+000500		05 VALIDATION-STATUS	PIC 1	VALUE B"0".	CWXXDATEW	96/04/26
1827	+000600		88 DATE-CHECK-OK		VALUE B"0".	CWXXDATEW	96/04/26
1828	+000700		88 DATE-CHECK-NG		VALUE B"1".	CWXXDATEW	96/04/26
1829	+000800		05 CYMD-DATE.			CWXXDATEW	96/04/22
1830	+000900		10 CC	PIC S9(2).		CWXXDATEW	96/04/22
1831	+001000		10 YY	PIC S9(2).		CWXXDATEW	96/04/22
1832	+001100		10 MM	PIC S9(2).		CWXXDATEW	96/04/22
1833	+001200		10 DD	PIC S9(2).		CWXXDATEW	96/04/22
1834	+001300		05 MDCY-DATE.			CWXXDATEW	96/04/22
1835	+001400		10 MM	PIC S9(2).		CWXXDATEW	96/04/22
1836	+001500		10 DD	PIC S9(2).		CWXXDATEW	96/04/22
1837	+001600		10 CC	PIC S9(2).		CWXXDATEW	96/04/22
1838	+001700		10 YY	PIC S9(2).		CWXXDATEW	96/04/22
1839	+001800		05 CYM-DATE.			CWXXDATEW	96/04/22
1840	+001900		10 XX	PIC S9(2).		CWXXDATEW	96/04/23
1841	+002000		10 CC	PIC S9(2).		CWXXDATEW	96/04/22
1842	+002100		10 YY	PIC S9(2).		CWXXDATEW	96/04/22
1843	+002200		10 MM	PIC S9(2).		CWXXDATEW	96/04/22
1844	+002300		05 MCY-DATE.			CWXXDATEW	96/04/22
1845	+002400		10 XX	PIC S9(2).		CWXXDATEW	96/04/23

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

1846	+002500	10 MM	PIC S9(2).	CWXXDATEW	96/04/22
1847	+002600	10 CC	PIC S9(2).	CWXXDATEW	96/04/22
1848	+002700	10 YY	PIC S9(2).	CWXXDATEW	96/04/22
1849	000527	01 DISPLAY-CONTROL-AREA.		/	/
1850	000528	05 CTL-AREA-COMMAND-KEY	PIC X(2).	/	/
1851	000529	05 CTL-AREA-WORK-STATION-ID	PIC X(10).	/	/
1852	000530	05 CTL-AREA-RECORD-FORMAT	PIC X(10).	/	/
1853	000531	01 INDIC-AREA.		/	/
1854	000532	05 IN01	PIC 1 INDICATOR 01 VALUE B'0'.	/	/
1855	000533	05 IN02	PIC 1 INDICATOR 02 VALUE B'0'.	/	/
1856	000534	05 IN03	PIC 1 INDICATOR 03 VALUE B'0'.	/	/
1857	000535	88 END-OF-PROCESS	VALUE B'1'.	/	/
1858	000536	88 NOT-END-OF-PROCESS	VALUE B'0'.	/	/
1859	000537	05 IN04	PIC 1 INDICATOR 04 VALUE B'0'.	/	/
1860	000538	88 POSITION-YES	VALUE B'1'.	/	/
1861	000539	88 NOT-POSITION	VALUE B'0'.	/	/
1862	000540	88 PROMPT-COMPANY	VALUE B'1'.	/	/
1863	000541	05 IN05	PIC 1 INDICATOR 05 VALUE B'0'.	/	/
1864	000542	88 UPDATE-DETAIL	VALUE B'1'.	/	/
1865	000543	88 USER-CHECKED-OUT	VALUE B'1'.	/	/
1866	000544	05 IN06	PIC 1 INDICATOR 06 VALUE B'0'.	/	/
1867	000545	88 ADD-RECORD	VALUE B'1'.	/	/
1868	000546	05 IN07	PIC 1 INDICATOR 07 VALUE B'0'.	/	/
1869	000547	88 ITEM-REPLENISH	VALUE B'1'.	/	/
1870	000548	88 REPORT-REQUESTED	VALUE B'1'.	/	/
1871	000549	05 IN08	PIC 1 INDICATOR 08 VALUE B'0'.	/	/
1872	000550	88 CHANGE-VIEW	VALUE B'1'.	/	/
1873	000551	88 NOT-CHANGE-VIEW	VALUE B'0'.	/	/
1874	000552	88 CHANGE-EXPRNDTE	VALUE B'1'.	/	/
1875	000553	05 IN09	PIC 1 INDICATOR 09 VALUE B'0'.	/	/
1876	000554	88 DELETE-ITEM	VALUE B'1'.	/	/
1877	000555	05 IN10	PIC 1 INDICATOR 10 VALUE B'0'.	/	/
1878	000556	88 NAME-SEARCH	VALUE B'1'.	/	/
1879	000557	88 REQUEST-CHKOUT	VALUE B'1'.	/	/
1880	000558	05 IN11	PIC 1 INDICATOR 11 VALUE B'0'.	/	/
1881	000559	88 ITEM-TRANS	VALUE B'1'.	/	/
1882	000560	05 IN12	PIC 1 INDICATOR 12 VALUE B'0'.	/	/
1883	000561	88 CANCEL-SCREEN	VALUE B'1'.	/	/
1884	000562	88 NOT-SCREEN-CANCEL	VALUE B'0'.	/	/
1885	000563	05 IN13	PIC 1 INDICATOR 13 VALUE B'0'.	/	/
1886	000564	88 RETURN-EQUIPMENT	VALUE B'1'.	/	/
1887	000565	05 IN14	PIC 1 INDICATOR 14 VALUE B'0'.	/	/
1888	000566	05 IN15	PIC 1 INDICATOR 15 VALUE B'0'.	/	/
1889	000567	88 CRT-ITEM-REPLICA	VALUE B'1'.	/	/
1890	000568	05 IN16	PIC 1 INDICATOR 16 VALUE B'0'.	/	/
1891	000569	05 IN17	PIC 1 INDICATOR 17 VALUE B'0'.	/	/
1892	000570	88 CHANGE-BOXNO	VALUE B'1'.	/	/
1893	000571	05 IN18	PIC 1 INDICATOR 18 VALUE B'0'.	/	/
1894	000572	88 CHANGE-LOC	VALUE B'1'.	/	/
1895	000573	05 IN19	PIC 1 INDICATOR 19 VALUE B'0'.	/	/
1896	000574	88 ASSIGN-REEL	VALUE B'1'.	/	/
1897	000575	05 IN20	PIC 1 INDICATOR 20 VALUE B'0'.	/	/
1898	000576	05 IN21	PIC 1 INDICATOR 21 VALUE B'0'.	/	/
1899	000577	05 IN22	PIC 1 INDICATOR 22 VALUE B'0'.	/	/
1900	000578	05 IN23	PIC 1 INDICATOR 23 VALUE B'0'.	/	/

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

1901	000579	05	IN24	PIC 1	INDICATOR 24	VALUE B'0'.	/	/
1902	000580	05	IN25	PIC 1	INDICATOR 25	VALUE B'0'.	/	/
1903	000581		88 UPDATE-MODE		VALUE B'1'.	/	/	
1904	000582		88 INQUIRE-MODE		VALUE B'0'.	/	/	
1905	000583	05	IN26	PIC 1	INDICATOR 26	VALUE B'0'.	/	/
1906	000584		88 ALLOW-DELETE		VALUE B'1'.	/	/	
1907	000585		88 NO-DELETE		VALUE B'0'.	/	/	
1908	000586	05	IN27	PIC 1	INDICATOR 27	VALUE B'0'.	/	/
1909	000587		88 LOOP-ON		VALUE B'1'.	/	/	
1910	000588		88 LOOP-OFF		VALUE B'0'.	/	/	
1911	000589	05	IN28	PIC 1	INDICATOR 28	VALUE B'0'.	/	/
1912	000590	05	IN29	PIC 1	INDICATOR 29	VALUE B'0'.	/	/
1913	000591	05	IN30	PIC 1	INDICATOR 30	VALUE B'0'.	/	/
1914	000592	05	IN31	PIC 1	INDICATOR 31	VALUE B'0'.	/	/
1915	000593	05	IN32	PIC 1	INDICATOR 32	VALUE B'0'.	/	/
1916	000594	05	IN33	PIC 1	INDICATOR 33	VALUE B'0'.	/	/
1917	000595	05	IN34	PIC 1	INDICATOR 34	VALUE B'0'.	/	/
1918	000596	05	IN35	PIC 1	INDICATOR 35	VALUE B'0'.	/	/
1919	000597	05	IN36	PIC 1	INDICATOR 36	VALUE B'0'.	/	/
1920	000598		88 VALID-USER2		VALUE B'0'.	/	/	
1921	000599		88 INVALID-USER2		VALUE B'1'.	/	/	
1922	000600	05	IN37	PIC 1	INDICATOR 37	VALUE B'0'.	/	/
1923	000601		88 ADDITION-DET		VALUE B'1'.	/	/	
1924	000602		88 NOT-ADDITION-DET		VALUE B'0'.	/	/	
1925	000603	05	IN38	PIC 1	INDICATOR 38	VALUE B'0'.	/	/
1926	000604		88 ALLOW-DUP		VALUE B'1'.	/	/	
1927	000605	05	IN39	PIC 1	INDICATOR 39	VALUE B'0'.	/	/
1928	000606		88 PROTECT-DET		VALUE B'1'.	/	/	
1929	000607		88 NOT-PROTECT		VALUE B'0'.	/	/	
1930	000608	05	IN40	PIC 1	INDICATOR 40	VALUE B'0'.	/	/
1931	000609		88 ITMTYPE-VIEW		VALUE B'1'.	/	/	
1932	000610		88 POLICY-DETAIL		VALUE B'1'.	/	/	
1933	000611	05	IN41	PIC 1	INDICATOR 41	VALUE B'0'.	/	/
1934	000612		88 NAME-VIEW		VALUE B'1'.	/	/	
1935	000613		88 EQUIP-DETAIL		VALUE B'1'.	/	/	
1936	000614	05	IN42	PIC 1	INDICATOR 42	VALUE B'0'.	/	/
1937	000615		88 DESTPEND-VIEW		VALUE B'1'.	/	/	
1938	000616		88 NO-ITEM		VALUE B'1'.	/	/	
1939	000617	05	IN43	PIC 1	INDICATOR 43	VALUE B'0'.	/	/
1940	000618		88 MICROPEND-VIEW		VALUE B'1'.	/	/	
1941	000619		88 ITEM-DUP		VALUE B'1'.	/	/	
1942	000620	05	IN44	PIC 1	INDICATOR 44	VALUE B'0'.	/	/
1943	000621		88 LOC-VIEW		VALUE B'1'.	/	/	
1944	000622		88 ITEM-NOT-FND		VALUE B'1'.	/	/	
1945	000623	05	IN45	PIC 1	INDICATOR 45	VALUE B'0'.	/	/
1946	000624		88 CHKOUT-VIEW		VALUE B'1'.	/	/	
1947	000625		88 SHOW-ORIGITEM		VALUE B'1'.	/	/	
1948	000626	05	IN46	PIC 1	INDICATOR 46	VALUE B'0'.	/	/
1949	000627		88 BOXNO-VIEW		VALUE B'1'.	/	/	
1950	000628		88 SHOW-ORIGNAM		VALUE B'1'.	/	/	
1951	000629	05	IN47	PIC 1	INDICATOR 47	VALUE B'0'.	/	/
1952	000630		88 ITEM-VIEW		VALUE B'1'.	/	/	
1953	000631		88 SHOW-ORIGDATE		VALUE B'1'.	/	/	
1954	000632	05	IN48	PIC 1	INDICATOR 48	VALUE B'0'.	/	/
1955	000633		88 CLOSDTE-INVALID		VALUE B'1'.	/	/	

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

1956	000634	05	IN49	PIC 1	INDICATOR 49	VALUE B'0'.	/	/
1957	000635		88 MICRODTE-INVALID			VALUE B'1'.	/	/
1958	000636	05	IN50	PIC 1	INDICATOR 50	VALUE B'0'.	/	/
1959	000637		88 MICRODTE-NO-CLOSE			VALUE B'1'.	/	/
1960	000638	05	IN51	PIC 1	INDICATOR 51	VALUE B'0'.	/	/
1961	000639		88 DESTDTE-INVALID			VALUE B'1'.	/	/
1962	000640	05	IN52	PIC 1	INDICATOR 52	VALUE B'0'.	/	/
1963	000641		88 DESTDTE-NO-MICRO			VALUE B'1'.	/	/
1964	000642	05	IN53	PIC 1	INDICATOR 53	VALUE B'0'.	/	/
1965	000643		88 EFFDTE-INVALID			VALUE B'1'.	/	/
1966	000644	05	IN54	PIC 1	INDICATOR 54	VALUE B'0'.	/	/
1967	000645		88 EXPDTE-INVALID			VALUE B'1'.	/	/
1968	000646	05	IN55	PIC 1	INDICATOR 55	VALUE B'0'.	/	/
1969	000647		88 REELNO-INVALID			VALUE B'1'.	/	/
1970	000648	05	IN56	PIC 1	INDICATOR 56	VALUE B'0'.	/	/
1971	000649		88 BLIPNO-INVALID			VALUE B'1'.	/	/
1972	000650	05	IN57	PIC 1	INDICATOR 57	VALUE B'0'.	/	/
1973	000651		88 NO-BOXNO			VALUE B'1'.	/	/
1974	000652	05	IN58	PIC 1	INDICATOR 58	VALUE B'0'.	/	/
1975	000653		88 NO-NAME			VALUE B'1'.	/	/
1976	000654	05	IN59	PIC 1	INDICATOR 59	VALUE B'0'.	/	/
1977	000655		88 NAME-SEARCH-DSP			VALUE B'1'.	/	/
1978	000656		88 INVALID-LOC			VALUE B'1'.	/	/
1979	000657	05	IN60	PIC 1	INDICATOR 60	VALUE B'0'.	/	/
1980	000658		88 INVALID-ROW			VALUE B'1'.	/	/
1981	000659	05	IN61	PIC 1	INDICATOR 61	VALUE B'0'.	/	/
1982	000660		88 INVALID-COLUMN			VALUE B'1'.	/	/
1983	000661	05	IN62	PIC 1	INDICATOR 62	VALUE B'0'.	/	/
1984	000662		88 INVALID-SHELF			VALUE B'1'.	/	/
1985	000663	05	IN63	PIC 1	INDICATOR 63	VALUE B'0'.	/	/
1986	000664		88 CHKOUT-DET			VALUE B'1'.	/	/
1987	000665		88 NOT-CHKOUT-DET			VALUE B'0'.	/	/
1988	000666	05	IN64	PIC 1	INDICATOR 64	VALUE B'0'.	/	/
1989	000667		88 DESTROY-DET			VALUE B'1'.	/	/
1990	000668		88 NOT-DESTROY-DET			VALUE B'0'.	/	/
1991	000669	05	IN65	PIC 1	INDICATOR 65	VALUE B'0'.	/	/
1992	000670		88 INVALID-AMTREQ			VALUE B'1'.	/	/
1993	000671		88 VALID-AMTREQ			VALUE B'0'.	/	/
1994	000672	05	IN66	PIC 1	INDICATOR 66	VALUE B'0'.	/	/
1995	000673		88 EXPRDNDTE-INVALID			VALUE B'1'.	/	/
1996	000674	05	IN67	PIC 1	INDICATOR 67	VALUE B'0'.	/	/
1997	000675		88 EXPRDNDTE-RANGE-ERR			VALUE B'1'.	/	/
1998	000676	05	IN68	PIC 1	INDICATOR 68	VALUE B'0'.	/	/
1999	000677		88 AMT-UNAVAILABLE			VALUE B'1'.	/	/
2000	000678	05	IN69	PIC 1	INDICATOR 69	VALUE B'0'.	/	/
2001	000679		88 KEY1-CHG			VALUE B'1'.	/	/
2002	000680		88 NO-AMOUNT			VALUE B'1'.	/	/
2003	000681	05	IN70	PIC 1	INDICATOR 70	VALUE B'0'.	/	/
2004	000682		88 KEY2-CHG			VALUE B'1'.	/	/
2005	000683		88 NO-RTNAMT			VALUE B'1'.	/	/
2006	000684	05	IN71	PIC 1	INDICATOR 71	VALUE B'0'.	/	/
2007	000685		88 KEY3-CHG			VALUE B'1'.	/	/
2008	000686		88 OVER-AMTPEND			VALUE B'1'.	/	/
2009	000687	05	IN72	PIC 1	INDICATOR 72	VALUE B'0'.	/	/
2010	000688		88 KEY4-CHG			VALUE B'1'.	/	/

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

2011	000689	88	INVALID-RTNDTE		VALUE B'1'.	/	/	
2012	000690	05	IN73	PIC 1	INDICATOR 73	VALUE B'0'.	/	/
2013	000691	88	LOC-DESC		VALUE B'1'.	/	/	
2014	000692	88	NOT-LOC-DESC		VALUE B'0'.	/	/	
2015	000693	05	IN74	PIC 1	INDICATOR 74	VALUE B'0'.	/	/
2016	000694	88	CHECKED-OUT		VALUE B'1'.	/	/	
2017	000695	88	NOT-CHECKED-OUT		VALUE B'0'.	/	/	
2018	000696	05	IN75	PIC 1	INDICATOR 75	VALUE B'0'.	/	/
2019	000697	88	DESTROYED		VALUE B'1'.	/	/	
2020	000698	88	NOT-DESTROYED		VALUE B'0'.	/	/	
2021	000699	05	IN76	PIC 1	INDICATOR 76	VALUE B'0'.	/	/
2022	000700	88	FILE-REOPENED		VALUE B'1'.	/	/	
2023	000701	88	FILE-NOT-REOPENED		VALUE B'0'.	/	/	
2024	000702	88	FILE-NOT-UPDATED		VALUE B'1'.	/	/	
2025	000703	88	FILE-UPDATED		VALUE B'0'.	/	/	
2026	000704	05	IN77	PIC 1	INDICATOR 77	VALUE B'0'.	/	/
2027	000705	88	DSP-REPLENISH		VALUE B'1'.	/	/	
2028	000706	88	NO-REPLENISH		VALUE B'0'.	/	/	
2029	000707	05	IN78	PIC 1	INDICATOR 78	VALUE B'0'.	/	/
2030	000708	88	EQUIP-RETURN		VALUE B'1'.	/	/	
2031	000709	88	NOT-EQUIP-RETURN		VALUE B'0'.	/	/	
2032	000710	05	IN79	PIC 1	INDICATOR 79	VALUE B'0'.	/	/
2033	000711	88	CHG-EXPRTNDTE		VALUE B'1'.	/	/	
2034	000712	88	NOT-CHG-EXPRTNDTE		VALUE B'0'.	/	/	
2035	000713	05	IN80	PIC 1	INDICATOR 80	VALUE B'0'.	/	/
2036	000714	88	HIST-REPL-RCD		VALUE B'1'.	/	/	
2037	000715	88	NOT-REPL-RCD		VALUE B'0'.	/	/	
2038	000716	05	IN81	PIC 1	INDICATOR 81	VALUE B'0'.	/	/
2039	000717	88	ALLOW-REPLICA		VALUE B'1'.	/	/	
2040	000718	88	NO-REPLICA		VALUE B'0'.	/	/	
2041	000719	05	IN82	PIC 1	INDICATOR 82	VALUE B'0'.	/	/
2042	000720	05	IN83	PIC 1	INDICATOR 83	VALUE B'0'.	/	/
2043	000721	05	IN84	PIC 1	INDICATOR 84	VALUE B'0'.	/	/
2044	000722	05	IN85	PIC 1	INDICATOR 85	VALUE B'0'.	/	/
2045	000723	05	IN86	PIC 1	INDICATOR 86	VALUE B'0'.	/	/
2046	000724	05	IN87	PIC 1	INDICATOR 87	VALUE B'0'.	/	/
2047	000725	05	IN88	PIC 1	INDICATOR 88	VALUE B'0'.	/	/
2048	000726	05	IN89	PIC 1	INDICATOR 89	VALUE B'0'.	/	/
2049	000727	05	IN90	PIC 1	INDICATOR 90	VALUE B'0'.	/	/
2050	000728	88	CLEAR-SUBFILE		VALUE B'1'.	/	/	
2051	000729	88	DISPLAY-SFL		VALUE B'0'.	/	/	
2052	000730	05	IN91	PIC 1	INDICATOR 91	VALUE B'0'.	/	/
2053	000731	88	EMPTY-SFL		VALUE B'1'.	/	/	
2054	000732	88	SFL-DATA		VALUE B'0'.	/	/	
2055	000733	05	IN92	PIC 1	INDICATOR 92	VALUE B'0'.	/	/
2056	000734	88	DSP-PLUS		VALUE B'1'.	/	/	
2057	000735	88	NO-PLUS		VALUE B'0'.	/	/	
2058	000736	05	IN93	PIC 1	INDICATOR 93	VALUE B'0'.	/	/
2059	000737	05	IN94	PIC 1	INDICATOR 94	VALUE B'0'.	/	/
2060	000738	05	IN95	PIC 1	INDICATOR 95	VALUE B'0'.	/	/
2061	000739	05	IN96	PIC 1	INDICATOR 96	VALUE B'0'.	/	/
2062	000740	05	IN97	PIC 1	INDICATOR 97	VALUE B'0'.	/	/
2063	000741	05	IN98	PIC 1	INDICATOR 98	VALUE B'0'.	/	/
2064	000742	88	ROLL-UP		VALUE B'1'.	/	/	
2065	000743	05	IN99	PIC 1	INDICATOR 99	VALUE B'0'.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2066	000744	88	ROLL-DOWN	VALUE B'1'.	/	/
2067	000745	66	VIEW-INDS	RENAMES IN40 THRU IN50.	/	/
2068	000746	66	TYPE-INDS	RENAMES IN51 THRU IN70.	/	/
2069	000747	66	OVERDUE-INDS	RENAMES IN66 THRU IN68.	/	/
2070	000748	66	POSITION-INDS	RENAMES IN69 THRU IN72.	/	/
2071	000749	66	STATUS-INDS	RENAMES IN73 THRU IN75.	/	/
2072	000750	66	USABLE-INDS	RENAMES IN31 THRU IN99.	/	/
2073	000751	66	DET-TYPE-INDS	RENAMES IN40 THRU IN41.	/	/
2074	000752	66	KEY-ERR-INDS	RENAMES IN42 THRU IN44.	/	/
2075	000753	66	INVALID-INDS	RENAMES IN45 THRU IN62.	/	/
2076	000754	66	CHKOUT-ERRS	RENAMES IN65 THRU IN72.	/	/
2077	000755	01	FILLER REDEFINES	INDIC-AREA.	/	/
2078	000756	05	FILLER	PIC X(39).	/	/
2079	000757	05	VIEWS OCCURS 11	INDEXED BY Y.	/	/
2080	000758	10	FILLER	PIC 1.	/	/
2081	000759	88	VIEW-FMT	VALUE B'1'.	/	/
2082	000760	05	TYPES OCCURS 20.		/	/
2083	000761	10	FILLER	PIC 1.	/	/
2084	000762	88	TYPE-RCD	VALUE B'1'.	/	/
2085	000763	05	FILLER	PIC X(29).	/	/
2086	000764	01	DISPLAY-RCD.		/	/
	000765		COPY DDS-ALL-FORMATS	OF WHD0050.	/	/
2087	+000001	05	WHD0050-RECORD	PIC X(769).	<-ALL-FMTS	
	+000002*		INPUT FORMAT:SFL01	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS	
	+000003*				<-ALL-FMTS	
2088	+000004	05	SFL01-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS	
2089	+000005	06	HFLD	PIC X(1).	<-ALL-FMTS	
2090	+000006	06	DTLRCD	PIC X(460).	<-ALL-FMTS	
2091	+000007	06	SELOPT	PIC X(1).	<-ALL-FMTS	
2092	+000008	06	NAME2	PIC X(30).	<-ALL-FMTS	
2093	+000009	06	LOCDESC5	PIC X(30).	<-ALL-FMTS	
2094	+000010	06	ITEM8	PIC X(12).	<-ALL-FMTS	
2095	+000011	06	ROW5	PIC X(3).	<-ALL-FMTS	
2096	+000012	06	MICRODTE3	PIC S9(8).	<-ALL-FMTS	
2097	+000013	06	CLOSDTE4	PIC S9(8).	<-ALL-FMTS	
2098	+000014	06	STSDTE6	PIC S9(8).	<-ALL-FMTS	
2099	+000015	06	COLUMN5	PIC X(3).	<-ALL-FMTS	
2100	+000016	06	SHELF5	PIC X(3).	<-ALL-FMTS	
2101	+000017	06	BOXNO7	PIC X(5).	<-ALL-FMTS	
2102	+000018	06	ITEM	PIC X(12).	<-ALL-FMTS	
2103	+000019	06	ITEM7	PIC X(12).	<-ALL-FMTS	
2104	+000020	06	CNTR8	PIC S9(3).	<-ALL-FMTS	
2105	+000021	06	ITEM6	PIC X(12).	<-ALL-FMTS	
2106	+000022	06	ITEM4	PIC X(12).	<-ALL-FMTS	
2107	+000023	06	ITEM3	PIC X(12).	<-ALL-FMTS	
2108	+000024	06	CNTR	PIC S9(3).	<-ALL-FMTS	
2109	+000025	06	NAME8	PIC X(21).	<-ALL-FMTS	
2110	+000026	06	NAME	PIC X(21).	<-ALL-FMTS	
2111	+000027	06	CNTR7	PIC S9(3).	<-ALL-FMTS	
2112	+000028	06	CNTR3	PIC S9(3).	<-ALL-FMTS	
2113	+000029	06	CNTR4	PIC S9(3).	<-ALL-FMTS	
2114	+000030	06	CNTR6	PIC S9(3).	<-ALL-FMTS	
2115	+000031	06	NAME7	PIC X(14).	<-ALL-FMTS	
2116	+000032	06	ITEM2	PIC X(12).	<-ALL-FMTS	
2117	+000033	06	ITEM5	PIC X(12).	<-ALL-FMTS	

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2118	+000034	06 NAME3	PIC X(11).	<-ALL-FMTS
2119	+000035	06 NAME4	PIC X(11).	<-ALL-FMTS
2120	+000036	06 NAME6	PIC X(11).	<-ALL-FMTS
2121	+000037	06 CNTR1	PIC S9(3).	<-ALL-FMTS
2122	+000038	06 CNTR5	PIC S9(3).	<-ALL-FMTS
	+000039*	OUTPUT FORMAT:SFL01	FROM FILE WHD0050	OF LIBRARY NAIC
	+000040*			<-ALL-FMTS
2123	+000041	05 SFL01-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2124	+000042	06 HFLD	PIC X(1).	<-ALL-FMTS
2125	+000043	06 DTLRCD	PIC X(460).	<-ALL-FMTS
2126	+000044	06 NAME2	PIC X(30).	<-ALL-FMTS
2127	+000045	06 LOCDESC5	PIC X(30).	<-ALL-FMTS
2128	+000046	06 ITEM8	PIC X(12).	<-ALL-FMTS
2129	+000047	06 ROW5	PIC X(3).	<-ALL-FMTS
2130	+000048	06 MICRODTE3	PIC S9(8).	<-ALL-FMTS
2131	+000049	06 CLOSDTE4	PIC S9(8).	<-ALL-FMTS
2132	+000050	06 STSDTE6	PIC S9(8).	<-ALL-FMTS
2133	+000051	06 COLUMN5	PIC X(3).	<-ALL-FMTS
2134	+000052	06 SHELF5	PIC X(3).	<-ALL-FMTS
2135	+000053	06 BOXNO7	PIC X(5).	<-ALL-FMTS
2136	+000054	06 ITEM	PIC X(12).	<-ALL-FMTS
2137	+000055	06 ITEM7	PIC X(12).	<-ALL-FMTS
2138	+000056	06 CNTR8	PIC S9(3).	<-ALL-FMTS
2139	+000057	06 ITEM6	PIC X(12).	<-ALL-FMTS
2140	+000058	06 ITEM4	PIC X(12).	<-ALL-FMTS
2141	+000059	06 ITEM3	PIC X(12).	<-ALL-FMTS
2142	+000060	06 CNTR	PIC S9(3).	<-ALL-FMTS
2143	+000061	06 NAME8	PIC X(21).	<-ALL-FMTS
2144	+000062	06 NAME	PIC X(21).	<-ALL-FMTS
2145	+000063	06 CNTR7	PIC S9(3).	<-ALL-FMTS
2146	+000064	06 CNTR3	PIC S9(3).	<-ALL-FMTS
2147	+000065	06 CNTR4	PIC S9(3).	<-ALL-FMTS
2148	+000066	06 CNTR6	PIC S9(3).	<-ALL-FMTS
2149	+000067	06 NAME7	PIC X(14).	<-ALL-FMTS
2150	+000068	06 ITEM2	PIC X(12).	<-ALL-FMTS
2151	+000069	06 ITEM5	PIC X(12).	<-ALL-FMTS
2152	+000070	06 NAME3	PIC X(11).	<-ALL-FMTS
2153	+000071	06 NAME4	PIC X(11).	<-ALL-FMTS
2154	+000072	06 NAME6	PIC X(11).	<-ALL-FMTS
2155	+000073	06 CNTR1	PIC S9(3).	<-ALL-FMTS
2156	+000074	06 CNTR5	PIC S9(3).	<-ALL-FMTS
	+000075*	INPUT FORMAT:CTL01	FROM FILE WHD0050	OF LIBRARY NAIC
	+000076*			<-ALL-FMTS
2157	+000077	05 CTL01-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2158	+000078	06 X	PIC X(1).	<-ALL-FMTS
	+000079*	OUTPUT FORMAT:CTL01	FROM FILE WHD0050	OF LIBRARY NAIC
	+000080*			<-ALL-FMTS
2159	+000081	05 CTL01-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2160	+000082	06 X	PIC X(1).	<-ALL-FMTS
	+000083*	INPUT FORMAT:RCD01	FROM FILE WHD0050	OF LIBRARY NAIC
	+000084*			<-ALL-FMTS
2161	+000085	05 RCD01-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2162	+000086	06 X	PIC X(1).	<-ALL-FMTS
	+000087*	OUTPUT FORMAT:RCD01	FROM FILE WHD0050	OF LIBRARY NAIC
	+000088*			<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

2163	+000089	05	RCD01-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2164	+000090		06 X	PIC X(1).	<-ALL-FMTS
	+000091*		INPUT FORMAT:WDW01	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000092*				<-ALL-FMTS
2165	+000093	05	WDW01-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2166	+000094		06 RTNCOL2	PIC S9(3).	<-ALL-FMTS
2167	+000095		06 RTNROW2	PIC S9(3).	<-ALL-FMTS
2168	+000096		06 RTNCOL	PIC S9(3).	<-ALL-FMTS
2169	+000097		06 RTNROW	PIC S9(3).	<-ALL-FMTS
2170	+000098		06 SELOPT	PIC S9(1).	<-ALL-FMTS
	+000099*		OUTPUT FORMAT:WDW01	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000100*				<-ALL-FMTS
2171	+000101	05	WDW01-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2172	+000102		06 RTNCOL2	PIC S9(3).	<-ALL-FMTS
2173	+000103		06 RTNROW2	PIC S9(3).	<-ALL-FMTS
2174	+000104		06 RTNCOL	PIC S9(3).	<-ALL-FMTS
2175	+000105		06 RTNROW	PIC S9(3).	<-ALL-FMTS
2176	+000106		06 SELOPT	PIC S9(1).	<-ALL-FMTS
	+000107*		INPUT FORMAT:WDW02	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000108*				<-ALL-FMTS
2177	+000109	05	WDW02-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2178	+000110		06 ITEMTYPE	PIC S9(3).	<-ALL-FMTS
2179	+000111		06 ROW	PIC X(3).	<-ALL-FMTS
2180	+000112		06 MICRODTE	PIC S9(8).	<-ALL-FMTS
2181	+000113		06 CLOSDTE	PIC S9(8).	<-ALL-FMTS
2182	+000114		06 STSDTE	PIC S9(8).	<-ALL-FMTS
2183	+000115		06 NAME	PIC X(30).	<-ALL-FMTS
2184	+000116		06 COLUMNS	PIC S9(3).	<-ALL-FMTS
2185	+000117		06 SHELF	PIC S9(3).	<-ALL-FMTS
2186	+000118		06 LOCDESC	PIC X(30).	<-ALL-FMTS
	+000119*		OUTPUT FORMAT:WDW02	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000120*				<-ALL-FMTS
2187	+000121	05	WDW02-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2188	+000122		06 ITEMTYPE	PIC S9(3).	<-ALL-FMTS
2189	+000123		06 ROW	PIC X(3).	<-ALL-FMTS
2190	+000124		06 MICRODTE	PIC S9(8).	<-ALL-FMTS
2191	+000125		06 CLOSDTE	PIC S9(8).	<-ALL-FMTS
2192	+000126		06 STSDTE	PIC S9(8).	<-ALL-FMTS
2193	+000127		06 NAME	PIC X(30).	<-ALL-FMTS
2194	+000128		06 COLUMNS	PIC S9(3).	<-ALL-FMTS
2195	+000129		06 SHELF	PIC S9(3).	<-ALL-FMTS
2196	+000130		06 LOCDESC	PIC X(30).	<-ALL-FMTS
	+000131*		INPUT FORMAT:WDWSFL03	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000132*				<-ALL-FMTS
2197	+000133	05	WDWSFL03-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2198	+000134		06 ITEMTYPE	PIC S9(3).	<-ALL-FMTS
2199	+000135		06 ITEMDESC	PIC X(32).	<-ALL-FMTS
2200	+000136		06 SELOPT	PIC X(1).	<-ALL-FMTS
	+000137*		OUTPUT FORMAT:WDWSFL03	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000138*				<-ALL-FMTS
2201	+000139	05	WDWSFL03-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2202	+000140		06 ITEMTYPE	PIC S9(3).	<-ALL-FMTS
2203	+000141		06 ITEMDESC	PIC X(32).	<-ALL-FMTS
	+000142*		INPUT FORMAT:WDWCTL03	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000143*				<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2204	+000144	05	WDWCTL03-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2205	+000145	06	X	PIC X(1).	<-ALL-FMTS
	+000146*		OUTPUT FORMAT:WDWCTL03	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000147*				<-ALL-FMTS
2206	+000148	05	WDWCTL03-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2207	+000149	06	X	PIC X(1).	<-ALL-FMTS
	+000150*		INPUT FORMAT:RCD02	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000151*				<-ALL-FMTS
2208	+000152	05	RCD02-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2209	+000153	06	COMPANY	PIC X(4).	<-ALL-FMTS
2210	+000154	06	ITEMTYPE	PIC S9(3).	<-ALL-FMTS
2211	+000155	06	ITEMDESC	PIC X(32).	<-ALL-FMTS
2212	+000156	06	ITEM	PIC X(12).	<-ALL-FMTS
2213	+000157	06	CNTR	PIC S9(5).	<-ALL-FMTS
2214	+000158	06	ROW	PIC X(3).	<-ALL-FMTS
2215	+000159	06	COLUMNS	PIC S9(3).	<-ALL-FMTS
2216	+000160	06	SHELF	PIC S9(3).	<-ALL-FMTS
2217	+000161	06	BOXNO	PIC X(5).	<-ALL-FMTS
2218	+000162	06	LOCDESC	PIC X(30).	<-ALL-FMTS
2219	+000163	06	EFFDTE	PIC S9(8).	<-ALL-FMTS
2220	+000164	06	EXPDTE	PIC S9(8).	<-ALL-FMTS
2221	+000165	06	NAME	PIC X(30).	<-ALL-FMTS
2222	+000166	06	REOPN	PIC X(1).	<-ALL-FMTS
2223	+000167	06	CUSTNO	PIC S9(7).	<-ALL-FMTS
2224	+000168	06	AMTHAND	PIC S9(7).	<-ALL-FMTS
2225	+000169	06	REORDPNT	PIC S9(7).	<-ALL-FMTS
2226	+000170	06	CLOSDTE	PIC S9(8).	<-ALL-FMTS
2227	+000171	06	MICRODTE	PIC S9(8).	<-ALL-FMTS
2228	+000172	06	REELNO1	PIC X(10).	<-ALL-FMTS
2229	+000173	06	REELNO2	PIC X(10).	<-ALL-FMTS
2230	+000174	06	REELNO3	PIC X(10).	<-ALL-FMTS
2231	+000175	06	REELNO4	PIC X(10).	<-ALL-FMTS
2232	+000176	06	REELNO5	PIC X(10).	<-ALL-FMTS
2233	+000177	06	REELNO6	PIC X(10).	<-ALL-FMTS
2234	+000178	06	REELNO7	PIC X(10).	<-ALL-FMTS
2235	+000179	06	REELNO8	PIC X(10).	<-ALL-FMTS
2236	+000180	06	REELNO9	PIC X(10).	<-ALL-FMTS
2237	+000181	06	REELNO10	PIC X(10).	<-ALL-FMTS
2238	+000182	06	BLIPNO1	PIC X(10).	<-ALL-FMTS
2239	+000183	06	BLIPNO2	PIC X(10).	<-ALL-FMTS
2240	+000184	06	BLIPNO3	PIC X(10).	<-ALL-FMTS
2241	+000185	06	BLIPNO4	PIC X(10).	<-ALL-FMTS
2242	+000186	06	BLIPNO5	PIC X(10).	<-ALL-FMTS
2243	+000187	06	BLIPNO6	PIC X(10).	<-ALL-FMTS
2244	+000188	06	BLIPNO7	PIC X(10).	<-ALL-FMTS
2245	+000189	06	BLIPNO8	PIC X(10).	<-ALL-FMTS
2246	+000190	06	BLIPNO9	PIC X(10).	<-ALL-FMTS
2247	+000191	06	BLIPNO10	PIC X(10).	<-ALL-FMTS
2248	+000192	06	DESTDTE	PIC S9(8).	<-ALL-FMTS
	+000193*		OUTPUT FORMAT:RCD02	FROM FILE WHD0050 OF LIBRARY NAIC	<-ALL-FMTS
	+000194*				<-ALL-FMTS
2249	+000195	05	RCD02-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2250	+000196	06	COMPANY	PIC X(4).	<-ALL-FMTS
2251	+000197	06	ITEMTYPE	PIC S9(3).	<-ALL-FMTS
2252	+000198	06	ITEMDESC	PIC X(32).	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2253	+000199	06	ITEM	PIC X(12).	<-ALL-FMTS
2254	+000200	06	CNTR	PIC S9(5).	<-ALL-FMTS
2255	+000201	06	ORIGITEM	PIC X(12).	<-ALL-FMTS
2256	+000202	06	ROW	PIC X(3).	<-ALL-FMTS
2257	+000203	06	COLUMNS	PIC S9(3).	<-ALL-FMTS
2258	+000204	06	SHELF	PIC S9(3).	<-ALL-FMTS
2259	+000205	06	BOXNO	PIC X(5).	<-ALL-FMTS
2260	+000206	06	LOCDESC	PIC X(30).	<-ALL-FMTS
2261	+000207	06	EFFDTE	PIC S9(8).	<-ALL-FMTS
2262	+000208	06	EXPDTE	PIC S9(8).	<-ALL-FMTS
2263	+000209	06	NAME	PIC X(30).	<-ALL-FMTS
2264	+000210	06	REOPN	PIC X(1).	<-ALL-FMTS
2265	+000211	06	ORIGNAM	PIC X(30).	<-ALL-FMTS
2266	+000212	06	CUSTNO	PIC S9(7).	<-ALL-FMTS
2267	+000213	06	AMTHAND	PIC S9(7).	<-ALL-FMTS
2268	+000214	06	CONAME	PIC X(35).	<-ALL-FMTS
2269	+000215	06	REORDPNT	PIC S9(7).	<-ALL-FMTS
2270	+000216	06	CLOSDTE	PIC S9(8).	<-ALL-FMTS
2271	+000217	06	MICRODTE	PIC S9(8).	<-ALL-FMTS
2272	+000218	06	REELNO1	PIC X(10).	<-ALL-FMTS
2273	+000219	06	REELNO2	PIC X(10).	<-ALL-FMTS
2274	+000220	06	REELNO3	PIC X(10).	<-ALL-FMTS
2275	+000221	06	REELNO4	PIC X(10).	<-ALL-FMTS
2276	+000222	06	REELNO5	PIC X(10).	<-ALL-FMTS
2277	+000223	06	REELNO6	PIC X(10).	<-ALL-FMTS
2278	+000224	06	REELNO7	PIC X(10).	<-ALL-FMTS
2279	+000225	06	REELNO8	PIC X(10).	<-ALL-FMTS
2280	+000226	06	REELNO9	PIC X(10).	<-ALL-FMTS
2281	+000227	06	REELNO10	PIC X(10).	<-ALL-FMTS
2282	+000228	06	BLIPNO1	PIC X(10).	<-ALL-FMTS
2283	+000229	06	BLIPNO2	PIC X(10).	<-ALL-FMTS
2284	+000230	06	BLIPNO3	PIC X(10).	<-ALL-FMTS
2285	+000231	06	BLIPNO4	PIC X(10).	<-ALL-FMTS
2286	+000232	06	BLIPNO5	PIC X(10).	<-ALL-FMTS
2287	+000233	06	BLIPNO6	PIC X(10).	<-ALL-FMTS
2288	+000234	06	BLIPNO7	PIC X(10).	<-ALL-FMTS
2289	+000235	06	BLIPNO8	PIC X(10).	<-ALL-FMTS
2290	+000236	06	BLIPNO9	PIC X(10).	<-ALL-FMTS
2291	+000237	06	BLIPNO10	PIC X(10).	<-ALL-FMTS
2292	+000238	06	DESTDTE	PIC S9(8).	<-ALL-FMTS
2293	+000239	06	ORIGDAT	PIC X(10).	<-ALL-FMTS
	+000240*	INPUT FORMAT:WDW03			<-ALL-FMTS
		FROM FILE WHD0050			<-ALL-FMTS
	+000241*	OF LIBRARY NAIC			<-ALL-FMTS
2294	+000242	05	WDW03-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2295	+000243	06	ITEM	PIC X(12).	<-ALL-FMTS
	+000244*	OUTPUT FORMAT:WDW03			<-ALL-FMTS
		FROM FILE WHD0050			<-ALL-FMTS
	+000245*	OF LIBRARY NAIC			<-ALL-FMTS
2296	+000246	05	WDW03-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2297	+000247	06	ITEM	PIC X(12).	<-ALL-FMTS
	+000248*	INPUT FORMAT:WDWSFL04			<-ALL-FMTS
		FROM FILE WHD0050			<-ALL-FMTS
	+000249*	OF LIBRARY NAIC			<-ALL-FMTS
2298	+000250	05	WDWSFL04-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2299	+000251	06	COMPANY	PIC X(4).	<-ALL-FMTS
2300	+000252	06	SELOPT	PIC X(1).	<-ALL-FMTS
2301	+000253	06	CONAME	PIC X(35).	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

	+000254*	OUTPUT FORMAT:WDWSFL04	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS
	+000255*				<-ALL-FMTS
2302	+000256	05 WDWSFL04-O	REDEFINES WHD0050-RECORD.		<-ALL-FMTS
2303	+000257	06 COMPANY	PIC X(4).		<-ALL-FMTS
2304	+000258	06 CONAME	PIC X(35).		<-ALL-FMTS
	+000259*	INPUT FORMAT:WDWCTL04	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS
	+000260*				<-ALL-FMTS
2305	+000261	05 WDWCTL04-I	REDEFINES WHD0050-RECORD.		<-ALL-FMTS
2306	+000262	06 X	PIC X(1).		<-ALL-FMTS
	+000263*	OUTPUT FORMAT:WDWCTL04	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS
	+000264*				<-ALL-FMTS
2307	+000265	05 WDWCTL04-O	REDEFINES WHD0050-RECORD.		<-ALL-FMTS
2308	+000266	06 X	PIC X(1).		<-ALL-FMTS
	+000267*	INPUT FORMAT:WDW05	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS
	+000268*				<-ALL-FMTS
2309	+000269	05 WDW05-I	REDEFINES WHD0050-RECORD.		<-ALL-FMTS
2310	+000270	06 AMTREQ	PIC S9(7).		<-ALL-FMTS
	+000271*	OUTPUT FORMAT:WDW05	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS
	+000272*				<-ALL-FMTS
2311	+000273	05 WDW05-O	REDEFINES WHD0050-RECORD.		<-ALL-FMTS
2312	+000274	06 AMTREQ	PIC S9(7).		<-ALL-FMTS
	+000275*	INPUT FORMAT:RCD03	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS
	+000276*				<-ALL-FMTS
2313	+000277	05 RCD03-I	REDEFINES WHD0050-RECORD.		<-ALL-FMTS
2314	+000278	06 COMPANY	PIC X(4).		<-ALL-FMTS
2315	+000279	06 CNTR	PIC S9(5).		<-ALL-FMTS
2316	+000280	06 ITEMTYPE	PIC S9(3).		<-ALL-FMTS
2317	+000281	06 ITEMDESC	PIC X(32).		<-ALL-FMTS
2318	+000282	06 ITEM	PIC X(12).		<-ALL-FMTS
2319	+000283	06 TRNDTE	PIC S9(8).		<-ALL-FMTS
2320	+000284	06 IDREQ	PIC X(10).		<-ALL-FMTS
2321	+000285	06 TRNAMT	PIC S9(7).		<-ALL-FMTS
2322	+000286	06 EXPRTNDTE	PIC S9(8).		<-ALL-FMTS
2323	+000287	06 EQPFLG	PIC X(1).		<-ALL-FMTS
2324	+000288	06 RTNDTE	PIC S9(8).		<-ALL-FMTS
2325	+000289	06 AMTPEND	PIC S9(7).		<-ALL-FMTS
2326	+000290	06 AMTRET	PIC S9(7).		<-ALL-FMTS
2327	+000291	06 FORID	PIC X(10).		<-ALL-FMTS
	+000292*	OUTPUT FORMAT:RCD03	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS
	+000293*				<-ALL-FMTS
2328	+000294	05 RCD03-O	REDEFINES WHD0050-RECORD.		<-ALL-FMTS
2329	+000295	06 COMPANY	PIC X(4).		<-ALL-FMTS
2330	+000296	06 CNTR	PIC S9(5).		<-ALL-FMTS
2331	+000297	06 ITEMTYPE	PIC S9(3).		<-ALL-FMTS
2332	+000298	06 ITEMDESC	PIC X(32).		<-ALL-FMTS
2333	+000299	06 ITEM	PIC X(12).		<-ALL-FMTS
2334	+000300	06 ORIGITEM	PIC X(12).		<-ALL-FMTS
2335	+000301	06 ROW	PIC X(3).		<-ALL-FMTS
2336	+000302	06 COLUMNS	PIC S9(3).		<-ALL-FMTS
2337	+000303	06 SHELF	PIC S9(3).		<-ALL-FMTS
2338	+000304	06 BOXNO	PIC X(5).		<-ALL-FMTS
2339	+000305	06 LOCDESC	PIC X(30).		<-ALL-FMTS
2340	+000306	06 TRNDTE	PIC S9(8).		<-ALL-FMTS
2341	+000307	06 IDREQ	PIC X(10).		<-ALL-FMTS
2342	+000308	06 TRNAMT	PIC S9(7).		<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2343	+000309	06	EXPRTNDTE	PIC S9(8).	<-ALL-FMTS
2344	+000310	06	EQPFLG	PIC X(1).	<-ALL-FMTS
2345	+000311	06	RTNDTE	PIC S9(8).	<-ALL-FMTS
2346	+000312	06	AMTPEND	PIC S9(7).	<-ALL-FMTS
2347	+000313	06	AMTRET	PIC S9(7).	<-ALL-FMTS
2348	+000314	06	FORID	PIC X(10).	<-ALL-FMTS
	+000315*	INPUT FORMAT:WDW07 FROM FILE WHD0050 OF LIBRARY NAIC			<-ALL-FMTS
	+000316*				<-ALL-FMTS
2349	+000317	05	WDW07-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2350	+000318	06	RESP	PIC X(1).	<-ALL-FMTS
	+000319*	OUTPUT FORMAT:WDW07 FROM FILE WHD0050 OF LIBRARY NAIC			<-ALL-FMTS
	+000320*				<-ALL-FMTS
2351	+000321	05	WDW07-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2352	+000322	06	ITEM	PIC X(12).	<-ALL-FMTS
2353	+000323	06	ITEMDESC	PIC X(27).	<-ALL-FMTS
2354	+000324	06	RESP	PIC X(1).	<-ALL-FMTS
	+000325*	INPUT FORMAT:WDWSFL08 FROM FILE WHD0050 OF LIBRARY NAIC			<-ALL-FMTS
	+000326*				<-ALL-FMTS
2355	+000327	05	WDWSFL08-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2356	+000328	06	HISTRCD	PIC X(80).	<-ALL-FMTS
2357	+000329	06	SELOPT	PIC X(1).	<-ALL-FMTS
2358	+000330	06	IDREQ	PIC X(10).	<-ALL-FMTS
2359	+000331	06	TRNDTE	PIC S9(8).	<-ALL-FMTS
2360	+000332	06	EXPRTNDTE	PIC S9(8).	<-ALL-FMTS
2361	+000333	06	AMTPEND	PIC S9(7).	<-ALL-FMTS
2362	+000334	06	RTNDTE	PIC S9(8).	<-ALL-FMTS
2363	+000335	06	AMTRET	PIC S9(7).	<-ALL-FMTS
2364	+000336	06	TRNDTE2	PIC S9(8).	<-ALL-FMTS
2365	+000337	06	FORID	PIC X(10).	<-ALL-FMTS
	+000338*	OUTPUT FORMAT:WDWSFL08 FROM FILE WHD0050 OF LIBRARY NAIC			<-ALL-FMTS
	+000339*				<-ALL-FMTS
2366	+000340	05	WDWSFL08-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2367	+000341	06	HISTRCD	PIC X(80).	<-ALL-FMTS
2368	+000342	06	IDREQ	PIC X(10).	<-ALL-FMTS
2369	+000343	06	TRNDTE	PIC S9(8).	<-ALL-FMTS
2370	+000344	06	EXPRTNDTE	PIC S9(8).	<-ALL-FMTS
2371	+000345	06	AMTPEND	PIC S9(7).	<-ALL-FMTS
2372	+000346	06	RTNDTE	PIC S9(8).	<-ALL-FMTS
2373	+000347	06	AMTRET	PIC S9(7).	<-ALL-FMTS
2374	+000348	06	TRNDTE2	PIC S9(8).	<-ALL-FMTS
2375	+000349	06	FORID	PIC X(10).	<-ALL-FMTS
	+000350*	INPUT FORMAT:WDWCTL09 FROM FILE WHD0050 OF LIBRARY NAIC			<-ALL-FMTS
	+000351*				<-ALL-FMTS
2376	+000352	05	WDWCTL09-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2377	+000353	06	X	PIC X(1).	<-ALL-FMTS
	+000354*	OUTPUT FORMAT:WDWCTL09 FROM FILE WHD0050 OF LIBRARY NAIC			<-ALL-FMTS
	+000355*				<-ALL-FMTS
2378	+000356	05	WDWCTL09-O	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2379	+000357	06	X	PIC X(1).	<-ALL-FMTS
2380	+000358	06	ITEM	PIC X(12).	<-ALL-FMTS
2381	+000359	06	ITEMDESC	PIC X(27).	<-ALL-FMTS
	+000360*	INPUT FORMAT:WDW10 FROM FILE WHD0050 OF LIBRARY NAIC			<-ALL-FMTS
	+000361*				<-ALL-FMTS
2382	+000362	05	WDW10-I	REDEFINES WHD0050-RECORD.	<-ALL-FMTS
2383	+000363	06	BOXNO	PIC X(5).	<-ALL-FMTS

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

	+000364*	OUTPUT FORMAT:WDW10	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS		
	+000365*				<-ALL-FMTS		
2384	+000366	05 WDW10-O	REDEFINES WHD0050-RECORD.		<-ALL-FMTS		
2385	+000367	06 BOXNO	PIC X(5).		<-ALL-FMTS		
	+000368*	INPUT FORMAT:WDW11	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS		
	+000369*				<-ALL-FMTS		
2386	+000370	05 WDW11-I	REDEFINES WHD0050-RECORD.		<-ALL-FMTS		
2387	+000371	06 X	PIC X(1).		<-ALL-FMTS		
	+000372*	OUTPUT FORMAT:WDW11	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS		
	+000373*				<-ALL-FMTS		
2388	+000374	05 WDW11-O	REDEFINES WHD0050-RECORD.		<-ALL-FMTS		
2389	+000375	06 X	PIC X(1).		<-ALL-FMTS		
	+000376*	INPUT FORMAT:WDW12	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS		
	+000377*				<-ALL-FMTS		
2390	+000378	05 WDW12-I	REDEFINES WHD0050-RECORD.		<-ALL-FMTS		
2391	+000379	06 FORID	PIC X(10).		<-ALL-FMTS		
	+000380*	OUTPUT FORMAT:WDW12	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS		
	+000381*				<-ALL-FMTS		
2392	+000382	05 WDW12-O	REDEFINES WHD0050-RECORD.		<-ALL-FMTS		
2393	+000383	06 FORID	PIC X(10).		<-ALL-FMTS		
	+000384*	INPUT FORMAT:WDW13	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS		
	+000385*		Job submitted		<-ALL-FMTS		
	+000386*	05 WDW13-I	REDEFINES WHD0050-RECORD.		<-ALL-FMTS		
	+000387*	OUTPUT FORMAT:WDW13	FROM FILE WHD0050	OF LIBRARY NAIC	<-ALL-FMTS		
	+000388*		Job submitted		<-ALL-FMTS		
	+000389*	05 WDW13-O	REDEFINES WHD0050-RECORD.		<-ALL-FMTS		
	000766	COPY PUIWS IN QCBLINC.				/	/
2394	000767	LINKAGE SECTION.				/	/
2395	000768	01 LINKAGE-AREA.				/	/
2396	000769	05 USER	PIC X(10).			/	/
2397	000770	05 VIEW-MODE	PIC X.			/	/
2398	000771	88 UPDATE-LNK		VALUE 'C'.		/	/
2399	000772	88 INQUIRE-LNK		VALUE 'I'.		/	/
2400	000773	PROCEDURE DIVISION USING LINKAGE-AREA.				/	/
	000774	P000-MAIN SECTION.				/	/
	000775	P000-MAIN-ROUTINE.				/	/
2401	000776	PERFORM PUI-0-INITIALIZE				/	/
2402	000777	PERFORM P010-OPEN-FILES				/	/
	000778	THRU P019-EXIT.				/	/
2403	000779	PERFORM P020-HOUSEKEEPING				/	/
	000780	THRU P029-EXIT.				/	/
2404	000781	PERFORM P100-PROCESS				/	/
	000782	THRU P109-EXIT.				/	/
2405	000783	PERFORM P090-CLOSE-FILES				/	/
	000784	THRU P099-EXIT.				/	/
2406	000785	EXIT PROGRAM.				/	/
	000786	P001-STOP-RUN.				/	/
2407	000787	STOP RUN.				/	/
	000788	P010-OPEN-FILES.				/	/
2408	000789	PERFORM PUI-1-OPEN				/	/
2409	000790	OPEN I-O DETAIL-FILE-U				/	/
2410	000791	OPEN I-O HISTORY-FILE				/	/
2411	000792	OPEN INPUT POLICY-FILE				/	/
2412	000793	OPEN INPUT DETAIL-FILE				/	/
2413	000794	OPEN INPUT CLAIM-FILE				/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	000795	.	/	/
	000796	P019-EXIT.	/	/
2414	000797	EXIT.	/	/
	000798	P020-HOUSEKEEPING.	/	/
2415	000799	MOVE ALL B'0' TO INDIC-AREA.	/	/
2416	000800	INITIALIZE LOAD-SFL01	/	/
	000801	START-KEYS.	/	/
2417	000802	SET VX	/	/
	000803	Y TO 1.	/	/
2418	000804	ACCEPT CURDTE FROM DATE YYYYMMDD.	/	/
2419	000805	SUBTRACT 19000000 FROM CURDTE.	/	/
2420	000806	MOVE CURDTE TO F7-DATE2(1).	/	/
2421	000807	MOVE CORR F7-DATE(1) TO D8-DATE(1).	/	/
	***	CORRESPONDING items for statement 2421:		
	***	YY		
	***	MM		
	***	DD		
	***	End of CORRESPONDING items for statement 2421		
2422	000808	IF YY OF D8-DATE(1) > 0	/	/
2423	000809	ADD 1900 TO YY OF D8-DATE(1).	/	/
2424	000810	MOVE D8-DATE2(1) TO DSP-CURDTE.	/	/
2425	000811	IF UPDATE-LNK OF LINKAGE-AREA	/	/
2426	000812	SET UPDATE-MODE TO TRUE	/	/
	000813	ELSE	/	/
2427	000814	SET INQUIRE-MODE	/	/
	000815	NO-DELETE TO TRUE	/	/
2428	000816	GO TO P029-EXIT.	/	/
2429	000817	MOVE 'WHA0050' TO DTAARA.	/	/
2430	000818	CALL 'ZCRTVDTARA' USING DTA-LINK.	/	/
2431	000819	IF DTAARA = SPACE	/	/
2432	000820	SET NO-DELETE TO TRUE	/	/
2433	000821	GO TO P029-EXIT.	/	/
2434	000822	MOVE DTAARA TO DTAARA-TABLE.	/	/
2435	000823	SET USER-SEEK TO TRUE.	/	/
2436	000824	PERFORM VARYING DTAX FROM 1 BY 1 UNTIL DTAX > 10 OR	/	/
	000825	USER-FND	/	/
2437	000826	IF USER = USRDLT(DTAX)	/	/
2438	000827	SET ALLOW-DELETE	/	/
	000828	USER-FND TO TRUE	/	/
	000829	END-IF	/	/
	000830	END-PERFORM.	/	/
2439	000831	SET VIEW-HAS-CHANGED TO TRUE.	/	/
2440	000832	MOVE USER OF LINKAGE-AREA TO RQSUSR OF WHB0051-LINKAGE	/	/
	000833	RQSUSR OF WHB0052-LINKAGE.	/	/
	000834	P029-EXIT.	/	/
2441	000835	EXIT.	/	/
	000836	P090-CLOSE-FILES.	/	/
2442	000837	PERFORM PUI-2-CLOSE	/	/
2443	000838	CLOSE DETAIL-FILE	/	/
2444	000839	CLOSE DETAIL-FILE-U	/	/
2445	000840	CLOSE HISTORY-FILE	/	/
2446	000841	CLOSE POLICY-FILE	/	/
2447	000842	CLOSE CLAIM-FILE	/	/
	000843	.	/	/
	000844	P099-EXIT.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2448	000845	EXIT.	/	/
	000846	P100-PROCESS.	/	/
2449	000847	PERFORM P150-START THRU P159-EXIT.	/	/
	000848	P101-SUBFILE.	/	/
2450	000849	SET CLEAR-SUBFILE	/	/
	000850	EMPTY-SFL TO TRUE.	/	/
2451	000851	PERFORM PUI-1-WRITE	/	/
	000852	.	/	/
2452	000853	SET DISPLAY-SFL TO TRUE.	/	/
2453	000854	IF ROLL-DOWN	/	/
2454	000855	PERFORM P170-DOWN THRU P179-EXIT.	/	/
2455	000856	PERFORM P160-LOAD THRU P169-EXIT.	/	/
2456	000857	MOVE DSP-RCD-NO TO HLD-RCD-NO.	/	/
	000858	P105-CONTROL.	/	/
2457	000859	PERFORM PUI-2-WRITE	/	/
	000860	.	/	/
2458	000861	PERFORM PUI-3-WRITE	/	/
	000862	.	/	/
2459	000863	PERFORM PUI-4-READ	/	/
2460	000864	IF P-PUI-EOF = "1"	/	/
2461	000865	CONTINUE	/	/
	000866	END-IF	/	/
	000867	.	/	/
2462	000868	IF END-OF-PROCESS OR	/	/
	000869	CANCEL-SCREEN	/	/
2463	000870	GO TO P109-EXIT.	/	/
2464	000871	IF ROLL-UP OR	/	/
	000872	ROLL-DOWN	/	/
2465	000873	GO TO P101-SUBFILE.	/	/
2466	000874	IF CHANGE-VIEW	/	/
2467	000875	PERFORM P180-VIEW-CHG THRU P189-EXIT	/	/
2468	000876	IF END-OF-PROCESS OR CANCEL-SCREEN	/	/
2469	000877	CONTINUE	/	/
	000878	ELSE	/	/
2470	000879	GO TO P100-PROCESS.	/	/
2471	000880	IF POSITION-YES	/	/
2472	000881	PERFORM P200-POSITION THRU P209-EXIT	/	/
2473	000882	IF END-OF-PROCESS OR CANCEL-SCREEN	/	/
2474	000883	CONTINUE	/	/
	000884	ELSE	/	/
2475	000885	GO TO P100-PROCESS.	/	/
	000886	P106-ADD-RECORD.	/	/
2476	000887	IF ADD-RECORD	/	/
2477	000888	MOVE USABLE-INDS TO HOLD-INDICATORS	/	/
2478	000889	PERFORM P300-ADD THRU P309-EXIT	/	/
2479	000890	MOVE HOLD-INDICATORS TO USABLE-INDS	/	/
2480	000891	EVALUATE TRUE	/	/
	000892	WHEN END-OF-PROCESS OR CANCEL-SCREEN	/	/
2481	000893	GO TO P105-CONTROL	/	/
	000894	WHEN LOOP-ON	/	/
2482	000895	PERFORM PUI-5-WRITE	/	/
2483	000896	PERFORM PUI-6-WRITE	/	/
2484	000897	PERFORM PUI-7-WRITE	/	/
2485	000898	GO TO P106-ADD-RECORD	/	/
	000899	END-EVALUATE.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2486	000900	IF	CHANGE-LOC	/	/
2487	000901		SET CHG-LOC TO TRUE	/	/
2488	000902		CALL 'WHB0052' USING WHB0052-LINKAGE	/	/
2489	000903		GO TO P105-CONTROL.	/	/
2490	000904	IF	CHANGE-BOXNO	/	/
2491	000905		SET CHG-BOX TO TRUE	/	/
2492	000906		CALL 'WHB0052' USING WHB0052-LINKAGE	/	/
2493	000907		GO TO P105-CONTROL.	/	/
2494	000908	IF	ASSIGN-REEL	/	/
2495	000909		SET ASGN-REEL TO TRUE	/	/
2496	000910		CALL 'WHB0052' USING WHB0052-LINKAGE	/	/
2497	000911		GO TO P105-CONTROL.	/	/
2498	000912	IF	USER-CHECKED-OUT	/	/
2499	000913		CALL 'WHR0105' USING WHR0105-LINKAGE	/	/
2500	000914		GO TO P105-CONTROL.	/	/
2501	000915	IF	NAME-SEARCH	/	/
2502	000916		MOVE SPACES TO NAME OF WHC0055-LINKAGE	/	/
2503	000917		MOVE USABLE-INDS TO HOLD-INDICATORS	/	/
2504	000918		PERFORM P200-POSITION THRU P209-EXIT	/	/
2505	000919		MOVE HOLD-INDICATORS TO USABLE-INDS	/	/
2506	000920		IF END-OF-PROCESS OR CANCEL-SCREEN	/	/
2507	000921		CONTINUE	/	/
	000922		ELSE	/	/
2508	000923		CALL 'QCMDEXC' USING CMD-CALL OF WHC0055-LINKAGE	/	/
	000924		CALLLEN OF WHC0055-LINKAGE.	/	/
2509	000925	IF	REPORT-REQUESTED	/	/
2510	000926		CALL 'WHC0100J'	/	/
2511	000927		PERFORM PUI-8-WRITE	/	/
2512	000928		PERFORM PUI-9-READ	/	/
2513	000929		IF P-PUI-EOF = "1"	/	/
2514	000930		CONTINUE	/	/
	000931	END-IF		/	/
2515	000932		GO TO P105-CONTROL.	/	/
	000933	P107-READ-SFL.		/	/
2516	000934		PERFORM PUI-10-READ	/	/
2517	000935		IF P-PUI-EOF = "1"	/	/
2518	000936		GO TO P105-CONTROL	/	/
	000937	END-IF		/	/
	000938		.	/	/
2519	000939	IF	DSP-STATUS NOT = I-O-OK	/	/
2520	000940		GO TO P105-CONTROL.	/	/
2521	000941	IF	SELOPT OF SFL01-I = SPACE	/	/
2522	000942		GO TO P107-READ-SFL.	/	/
2523	000943		MOVE DTLRCD OF SFL01-I TO HOLD-RCD	/	/
	000944		HELD-RCD.	/	/
2524	000945		MOVE STATUSX OF HOLD-RCD TO HOLD-STATUSX.	/	/
2525	000946		MOVE DSP-RCD-NO TO SFL01-RCDNO.	/	/
2526	000947		SET NOT-UPDATED TO TRUE.	/	/
2527	000948		SET PROTECT-NO TO TRUE.	/	/
2528	000949	IF	SELOPT OF SFL01-I = '1' OR	/	/
	000950		(SELOPT OF SFL01-I = '2' AND	/	/
	000951		UPDATE-MODE) OR	/	/
	000952		(SELOPT OF SFL01-I = '7' AND	/	/
	000953		ALLOW-TYPE-CHG OF HOLD-RCD AND	/	/
	000954		UPDATE-MODE)	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
2529      000955      MOVE USABLE-INDS TO HOLD-INDICATORS      /  /
2530      000956      IF  SELOPT OF SFL01-I = '1'              /  /
2531      000957      SET PROTECT-YES TO TRUE                  /  /
                000958      END-IF                              /  /
2532      000959      IF  SELOPT OF SFL01-I = '7'              /  /
2533      000960      SET CHANGE-KEYS TO TRUE                  /  /
2534      000961      MOVE CORR RWH010001  OF HOLD-RCD TO ORIG-KEYS      /  /
                *** CORRESPONDING items for statement 2534:
                ***      ITEMTYPE
                ***      ITEM
                ***      CNTR
                *** End of CORRESPONDING items for statement 2534
2535      000962      MOVE USABLE-INDS TO HOLD-INDICATORS      /  /
2536      000963      PERFORM P350-SET-KEYS THRU P359-EXIT      /  /
2537      000964      MOVE HOLD-INDICATORS TO USABLE-INDS      /  /
                000965      END-IF                              /  /
2538      000966      IF  NOT END-OF-PROCESS  AND              /  /
                000967      NOT CANCEL-SCREEN                  /  /
2539      000968      PERFORM P320-DETAIL  THRU P329-EXIT      /  /
                000969      END-IF                              /  /
2540      000970      SET NO-KEY-CHG TO TRUE                  /  /
2541      000971      MOVE HOLD-INDICATORS TO USABLE-INDS      /  /
2542      000972      GO TO P108-REWRITE-SUBFILE.              /  /
2543      000973      IF  SELOPT  OF SFL01-I    = '3'  AND      /  /
                000974      DESTDTE  OF HOLD-RCD =  0    AND      /  /
                000975      AVAILABLE OF HOLD-RCD          AND      /  /
                000976      INQUIRE-MODE                  /  /
2544      000977      PERFORM P450-FOR-WHOM THRU P459-EXIT      /  /
2545      000978      IF  END-OF-PROCESS                      /  /
2546      000979      GO TO P109-EXIT                          /  /
                000980      END-IF                              /  /
2547      000981      INITIALIZE WHB0051-LINKAGE              /  /
2548      000982      SET  ITM-REQUEST TO TRUE                /  /
2549      000983      MOVE USER TO RQSUSR OF WHB0051-LINKAGE    /  /
2550      000984      MOVE CORR WDW12-I TO WHB0051-LINKAGE      /  /
                *** CORRESPONDING items for statement 2550:
                ***      FORID
                *** End of CORRESPONDING items for statement 2550
2551      000985      MOVE CORR RWH010001  OF HOLD-RCD TO WHB0051-LINKAGE      /  /
                *** CORRESPONDING items for statement 2551:
                ***      ITEMTYPE
                ***      ITEM
                ***      CNTR
                ***      NAME
                *** End of CORRESPONDING items for statement 2551
2552      000986      IF  EQUIP-TYPE OF HOLD-RCD              /  /
2553      000987      PERFORM P420-AMT-REQUEST THRU P429-EXIT      /  /
                000988      END-IF                              /  /
2554      000989      CALL 'WHB0051' USING WHB0051-LINKAGE      /  /
2555      000990      GO TO P108-REWRITE-SUBFILE.              /  /
2556      000991      IF  SELOPT  OF SFL01-I    = '4'  AND      /  /
                000992      ALLOW-DELETE                      AND      /  /
                000993      UPDATE-MODE                      /  /
2557      000994      SET DELETE-RCD TO TRUE                  /  /
2558      000995      PERFORM P330-CONFIRM THRU P339-EXIT      /  /
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2559	000996	IF YES-DELETE	/	/
2560	000997	PERFORM P400-UPDATE THRU P409-EXIT	/	/
	000998	END-IF	/	/
2561	000999	SET NOT-DELETE TO TRUE	/	/
2562	001000	GO TO P108-REWRITE-SUBFILE.	/	/
2563	001001	IF SELOPT OF SFL01-I = '5'	/	/
2564	001002	SET SHOW-HISTORY TO TRUE	/	/
2565	001003	MOVE USABLE-INDS TO HOLD-INDICATORS	/	/
2566	001004	PERFORM P700-SFL08 THRU P709-EXIT	/	/
2567	001005	MOVE HOLD-INDICATORS TO USABLE-INDS	/	/
2568	001006	SET NOT-HISTORY	/	/
	001007	SFL-DATA TO TRUE.	/	/
	001008	P108-REWRITE-SUBFILE.	/	/
2569	001009	IF NOT-UPDATED	/	/
2570	001010	MOVE HELD-RCD TO HOLD-RCD.	/	/
2571	001011	IF STATUSX OF HOLD-RCD NOT = HOLD-STATUSX	/	/
2572	001012	MOVE HOLD-STATUSX TO STATUSX OF HOLD-RCD.	/	/
2573	001013	MOVE SFL01-RCDNO TO DSP-RCD-NO.	/	/
2574	001014	PERFORM PUI-11-READ	/	/
2575	001015	IF P-PUI-FOUND = "0"	/	/
2576	001016	GO TO P105-CONTROL	/	/
	001017	END-IF	/	/
	001018	.	/	/
2577	001019	PERFORM P220-MOVE-SFL01 THRU P229-EXIT.	/	/
2578	001020	PERFORM PUI-12-REWRITE	/	/
2579	001021	IF P-PUI-FOUND = "0"	/	/
2580	001022	CONTINUE	/	/
	001023	END-IF	/	/
	001024	.	/	/
2581	001025	GO TO P105-CONTROL.	/	/
	001026	P109-EXIT.	/	/
2582	001027	EXIT.	/	/
	001028	P150-START.	/	/
2583	001029	MOVE ALL B'0' TO VIEW-INDS.	/	/
2584	001030	SET VIEW-FMT(Y) TO TRUE.	/	/
2585	001031	IF (MICROPEND-VIEW OR DESTPEND-VIEW) AND	/	/
	001032	CLOSDTE OF START-KEYS NOT > 0	/	/
2586	001033	MOVE 1 TO CLOSDTE OF START-KEYS.	/	/
2587	001034	IF DESTPEND-VIEW AND	/	/
	001035	MICRODTE OF START-KEYS NOT > 0	/	/
2588	001036	MOVE 1 TO MICRODTE OF START-KEYS.	/	/
2589	001037	IF CHKOUT-VIEW	/	/
2590	001038	MOVE '2' TO STATUSX OF START-KEYS.	/	/
2591	001039	MOVE CORR START-KEYS TO RWH010001 OF DETAIL-RCD.	/	/
	***	CORRESPONDING items for statement 2591:		
	***	ITEMTYPE		
	***	NAME		
	***	STATUSX		
	***	STSDTE		
	***	DESTDTE		
	***	MICRODTE		
	***	CLOSDTE		
	***	ROW		
	***	COLUMNS		
	***	SHELF		

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

*** LOCDESC

*** BOXNO

*** ITEM

*** End of CORRESPONDING items for statement 2591

2592	001040	START	DETAIL-FILE		/	/
	001041		KEY NOT < EXTERNALLY-DESCRIBED-KEY		/	/
	001042		FORMAT IS VIEWFMT(VX)		/	/
2593	001043		INVALID KEY CONTINUE.		/	/
2594	001044	INITIALIZE	START-KEYS.		/	/
	001045	P159-EXIT.			/	/
2595	001046	EXIT.			/	/
	001047	P160-LOAD.			/	/
2596	001048	MOVE 1	TO DSP-RCD-NO.		/	/
2597	001049	SET NO-PLUS	TO TRUE.		/	/
	001050	P161-READ-NEXT.			/	/
2598	001051	READ	DETAIL-FILE NEXT RECORD		/	/
	001052		FORMAT IS VIEWFMT(VX)		/	/
2599	001053		AT END CONTINUE.		/	/
2600	001054	PERFORM P190-CHECK-EXIT			/	/
	001055	THRU P199-EXIT.			/	/
2601	001056	IF	COMMON-STATUS NOT = I-O-OK OR		/	/
	001057		EXIT-YES		/	/
2602	001058		MOVE DETAIL-RCD TO LAST-RECORD		/	/
2603	001059		GO TO P169-EXIT.		/	/
2604	001060	IF	VIEW-HAS-CHANGED		/	/
2605	001061		MOVE DETAIL-RCD TO FIRST-RECORD		/	/
2606	001062		SET NO-VIEW-CHG TO TRUE.		/	/
2607	001063	MOVE	DETAIL-RCD TO HOLD-RCD.		/	/
2608	001064	MOVE ALL B'0'	TO TYPE-INDS		/	/
	001065		OVERDUE-INDS		/	/
	001066		STATUS-INDS.		/	/
2609	001067	PERFORM P220-MOVE-SFL01	THRU P229-EXIT.		/	/
2610	001068	SET TYPE-RCD(ITEMTYPE OF RWH010002)	TO TRUE.		/	/
2611	001069	IF CHKOUT-VIEW	AND		/	/
	001070		CURDTE > EXPRTNDTE OF RWH010002		/	/
2612	001071	PERFORM P240-OVERDUE-SEV	THRU P249-EXIT.		/	/
2613	001072	IF LOC-VIEW	AND		/	/
	001073	ROW	OF RWH010002 = SPACES AND		/	/
	001074		LOCDESC OF RWH010002 NOT = SPACES		/	/
2614	001075	SET LOC-DESC	TO TRUE		/	/
	001076	ELSE			/	/
2615	001077	SET NOT-LOC-DESC	TO TRUE.		/	/
2616	001078	PERFORM PUI-13-WRITE			/	/
2617	001079	IF P-PUI-FOUND = "0"			/	/
2618	001080		GO TO P169-EXIT		/	/
	001081	END-IF			/	/
	001082		.		/	/
2619	001083	IF EMPTY-SFL			/	/
2620	001084	SET SFL-DATA	TO TRUE.		/	/
2621	001085	ADD 1	TO DSP-RCD-NO.		/	/
2622	001086	IF DSP-RCD-NO > SFL-SIZE			/	/
2623	001087	SET DSP-PLUS	TO TRUE		/	/
2624	001088	GO TO P169-EXIT.			/	/
2625	001089	GO TO P161-READ-NEXT.			/	/
	001090	P169-EXIT.			/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2626	001091	EXIT.	/	/
	001092	P170-DOWN.	/	/
2627	001093	IF RWH010001 OF DETAIL-RCD = RWH010001 OF FIRST-RECORD	/	/
2628	001094	INITIALIZE START-KEYS	/	/
2629	001095	PERFORM P150-START THRU P159-EXIT	/	/
2630	001096	GO TO P179-EXIT.	/	/
2631	001097	IF COMMON-STATUS NOT = I-O-OK	/	/
2632	001098	MOVE CORR RWH010001 OF LAST-RECORD TO	/	/
	001099	RWH010001 OF DETAIL-RCD	/	/
	***	CORRESPONDING items for statement 2632:		
	***	ITEMTYPE		
	***	ITEM		
	***	CNTR		
	***	LOCDESC		
	***	ROW		
	***	COLUMNS		
	***	SHELF		
	***	BOXNO		
	***	NAME		
	***	EFFDTE		
	***	EXPDTE		
	***	CUSTNO		
	***	REORDPNT		
	***	AMTHAND		
	***	CLOSDTE		
	***	MICRODTE		
	***	REELNO1		
	***	REELNO2		
	***	REELNO3		
	***	REELNO4		
	***	REELNO5		
	***	REELNO6		
	***	REELNO7		
	***	REELNO8		
	***	REELNO9		
	***	REELNO10		
	***	BLIPNO1		
	***	BLIPNO2		
	***	BLIPNO3		
	***	BLIPNO4		
	***	BLIPNO5		
	***	BLIPNO6		
	***	BLIPNO7		
	***	BLIPNO8		
	***	BLIPNO9		
	***	BLIPNO10		
	***	DESTDTE		
	***	ORIGITEM		
	***	ORIGNAM		
	***	COMPANY		
	***	ORIGDATE		
	***	STATUSX		
	***	STSDTE		
	***	EXPRTNDTE		
	***	IDADD		

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```

      ***      DTEADD
      ***      IDCHG
      ***      DTECHG
      *** End of CORRESPONDING items for statement 2632
2633      001100      START  DETAIL-FILE                               /  /
      001101          KEY NOT < EXTERNALLY-DESCRIBED-KEY             /  /
      001102          FORMAT IS VIEWFMT(VX)                          /  /
2634      001103          INVALID KEY CONTINUE.                      /  /
2635      001104      COMPUTE DOWN-RCDS = SFL-SIZE + HLD-RCD-NO - 1.   /  /
2636      001105      SET NO-EXIT TO TRUE.                            /  /
2637      001106      PERFORM VARYING CNT FROM 1 BY 1 UNTIL CNT > DOWN-RCDS      OR /  /
      001107          COMMON-STATUS NOT = I-O-OK OR                  /  /
      001108          EXIT-YES                                       /  /
2638      001109      READ  DETAIL-FILE  PRIOR RECORD                 /  /
      001110          FORMAT IS VIEWFMT(VX)                          /  /
2639      001111          AT END CONTINUE                             /  /
      001112      END-READ                                           /  /
2640      001113      PERFORM P190-CHECK-EXIT                         /  /
      001114          THRU P199-EXIT                                  /  /
      001115      END-PERFORM.                                        /  /
2641      001116      IF COMMON-STATUS NOT = I-O-OK                  /  /
2642      001117          INITIALIZE START-KEYS                      /  /
2643      001118      PERFORM P150-START THRU P159-EXIT.             /  /
      001119 P179-EXIT.                                             /  /
2644      001120      EXIT.                                           /  /
      001121 P180-VIEW-CHG.                                         /  /
2645      001122      INITIALIZE WDW01-O.                            /  /
2646      001123      PERFORM PUI-14-WRITE                           /  /
      001124          .                                             /  /
2647      001125      PERFORM PUI-15-READ                            /  /
2648      001126      IF P-PUI-EOF = "1"                             /  /
2649      001127          CONTINUE                                    /  /
      001128      END-IF                                             /  /
      001129          .                                             /  /
2650      001130      IF  END-OF-PROCESS      OR                     /  /
      001131          CANCEL-SCREEN                                  /  /
2651      001132          GO TO P189-EXIT.                            /  /
2652      001133      IF SELOPT OF WDW01-I NOT = 0                   /  /
2653      001134          GO TO P183-USE-SELOPT.                     /  /
2654      001135      MOVE RTNROW2 OF WDW01-I TO ROW-NO.             /  /
2655      001136      SUBTRACT 2 FROM ROW-NO.                        /  /
2656      001137      IF NOT VALID-ROW-NO                             /  /
2657      001138          GO TO P180-VIEW-CHG.                      /  /
2658      001139      SET VX Y TO ROW-NO.                            /  /
2659      001140      SET VIEW-HAS-CHANGED TO TRUE.                  /  /
2660      001141      GO TO P189-EXIT.                                /  /
      001142 P183-USE-SELOPT.                                       /  /
2661      001143      IF SELOPT OF WDW01-I > 0 AND                   /  /
      001144          SELOPT OF WDW01-I < 9                         /  /
2662      001145          SET VX Y TO SELOPT OF WDW01-I             /  /
2663      001146          SET VIEW-HAS-CHANGED TO TRUE               /  /
      001147      ELSE                                             /  /
2664      001148          GO TO P180-VIEW-CHG.                      /  /
      001149 P189-EXIT.                                             /  /
2665      001150      EXIT.                                           /  /
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	001151	P190-CHECK-EXIT.	/	/
2666	001152	SET NO-EXIT TO TRUE.	/	/
2667	001153	IF LOC-VIEW OR	/	/
	001154	CHKOUT-VIEW OR	/	/
	001155	MICROPEND-VIEW OR	/	/
	001156	DESTPEND-VIEW OR	/	/
	001157	BOXNO-VIEW	/	/
2668	001158	IF DESTDTE OF RWH010002 > 0	/	/
2669	001159	SET EXIT-YES TO TRUE.	/	/
2670	001160	IF MICROPEND-VIEW	/	/
2671	001161	IF CLOSDTE OF RWH010002 = 0 OR	/	/
	001162	MICRODTE OF RWH010002 > 0	/	/
2672	001163	SET EXIT-YES TO TRUE.	/	/
2673	001164	IF DESTPEND-VIEW	/	/
2674	001165	IF CLOSDTE OF RWH010002 = 0 OR	/	/
	001166	MICRODTE OF RWH010002 = 0	/	/
2675	001167	SET EXIT-YES TO TRUE.	/	/
2676	001168	IF CHKOUT-VIEW	/	/
2677	001169	IF AVAILABLE OF DETAIL-RCD	/	/
2678	001170	SET EXIT-YES TO TRUE.	/	/
	001171	P199-EXIT.	/	/
2679	001172	EXIT.	/	/
	001173	P200-POSITION.	/	/
2680	001174	INITIALIZE HOLD-POSKEYS.	/	/
2681	001175	MOVE 0 TO CHK-VALUE.	/	/
2682	001176	IF NAME-SEARCH	/	/
2683	001177	MOVE ALL B'0' TO USABLE-INDS	/	/
2684	001178	SET NAME-VIEW	/	/
	001179	NAME-SEARCH-DSP TO TRUE.	/	/
2685	001180	IF ITMTYPE-VIEW	/	/
2686	001181	PERFORM P210-POS-TYPE THRU P219-EXIT	/	/
2687	001182	IF END-OF-PROCESS OR	/	/
	001183	CANCEL-SCREEN	/	/
2688	001184	GO TO P209-EXIT	/	/
	001185	ELSE	/	/
2689	001186	GO TO P207-SET-KEYS.	/	/
2690	001187	IF BOXNO-VIEW	/	/
2691	001188	PERFORM P250-BOXNO THRU P259-EXIT	/	/
2692	001189	IF END-OF-PROCESS OR	/	/
	001190	CANCEL-SCREEN	/	/
2693	001191	GO TO P209-EXIT	/	/
	001192	ELSE	/	/
2694	001193	GO TO P207-SET-KEYS.	/	/
2695	001194	IF ITEM-VIEW	/	/
2696	001195	PERFORM P212-ITEM THRU P219-EXIT	/	/
2697	001196	IF END-OF-PROCESS OR	/	/
	001197	CANCEL-SCREEN	/	/
2698	001198	GO TO P209-EXIT	/	/
	001199	ELSE	/	/
2699	001200	GO TO P207-SET-KEYS.	/	/
2700	001201	INITIALIZE WDW02-O.	/	/
	001202	P205-REDISPLAY.	/	/
2701	001203	PERFORM PUI-16-WRITE	/	/
	001204	.	/	/
2702	001205	PERFORM PUI-17-READ	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
2703      001206      IF P-PUI-EOF = "1"                      /  /
2704      001207              CONTINUE                        /  /
          001208      END-IF                                  /  /
          001209              .                                /  /
2705      001210      IF  END-OF-PROCESS      OR              /  /
          001211              CANCEL-SCREEN                  /  /
2706      001212              GO TO P209-EXIT.                /  /
2707      001213      IF  NAME-SEARCH                      /  /
2708      001214              IF  NAME OF WDW02-I = " "        /  /
2709      001215              SET NO-NAME TO TRUE              /  /
2710      001216              GO TO P205-REDISPLAY            /  /
          001217      ELSE                                    /  /
2711      001218              MOVE NAME OF WDW02-I TO          /  /
          001219              NAME OF WHC0055-LINKAGE          /  /
2712      001220              GO TO P209-EXIT.                /  /
2713      001221      MOVE CORR WDW02-I TO HOLD-POSKEYS.      /  /
          *** CORRESPONDING items for statement 2713:
          ***      ITEMTYPE
          ***      ROW
          ***      MICRODTE
          ***      CLOSDTE
          ***      STSDTE
          ***      NAME
          ***      COLUMNS
          ***      SHELF
          ***      LOCDESC
          *** End of CORRESPONDING items for statement 2713
2714      001222      IF KEY1-CHG                            /  /
2715      001223              ADD 1 TO CHK-VALUE.              /  /
2716      001224      IF KEY2-CHG                            /  /
2717      001225              ADD 2 TO CHK-VALUE.              /  /
2718      001226      IF KEY3-CHG                            /  /
2719      001227              ADD 4 TO CHK-VALUE.              /  /
2720      001228      IF KEY4-CHG                            /  /
2721      001229              ADD 8 TO CHK-VALUE.              /  /
2722      001230      IF NOT VALID-POSITION                  /  /
2723      001231              GO TO P200-POSITION.            /  /
          001232      P207-SET-KEYS.                          /  /
2724      001233      INITIALIZE START-KEYS.                  /  /
2725      001234      PERFORM P230-UNFMT-DATES THRU P239-EXIT. /  /
2726      001235      MOVE CORR HOLD-POSKEYS TO START-KEYS.  /  /
          *** CORRESPONDING items for statement 2726:
          ***      ITEMTYPE
          ***      CLOSDTE
          ***      MICRODTE
          ***      STSDTE
          ***      ROW
          ***      COLUMNS
          ***      SHELF
          ***      LOCDESC
          ***      NAME
          ***      ITEM
          ***      BOXNO
          *** End of CORRESPONDING items for statement 2726
001236      P209-EXIT.                                        /  /
```

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

2727	001237	EXIT.	/	/
	001238	P210-POS-TYPE.	/	/
2728	001239	SET SHOW-CMD04-ITEMS TO TRUE	/	/
2729	001240	PERFORM P500-TYPE-SFL THRU P509-EXIT	/	/
2730	001241	IF END-OF-PROCESS OR	/	/
	001242	CANCEL-SCREEN	/	/
2731	001243	GO TO P219-EXIT.	/	/
	001244	P212-ITEM.	/	/
2732	001245	INITIALIZE WDW03-O.	/	/
2733	001246	PERFORM PUI-18-WRITE	/	/
	001247	.	/	/
2734	001248	PERFORM PUI-19-READ	/	/
2735	001249	IF P-PUI-EOF = "1"	/	/
2736	001250	CONTINUE	/	/
	001251	END-IF	/	/
	001252	.	/	/
2737	001253	IF END-OF-PROCESS OR	/	/
	001254	CANCEL-SCREEN	/	/
2738	001255	GO TO P219-EXIT.	/	/
2739	001256	MOVE CORR WDW03-I TO HOLD-POSKEYS.	/	/
	***	CORRESPONDING items for statement 2739:		
	***	ITEM		
	***	End of CORRESPONDING items for statement 2739		
	001257	P219-EXIT.	/	/
2740	001258	EXIT.	/	/
	001259	P220-MOVE-SFL01.	/	/
2741	001260	INITIALIZE SFL01-O.	/	/
2742	001261	MOVE HOLD-RCD TO DTLRCD OF SFL01-O.	/	/
2743	001262	MOVE CORR RWH010001 OF HOLD-RCD TO SET-1.	/	/
	***	CORRESPONDING items for statement 2743:		
	***	ITEMTYPE		
	***	ITEM		
	***	CNTR		
	***	LOCDESC		
	***	ROW		
	***	COLUMNS		
	***	SHELF		
	***	BOXNO		
	***	NAME		
	***	CLOSDTE		
	***	MICRODTE		
	***	STSDTE		
	***	End of CORRESPONDING items for statement 2743		
2744	001263	INITIALIZE DATES-TABLE.	/	/
2745	001264	MOVE MICRODTE OF HOLD-RCD TO F7-DATE2(1).	/	/
2746	001265	MOVE CLOSDTE OF HOLD-RCD TO F7-DATE2(2).	/	/
2747	001266	MOVE STSDTE OF HOLD-RCD TO F7-DATE2(3).	/	/
2748	001267	MOVE 3 TO NO-DATES.	/	/
2749	001268	PERFORM P9999-FMT-DATES THRU P9999-EXIT.	/	/
2750	001269	MOVE D8-DATE2(1) TO MICRODTE OF SET-1.	/	/
2751	001270	MOVE D8-DATE2(2) TO CLOSDTE OF SET-1.	/	/
2752	001271	MOVE D8-DATE2(3) TO STSDTE OF SET-1.	/	/
2753	001272	SET NOT-CHECKED-OUT	/	/
	001273	FILE-NOT-REOPENED	/	/
	001274	NOT-DESTROYED TO TRUE.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2754	001275	IF DESTDTE OF RWH010002 > 0	/	/
2755	001276	SET DESTROYED TO TRUE	/	/
	001277	ELSE	/	/
2756	001278	IF NOT AVAILABLE OF HOLD-RCD	/	/
2757	001279	IF REOPENED OF HOLD-RCD	/	/
2758	001280	SET FILE-REOPENED TO TRUE	/	/
	001281	ELSE	/	/
2759	001282	SET CHECKED-OUT TO TRUE.	/	/
2760	001283	MOVE CORR SET-1 TO SFL01-O.	/	/
	***	CORRESPONDING items for statement 2760:		
	***	ITEM		
	***	NAME		
	***	CNTR		
	***	End of CORRESPONDING items for statement 2760		
2761	001284	MOVE CORR SET-2 TO SFL01-O.	/	/
	***	CORRESPONDING items for statement 2761:		
	***	ITEM2		
	***	NAME2		
	***	End of CORRESPONDING items for statement 2761		
2762	001285	MOVE CORR SET-3 TO SFL01-O.	/	/
	***	CORRESPONDING items for statement 2762:		
	***	ITEM3		
	***	NAME3		
	***	MICRODTE3		
	***	CNTR3		
	***	End of CORRESPONDING items for statement 2762		
2763	001286	MOVE CORR SET-4 TO SFL01-O.	/	/
	***	CORRESPONDING items for statement 2763:		
	***	ITEM4		
	***	NAME4		
	***	CLOSDTE4		
	***	CNTR4		
	***	End of CORRESPONDING items for statement 2763		
2764	001287	MOVE CORR SET-5 TO SFL01-O.	/	/
	***	CORRESPONDING items for statement 2764:		
	***	ITEM5		
	***	ROW5		
	***	COLUMN5		
	***	SHELF5		
	***	LOCDESC5		
	***	CNTR5		
	***	End of CORRESPONDING items for statement 2764		
2765	001288	MOVE CORR SET-6 TO SFL01-O.	/	/
	***	CORRESPONDING items for statement 2765:		
	***	ITEM6		
	***	NAME6		
	***	STSDTE6		
	***	CNTR6		
	***	End of CORRESPONDING items for statement 2765		
2766	001289	MOVE CORR SET-7 TO SFL01-O.	/	/
	***	CORRESPONDING items for statement 2766:		
	***	ITEM7		
	***	NAME7		
	***	BOXNO7		
	***	CNTR7		

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```

      *** End of CORRESPONDING items for statement 2766
2767  001290      MOVE CORR SET-8 TO SFL01-O.                      /  /
      *** CORRESPONDING items for statement 2767:
      ***      ITEM8
      ***      NAME8
      ***      CNTR8
      *** End of CORRESPONDING items for statement 2767
      001291 P229-EXIT.                      /  /
2768  001292      EXIT.                      /  /
      001293 P230-UNFMT-DATES.                /  /
2769  001294      INITIALIZE DATES-TABLE.      /  /
2770  001295      MOVE MICRODTE OF HOLD-POSKEYS TO D8-DATE2(1).    /  /
2771  001296      MOVE CLOSDTE  OF HOLD-POSKEYS TO D8-DATE2(2).    /  /
2772  001297      MOVE STSDTE   OF HOLD-POSKEYS TO D8-DATE2(3).    /  /
2773  001298      MOVE 3 TO NO-DATES.          /  /
2774  001299      PERFORM P9998-UNFMT-DATES THRU P9998-EXIT.      /  /
2775  001300      MOVE F7-DATE2(1) TO MICRODTE OF HOLD-POSKEYS.    /  /
2776  001301      MOVE F7-DATE2(2) TO CLOSDTE  OF HOLD-POSKEYS.    /  /
2777  001302      MOVE F7-DATE2(3) TO STSDTE   OF HOLD-POSKEYS.    /  /
      001303 P239-EXIT.                      /  /
2778  001304      EXIT.                      /  /
      001305 P240-OVERDUE-SEV.                /  /
2779  001306      INITIALIZE ZRDATCVT-LINKAGE    /  /
      001307      DATE-CONV-TABLE.            /  /
2780  001308      MOVE 1 TO DTECNT.            /  /
2781  001309      MOVE CURDTE      TO DATE1(1).    /  /
2782  001310      MOVE EXPRTNDTE OF RWH010002 TO DATE2(1).        /  /
2783  001311      MOVE '*CYMD'    TO FRMFMT(1)    /  /
      001312      TOFMT(1).                  /  /
2784  001313      MOVE '*DURDY' TO DURTYPE(1).    /  /
2785  001314      CALL 'ZRDATCVT' USING ZRDATCVT-LINKAGE.          /  /
2786  001315      MOVE ALL B'0' TO OVERDUE-INDS. /  /
      001316 P249-EXIT.                      /  /
2787  001317      EXIT.                      /  /
      001318 P250-BOXNO.                    /  /
2788  001319      SET SHOW-CMD04-ITEMS TO TRUE    /  /
2789  001320      PERFORM P500-TYPE-SFL THRU P509-EXIT            /  /
2790  001321      IF END-OF-PROCESS      OR      /  /
      001322      CANCEL-SCREEN          /  /
2791  001323      GO TO P259-EXIT.            /  /
2792  001324      INITIALIZE WDW10-O.          /  /
2793  001325      PERFORM PUI-20-WRITE        /  /
      001326      .                          /  /
2794  001327      PERFORM PUI-21-READ          /  /
2795  001328      IF P-PUI-EOF = "1"          /  /
2796  001329      CONTINUE                    /  /
      001330      END-IF                      /  /
      001331      .                          /  /
2797  001332      IF END-OF-PROCESS      OR      /  /
      001333      CANCEL-SCREEN          /  /
2798  001334      GO TO P259-EXIT.            /  /
2799  001335      MOVE CORR WDW10-I TO HOLD-POSKEYS.              /  /
      *** CORRESPONDING items for statement 2799:
      ***      BOXNO
      *** End of CORRESPONDING items for statement 2799
```

STMT	PL	SEQNBR	-A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..	IDENTFCN	S	COPYNAME	CHG	DATE
2800		001336	PERFORM VARYING C FROM 5 BY -1				/	/
		001337	UNTIL C = 1 OR				/	/
		001338	BOXNO OF HOLD-POSKEYS (C : 1) NOT = ' '				/	/
2801		001339	CONTINUE				/	/
		001340	END-PERFORM.				/	/
2802		001341	MOVE BOXNO OF HOLD-POSKEYS (1 : C) TO BOXNO OF HOLD-POSKEYS.				/	/
		001342	P259-EXIT.				/	/
2803		001343	EXIT.				/	/
		001344	P300-ADD.				/	/
2804		001345	MOVE ALL B'0' TO USABLE-INDS.				/	/
2805		001346	INITIALIZE RWH010001 OF HOLD-RCD.				/	/
2806		001347	PERFORM P350-SET-KEYS THRU P359-EXIT.				/	/
2807		001348	IF CANCEL-SCREEN OR				/	/
		001349	END-OF-PROCESS				/	/
2808		001350	GO TO P309-EXIT.				/	/
2809		001351	IF POLICY-TYPE OF HOLD-RCD				/	/
2810		001352	SET POLICY-DETAIL TO TRUE.				/	/
2811		001353	IF EQUIP-TYPE OF HOLD-RCD				/	/
2812		001354	SET EQUIP-DETAIL TO TRUE.				/	/
2813		001355	INITIALIZE RCD02-O.				/	/
2814		001356	MOVE CORR RWH010001 OF HOLD-RCD TO RCD02-O.				/	/
		***	CORRESPONDING items for statement 2814:					
		***	ITEMTYPE					
		***	ITEM					
		***	CNTR					
		***	LOCDESC					
		***	ROW					
		***	COLUMNS					
		***	SHELF					
		***	BOXNO					
		***	NAME					
		***	EFFDTE					
		***	EXPDTE					
		***	CUSTNO					
		***	REORDPNT					
		***	AMTHAND					
		***	CLOSDTE					
		***	MICRODTE					
		***	REELNO1					
		***	REELNO2					
		***	REELNO3					
		***	REELNO4					
		***	REELNO5					
		***	REELNO6					
		***	REELNO7					
		***	REELNO8					
		***	REELNO9					
		***	REELNO10					
		***	BLIPNO1					
		***	BLIPNO2					
		***	BLIPNO3					
		***	BLIPNO4					
		***	BLIPNO5					
		***	BLIPNO6					
		***	BLIPNO7					

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
      ***      BLIPNO8
      ***      BLIPNO9
      ***      BLIPNO10
      ***      DESTDTE
      ***      ORIGITEM
      ***      ORIGNAM
      ***      COMPANY
      *** End of CORRESPONDING items for statement 2814
2815      001357      MOVE  ITEMDESC OF TYPE-TBL(ITEMTYPE OF HOLD-RCD) TO      /  /
      001358      ITEMDESC OF RCD02-O.      /  /
2816      001359      SET CO-SEARCH TO TRUE.      /  /
2817      001360      PERFORM VARYING CNT FROM 1 BY 1 UNTIL CNT > MAX-CO  OR      /  /
      001361      CO-FOUND      /  /
2818      001362      IF COMPANY OF CO-TBL(CNT) = COMPANY OF HOLD-RCD      /  /
2819      001363      MOVE CORR CO-TBL(CNT) TO RCD02-O      /  /
      *** CORRESPONDING items for statement 2819:
      ***      COMPANY
      ***      CONAME
      *** End of CORRESPONDING items for statement 2819
2820      001364      SET CO-FOUND TO TRUE      /  /
      001365      END-IF      /  /
      001366      END-PERFORM.      /  /
2821      001367      INITIALIZE DATES-TABLE.      /  /
2822      001368      MOVE  EFFDTE  OF HOLD-RCD TO F7-DATE2(1).      /  /
2823      001369      MOVE  EXPDTE  OF HOLD-RCD TO F7-DATE2(2).      /  /
2824      001370      IF ITEMTYPE OF HOLD-RCD = 12      /  /
2825      001371      MOVE EXPDTE OF HOLD-RCD TO CLOSDTE OF HOLD-RCD      /  /
2826      001372      MOVE CLOSDTE OF HOLD-RCD TO F7-DATE2(3)      /  /
      001373      END-IF.      /  /
2827      001374      MOVE 3 TO NO-DATES.      /  /
2828      001375      PERFORM P9999-FMT-DATES THRU P9999-EXIT.      /  /
2829      001376      MOVE  D8-DATE2(1) TO EFFDTE  OF RCD02-O.      /  /
2830      001377      MOVE  D8-DATE2(2) TO EXPDTE  OF RCD02-O.      /  /
2831      001378      MOVE  D8-DATE2(3) TO CLOSDTE  OF RCD02-O.      /  /
2832      001379      SET ADD-RCD      /  /
      001380      ADDITION-DET TO TRUE.      /  /
2833      001381      PERFORM P322-WRITE-RCD THRU P329-EXIT.      /  /
2834      001382      SET NOT-ADD      /  /
      001383      NOT-ADDITION-DET TO TRUE.      /  /
      001384      P309-EXIT.      /  /
2835      001385      EXIT.      /  /
      001386      P320-DETAIL.      /  /
2836      001387      MOVE ALL B'0' TO USABLE-INDS.      /  /
2837      001388      SET NO-ERRORS TO TRUE.      /  /
2838      001389      IF PROTECT-YES      /  /
2839      001390      SET PROTECT-NO      /  /
      001391      PROTECT-DET  TO TRUE.      /  /
2840      001392      IF CHANGE-KEYS      /  /
2841      001393      SET ADDITION-DET TO TRUE.      /  /
2842      001394      INITIALIZE RCD02-O.      /  /
2843      001395      IF  INQUIRE-MODE  OR      /  /
      001396      CHANGE-KEYS      /  /
2844      001397      GO TO P321-LOAD-RCD.      /  /
2845      001398      MOVE HOLD-RCD TO UPDATE-RECORD.      /  /
2846      001399      IF PROTECT-DET      /  /
```


STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2847	001400	READ DETAIL-FILE-U	/	/
	001401	WITH NO LOCK	/	/
2848	001402	INVALID KEY CONTINUE	/	/
	001403	ELSE	/	/
2849	001404	READ DETAIL-FILE-U	/	/
2850	001405	INVALID KEY CONTINUE.	/	/
2851	001406	IF UPDATE-STATUS NOT = I-O-OK OR	/	/
	001407	ITEMTYPE OF UPDATE-RECORD NOT = ITEMTYPE OF HOLD-RCD OR	/	/
	001408	ITEM OF UPDATE-RECORD NOT = ITEM OF HOLD-RCD OR	/	/
	001409	CNTR OF UPDATE-RECORD NOT = CNTR OF HOLD-RCD	/	/
2852	001410	GO TO P328-UNLOCK.	/	/
2853	001411	MOVE UPDATE-RECORD TO HOLD-RCD.	/	/
	001412	P321-LOAD-RCD.	/	/
2854	001413	PERFORM P380-LOAD-DETAIL THRU P389-EXIT.	/	/
	001414	P322-WRITE-RCD.	/	/
2855	001415	PERFORM PUI-22-WRITE	/	/
	001416	.	/	/
2856	001417	PERFORM PUI-23-READ	/	/
2857	001418	IF P-PUI-EOF = "1"	/	/
2858	001419	CONTINUE	/	/
	001420	END-IF	/	/
	001421	.	/	/
2859	001422	IF END-OF-PROCESS OR	/	/
	001423	CANCEL-SCREEN	/	/
2860	001424	GO TO P328-UNLOCK.	/	/
2861	001425	IF PROTECT-DET	/	/
2862	001426	IF DELETE-ITEM OR	/	/
	001427	CHANGE-EXPRNDTE OR	/	/
	001428	RETURN-EQUIPMENT OR	/	/
	001429	ITEM-REPLENISH OR	/	/
	001430	ITEM-TRANS OR	/	/
	001431	UPDATE-DETAIL	/	/
2863	001432	READ DETAIL-FILE-U	/	/
2864	001433	INVALID KEY CONTINUE	/	/
	001434	END-READ	/	/
2865	001435	IF UPDATE-STATUS NOT = I-O-OK	/	/
2866	001436	GO TO P328-UNLOCK.	/	/
2867	001437	INITIALIZE DATES-TABLE.	/	/
2868	001438	MOVE MICRODTE OF RCD02-I TO D8-DATE2(1).	/	/
2869	001439	MOVE DESTDTE OF RCD02-I TO D8-DATE2(2).	/	/
2870	001440	MOVE CLOSDTE OF RCD02-I TO D8-DATE2(3).	/	/
2871	001441	MOVE EFFDTE OF RCD02-I TO D8-DATE2(4).	/	/
2872	001442	MOVE EXPDTE OF RCD02-I TO D8-DATE2(5).	/	/
2873	001443	MOVE 5 TO NO-DATES.	/	/
2874	001444	PERFORM P9998-UNFMT-DATES THRU P9998-EXIT.	/	/
2875	001445	MOVE F7-DATE2(1) TO MICRODTE OF RCD02-I.	/	/
2876	001446	MOVE F7-DATE2(2) TO DESTDTE OF RCD02-I.	/	/
2877	001447	MOVE F7-DATE2(3) TO CLOSDTE OF RCD02-I.	/	/
2878	001448	MOVE F7-DATE2(4) TO EFFDTE OF RCD02-I.	/	/
2879	001449	MOVE F7-DATE2(5) TO EXPDTE OF RCD02-I.	/	/
2880	001450	PERFORM P390-RIGHT-JUST-FLDS THRU	/	/
	001451	P399-EXIT.	/	/
2881	001452	MOVE BOXNO OF HOLD-RCD TO CURBOX.	/	/
2882	001453	MOVE BOXNO OF RCD02-I TO NEWBOX.	/	/
2883	001454	MOVE DESTDTE OF HOLD-RCD TO HLD-DESTDTE.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
2884      001455      MOVE CORR RCD02-I TO RWH010001  OF HOLD-RCD.          /  /
          *** CORRESPONDING items for statement 2884:
          *** COMPANY
          *** ITEMTYPE
          *** ITEM
          *** CNTR
          *** ROW
          *** COLUMNS
          *** SHELF
          *** BOXNO
          *** LOCDESC
          *** EFFDTE
          *** EXPDTE
          *** NAME
          *** CUSTNO
          *** AMTHAND
          *** REORDPNT
          *** CLOSDTE
          *** MICRODTE
          *** REELNO1
          *** REELNO2
          *** REELNO3
          *** REELNO4
          *** REELNO5
          *** REELNO6
          *** REELNO7
          *** REELNO8
          *** REELNO9
          *** REELNO10
          *** BLIPNO1
          *** BLIPNO2
          *** BLIPNO3
          *** BLIPNO4
          *** BLIPNO5
          *** BLIPNO6
          *** BLIPNO7
          *** BLIPNO8
          *** BLIPNO9
          *** BLIPNO10
          *** DESTDTE
          *** End of CORRESPONDING items for statement 2884
2885      001456      MOVE REOPN OF RCD02-I TO          /  /
          001457      ORIGNAM OF HOLD-RCD(40:1).        /  /
2886      001458      IF      REQUEST-CHKOUT            /  /
2887      001459      INITIALIZE WHB0051-LINKAGE        /  /
2888      001460      SET ITM-REQUEST TO TRUE           /  /
2889      001461      MOVE USER TO RQSUSR OF WHB0051-LINKAGE /  /
2890      001462      MOVE CORR RWH010001  OF HOLD-RCD TO WHB0051-LINKAGE /  /
          *** CORRESPONDING items for statement 2890:
          *** ITEMTYPE
          *** ITEM
          *** CNTR
          *** NAME
          *** End of CORRESPONDING items for statement 2890
2891      001463      IF      EQUIP-TYPE OF HOLD-RCD    /  /
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2892	001464		PERFORM P420-AMT-REQUEST THRU P429-EXIT	/	/
	001465		END-IF	/	/
2893	001466		PERFORM P450-FOR-WHOM THRU P459-EXIT	/	/
2894	001467		IF NOT-END-OF-PROCESS	/	/
2895	001468		CALL 'WHB0051' USING WHB0051-LINKAGE	/	/
	001469		END-IF	/	/
2896	001470		GO TO P325-REDISPLAY.	/	/
2897	001471	IF	INQUIRE-MODE	/	/
2898	001472		GO TO P328-UNLOCK.	/	/
2899	001473	IF	DELETE-ITEM	/	/
2900	001474		SET DELETE-RCD TO TRUE	/	/
2901	001475		PERFORM P330-CONFIRM THRU P339-EXIT	/	/
2902	001476		IF YES-DELETE	/	/
2903	001477		PERFORM P400-UPDATE THRU P409-EXIT	/	/
	001478		END-IF	/	/
2904	001479		SET NOT-DELETE TO TRUE	/	/
2905	001480		GO TO P328-UNLOCK.	/	/
2906	001481	IF	CHANGE-EXPRNDTE	/	/
2907	001482		SET CHG-EXPRNDTE TO TRUE	/	/
2908	001483		IF EQUIP-TYPE OF HOLD-RCD	/	/
2909	001484		PERFORM P700-SFL08 THRU P709-EXIT	/	/
2910	001485		IF END-OF-PROCESS OR	/	/
	001486		CANCEL-SCREEN OR	/	/
	001487		EXIT-YES	/	/
2911	001488		SET NO-EXIT	/	/
	001489		NOT-CHG-EXPRNDTE TO TRUE	/	/
2912	001490		GO TO P325-REDISPLAY	/	/
	001491		END-IF	/	/
	001492		END-IF	/	/
2913	001493		PERFORM P600-CHKOUT-DSP THRU P609-EXIT	/	/
2914	001494		SET NOT-CHG-EXPRNDTE TO TRUE	/	/
2915	001495		GO TO P325-REDISPLAY.	/	/
2916	001496	IF	RETURN-EQUIPMENT	/	/
2917	001497		PERFORM P700-SFL08 THRU P709-EXIT	/	/
2918	001498		IF NOT (END-OF-PROCESS OR	/	/
	001499		CANCEL-SCREEN OR	/	/
	001500		EXIT-YES)	/	/
2919	001501		SET EQUIP-RETURN TO TRUE	/	/
2920	001502		PERFORM P600-CHKOUT-DSP THRU P609-EXIT	/	/
2921	001503		SET NOT-EQUIP-RETURN TO TRUE	/	/
	001504		END-IF	/	/
2922	001505		GO TO P325-REDISPLAY.	/	/
2923	001506	IF	ITEM-REPLENISH	/	/
2924	001507		SET DSP-REPLENISH TO TRUE	/	/
2925	001508		PERFORM P600-CHKOUT-DSP THRU P609-EXIT	/	/
2926	001509		SET NO-REPLENISH TO TRUE	/	/
2927	001510		GO TO P325-REDISPLAY.	/	/
2928	001511	IF	ITEM-TRANS	/	/
2929	001512		PERFORM P600-CHKOUT-DSP THRU P609-EXIT	/	/
2930	001513		GO TO P325-REDISPLAY.	/	/
2931	001514	IF	UPDATE-DETAIL AND	/	/
	001515		PROTECT-DET	/	/
2932	001516		GO TO P325-REDISPLAY.	/	/
2933	001517	IF	NOT-PROTECT	/	/
2934	001518		PERFORM P370-VALIDATE THRU P379-EXIT	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
2935      001519      MOVE CORR RCD02-I TO RWH010001  OF HOLD-RCD      /  /
      *** CORRESPONDING items for statement 2935:
      *** COMPANY
      *** ITEMTYPE
      *** ITEM
      *** CNTR
      *** ROW
      *** COLUMNS
      *** SHELF
      *** BOXNO
      *** LOCDESC
      *** EFFDTE
      *** EXPDTE
      *** NAME
      *** CUSTNO
      *** AMTHAND
      *** REORDPNT
      *** CLOSDTE
      *** MICRODTE
      *** REELNO1
      *** REELNO2
      *** REELNO3
      *** REELNO4
      *** REELNO5
      *** REELNO6
      *** REELNO7
      *** REELNO8
      *** REELNO9
      *** REELNO10
      *** BLIPNO1
      *** BLIPNO2
      *** BLIPNO3
      *** BLIPNO4
      *** BLIPNO5
      *** BLIPNO6
      *** BLIPNO7
      *** BLIPNO8
      *** BLIPNO9
      *** BLIPNO10
      *** DESTDTE
      *** End of CORRESPONDING items for statement 2935
2936      001520      MOVE REOPN OF RCD02-I TO      /  /
      001521      ORIGNAM OF HOLD-RCD(40:1).      /  /
2937      001522      IF      ERRORS-FND      /  /
2938      001523      GO TO P325-REDISPLAY.      /  /
2939      001524      IF      PROMPT-COMPANY      /  /
2940      001525      PERFORM P540-CO-SFL THRU P549-EXIT      /  /
2941      001526      GO TO P325-REDISPLAY.      /  /
2942      001527      IF      CRT-ITEM-REPLICA      /  /
2943      001528      MOVE CORR RWH010001  OF HOLD-RCD TO ORIG-KEYS      /  /
      *** CORRESPONDING items for statement 2943:
      *** ITEMTYPE
      *** ITEM
      *** CNTR
      *** End of CORRESPONDING items for statement 2943
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2944	001529	PERFORM P410-WRITE THRU	/	/
	001530	P419-EXIT	/	/
2945	001531	SET NOT-PROTECT TO TRUE	/	/
2946	001532	GO TO P325-REDISPLAY.	/	/
2947	001533	IF NOT-PROTECT	/	/
2948	001534	PERFORM P400-UPDATE THRU P409-EXIT	/	/
2949	001535	GO TO P328-UNLOCK.	/	/
2950	001536	IF PROTECT-DET	/	/
2951	001537	GO TO P328-UNLOCK.	/	/
	001538	P325-REDISPLAY.	/	/
2952	001539	INITIALIZE RCD02-O.	/	/
2953	001540	PERFORM P380-LOAD-DETAIL THRU P389-EXIT.	/	/
2954	001541	IF UPDATE-DETAIL AND	/	/
	001542	PROTECT-DET	/	/
2955	001543	SET NOT-PROTECT TO TRUE.	/	/
2956	001544	GO TO P322-WRITE-RCD.	/	/
	001545	P328-UNLOCK.	/	/
2957	001546	IF UPDATE-STATUS NOT = I-O-OK	/	/
2958	001547	PERFORM PUI-24-WRITE	/	/
2959	001548	PERFORM PUI-25-READ	/	/
2960	001549	IF P-PUI-EOF = "1"	/	/
2961	001550	CONTINUE	/	/
	001551	END-IF	/	/
	001552	.	/	/
2962	001553	INITIALIZE RWH010001 OF UPDATE-RECORD.	/	/
2963	001554	START DETAIL-FILE-U	/	/
	001555	WITH NO LOCK	/	/
	001556	KEY NOT < EXTERNALLY-DESCRIBED-KEY	/	/
2964	001557	INVALID KEY CONTINUE.	/	/
2965	001558	COMMIT.	/	/
	001559	P329-EXIT.	/	/
2966	001560	EXIT.	/	/
	001561	P330-CONFIRM.	/	/
2967	001562	SET ABORT-DELETE TO TRUE.	/	/
2968	001563	INITIALIZE WDW07-O.	/	/
2969	001564	MOVE ITEMDESC OF TYPE-TBL(ITEMTYPE OF HOLD-RCD) TO	/	/
	001565	ITEMDESC OF WDW07-O.	/	/
2970	001566	MOVE ITEM OF HOLD-RCD TO ITEM OF WDW07-O.	/	/
2971	001567	MOVE 'N' TO RESP OF WDW07-O.	/	/
2972	001568	PERFORM PUI-26-WRITE	/	/
	001569	.	/	/
2973	001570	PERFORM PUI-27-READ	/	/
2974	001571	IF P-PUI-EOF = "1"	/	/
2975	001572	CONTINUE	/	/
	001573	END-IF	/	/
	001574	.	/	/
2976	001575	IF DSP-STATUS NOT = I-O-OK OR	/	/
	001576	END-OF-PROCESS OR	/	/
	001577	CANCEL-SCREEN	/	/
2977	001578	GO TO P339-EXIT.	/	/
2978	001579	IF RESP OF WDW07-I = 'Y'	/	/
2979	001580	SET YES-DELETE TO TRUE.	/	/
	001581	P339-EXIT.	/	/
2980	001582	EXIT.	/	/
	001583	P350-SET-KEYS.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

2981	001584	IF NOT CHANGE-KEYS	/	/
2982	001585	GO TO P351-BYPASS-LOCK.	/	/
2983	001586	MOVE HOLD-RCD TO UPDATE-RECORD.	/	/
2984	001587	READ DETAIL-FILE-U	/	/
2985	001588	INVALID KEY CONTINUE.	/	/
2986	001589	IF UPDATE-STATUS NOT = I-O-OK	/	/
		OR	/	/
	001590	ITEMTYPE OF HOLD-RCD NOT = ITEMTYPE OF UPDATE-RECORD OR	/	/
	001591	ITEM OF HOLD-RCD NOT = ITEM OF UPDATE-RECORD OR	/	/
	001592	CNTR OF HOLD-RCD NOT = CNTR OF UPDATE-RECORD	/	/
2987	001593	GO TO P358-UNLOCK.	/	/
	001594	P351-BYPASS-LOCK.	/	/
2988	001595	SET ITMTYPE-VIEW	/	/
	001596	NOT-OVERRIDE-DUP TO TRUE.	/	/
2989	001597	IF ITEM12-TYPE	/	/
2990	001598	SET SHOW-ITEM12-ITEMS TO TRUE	/	/
	001599	ELSE	/	/
2991	001600	SET SHOW-VALID-ITEMS TO TRUE.	/	/
2992	001601	IF LOOP-OFF	/	/
2993	001602	PERFORM P500-TYPE-SFL THRU P509-EXIT.	/	/
2994	001603	MOVE B'0' TO IN40.	/	/
2995	001604	IF END-OF-PROCESS OR	/	/
	001605	CANCEL-SCREEN	/	/
2996	001606	GO TO P358-UNLOCK.	/	/
2997	001607	INITIALIZE WDW03-O.	/	/
2998	001608	MOVE SPACES TO HOLD-ITEM.	/	/
2999	001609	IF CHANGE-KEYS	/	/
3000	001610	MOVE ITEM OF HOLD-RCD TO	/	/
	001611	ITEM OF WDW03-O.	/	/
	001612	P352-WRITE-RCD.	/	/
3001	001613	PERFORM PUI-28-WRITE	/	/
	001614	.	/	/
3002	001615	PERFORM PUI-29-READ	/	/
3003	001616	IF P-PUI-EOF = "1"	/	/
3004	001617	CONTINUE	/	/
	001618	END-IF	/	/
	001619	.	/	/
3005	001620	IF END-OF-PROCESS OR	/	/
	001621	CANCEL-SCREEN	/	/
3006	001622	SET LOOP-OFF TO TRUE	/	/
3007	001623	GO TO P351-BYPASS-LOCK.	/	/
3008	001624	SET LOOP-ON TO TRUE.	/	/
3009	001625	IF ITEM OF WDW03-I = HOLD-ITEM AND	/	/
	001626	NOT-OVERRIDE-DUP	/	/
3010	001627	SET OVERRIDE-DUP TO TRUE.	/	/
3011	001628	MOVE ITEM OF WDW03-I TO	/	/
	001629	ITEM OF HOLD-POSKEYS.	/	/
3012	001630	PERFORM P360-VALIDATE-KEYS THRU P369-EXIT.	/	/
3013	001631	IF ERRORS-FND	/	/
3014	001632	GO TO P352-WRITE-RCD.	/	/
3015	001633	MOVE ITEMTYPE OF HOLD-POSKEYS TO	/	/
	001634	ITEMTYPE OF HOLD-RCD.	/	/
3016	001635	MOVE ITEM OF HOLD-POSKEYS TO	/	/
	001636	ITEM OF HOLD-RCD.	/	/
3017	001637	GO TO P359-EXIT.	/	/
	001638	P358-UNLOCK.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3018	001639	INITIALIZE RWH010001 OF DETAIL-FILE-U.	/	/
3019	001640	START DETAIL-FILE-U	/	/
	001641	WITH NO LOCK	/	/
	001642	KEY NOT < EXTERNALLY-DESCRIBED-KEY	/	/
3020	001643	INVALID KEY CONTINUE.	/	/
	001644	P359-EXIT.	/	/
3021	001645	EXIT.	/	/
	001646	P360-VALIDATE-KEYS.	/	/
3022	001647	MOVE ALL B'0' TO KEY-ERR-INDS.	/	/
3023	001648	SET NO-ERRORS TO TRUE.	/	/
3024	001649	IF ITEM OF HOLD-POSKEYS = SPACES	/	/
3025	001650	SET NO-ITEM	/	/
	001651	ERRORS-FND TO TRUE	/	/
3026	001652	GO TO P369-EXIT.	/	/
3027	001653	IF COMMON-STATUS NOT = I-O-OK	/	/
3028	001654	MOVE COMMON-STATUS TO HOLD-STATUS	/	/
	001655	ELSE	/	/
3029	001656	MOVE SPACES TO HOLD-STATUS.	/	/
3030	001657	MOVE ITEMTYPE OF HOLD-POSKEYS TO	/	/
	001658	ITEMTYPE OF RWH010001 OF DETAIL-RCD.	/	/
3031	001659	MOVE ITEM OF HOLD-POSKEYS TO	/	/
	001660	ITEM OF RWH010001 OF DETAIL-RCD.	/	/
3032	001661	START DETAIL-FILE	/	/
	001662	KEY NOT < EXTERNALLY-DESCRIBED-KEY	/	/
	001663	FORMAT IS 'RWH010001'	/	/
3033	001664	INVALID KEY CONTINUE.	/	/
3034	001665	READ DETAIL-FILE NEXT RECORD	/	/
	001666	FORMAT IS 'RWH010001'	/	/
3035	001667	AT END CONTINUE.	/	/
3036	001668	IF COMMON-STATUS = I-O-OK AND	/	/
	001669	ITEMTYPE OF HOLD-POSKEYS =	/	/
	001670	ITEMTYPE OF RWH010001 OF DETAIL-RCD AND	/	/
	001671	ITEM OF HOLD-POSKEYS =	/	/
	001672	ITEM OF RWH010001 OF DETAIL-RCD AND	/	/
	001673	NOT OVERRIDE-DUP	/	/
3037	001674	SET ITEM-DUP	/	/
	001675	ERRORS-FND TO TRUE	/	/
3038	001676	MOVE ITEM OF RWH010001 OF DETAIL-RCD TO HOLD-ITEM	/	/
3039	001677	SET ALLOW-DUP TO TRUE	/	/
3040	001678	GO TO P369-EXIT.	/	/
3041	001679	IF HOLD-STATUS NOT = ' '	/	/
3042	001680	MOVE HOLD-STATUS TO COMMON-STATUS	/	/
3043	001681	MOVE SPACES TO HOLD-STATUS	/	/
	001682	ELSE	/	/
3044	001683	MOVE I-O-OK TO COMMON-STATUS.	/	/
3045	001684	IF CLAIM-TYPE OF HOLD-POSKEYS	/	/
3046	001685	MOVE ITEM OF HOLD-POSKEYS TO CLAIM OF RWXC010A	/	/
3047	001686	PERFORM P530-READ-DWXC010 THRU P539-EXIT.	/	/
3048	001687	IF POLICY-TYPE OF HOLD-POSKEYS	/	/
3049	001688	MOVE ITEM OF HOLD-POSKEYS TO POLICY OF RPOL0101	/	/
3050	001689	MOVE 0000000 TO EFFDTE OF RPOL0101	/	/
3051	001690	PERFORM P520-READ-POL01 THRU P529-EXIT.	/	/
	001691	P369-EXIT.	/	/
3052	001692	EXIT.	/	/
	001693	P370-VALIDATE.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3053	001694	MOVE ALL B'0' TO INVALID-INDS.	/	/
3054	001695	SET NO-ERRORS TO TRUE.	/	/
3055	001696	MOVE ITEMTYPE OF RCD02-I TO CHK-ITMTYPE.	/	/
3056	001697	MOVE ROW OF RCD02-I TO CHK-ROW.	/	/
3057	001698	MOVE COLUMNS OF RCD02-I TO CHK-COLUMN.	/	/
3058	001699	MOVE SHELF OF RCD02-I TO CHK-SHELF.	/	/
3059	001700	IF CLOSDTE OF RCD02-I > 0	/	/
3060	001701	MOVE CLOSDTE OF RCD02-I TO DATE-CHECK-IN	/	/
3061	001702	MOVE 9 TO DATE-CHECK-TYPE	/	/
3062	001703	PERFORM DATE-CHECK THRU DATE-CHECK-EXIT	/	/
3063	001704	IF DATE-CHECK-OK	/	/
3064	001705	MOVE DATE-CHECK-OUT TO CLOSDTE OF RCD02-I	/	/
	001706	ELSE	/	/
3065	001707	SET CLOSDTE-INVALID	/	/
	001708	ERRORS-FND TO TRUE.	/	/
3066	001709	IF MICRODTE OF RCD02-I > 0	/	/
3067	001710	IF CLOSDTE OF RCD02-I = 0 OR	/	/
	001711	CLOSDTE-INVALID	/	/
3068	001712	SET MICRODTE-NO-CLOSE	/	/
	001713	ERRORS-FND TO TRUE	/	/
	001714	ELSE	/	/
3069	001715	MOVE MICRODTE OF RCD02-I TO DATE-CHECK-IN	/	/
3070	001716	MOVE 9 TO DATE-CHECK-TYPE	/	/
3071	001717	PERFORM DATE-CHECK THRU DATE-CHECK-EXIT	/	/
3072	001718	IF DATE-CHECK-OK	/	/
3073	001719	MOVE DATE-CHECK-OUT TO MICRODTE OF RCD02-I	/	/
	001720	ELSE	/	/
3074	001721	SET MICRODTE-INVALID	/	/
	001722	ERRORS-FND TO TRUE.	/	/
3075	001723	IF DESTDTE OF RCD02-I > 0	/	/
3076	001724	IF CLOSDTE OF RCD02-I = 0 OR	/	/
	001725	DESTDTE OF RCD02-I = 0 OR	/	/
	001726	CLOSDTE-INVALID OR	/	/
	001727	MICRODTE-INVALID	/	/
3077	001728	SET DESTDTE-NO-MICRO	/	/
	001729	ERRORS-FND TO TRUE	/	/
	001730	ELSE	/	/
3078	001731	MOVE DESTDTE OF RCD02-I TO DATE-CHECK-IN	/	/
3079	001732	MOVE 9 TO DATE-CHECK-TYPE	/	/
3080	001733	PERFORM DATE-CHECK THRU DATE-CHECK-EXIT	/	/
3081	001734	IF DATE-CHECK-OK	/	/
3082	001735	MOVE DATE-CHECK-OUT TO DESTDTE OF RCD02-I	/	/
	001736	ELSE	/	/
3083	001737	SET DESTDTE-INVALID	/	/
	001738	ERRORS-FND TO TRUE.	/	/
3084	001739	IF EFFDTE OF RCD02-I > 0	/	/
3085	001740	MOVE EFFDTE OF RCD02-I TO DATE-CHECK-IN	/	/
3086	001741	MOVE 9 TO DATE-CHECK-TYPE	/	/
3087	001742	PERFORM DATE-CHECK THRU DATE-CHECK-EXIT	/	/
3088	001743	IF DATE-CHECK-OK	/	/
3089	001744	MOVE DATE-CHECK-OUT TO EFFDTE OF RCD02-I	/	/
	001745	ELSE	/	/
3090	001746	SET EFFDTE-INVALID	/	/
	001747	ERRORS-FND TO TRUE.	/	/
3091	001748	IF EXPDTE OF RCD02-I > 0	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3092	001749	MOVE EXPDTE OF RCD02-I TO DATE-CHECK-IN	/	/
3093	001750	MOVE 9 TO DATE-CHECK-TYPE	/	/
3094	001751	PERFORM DATE-CHECK THRU DATE-CHECK-EXIT	/	/
3095	001752	IF DATE-CHECK-OK	/	/
3096	001753	MOVE DATE-CHECK-OUT TO EXPDTE OF RCD02-I	/	/
	001754	ELSE	/	/
3097	001755	SET EXPDTE-INVALID	/	/
	001756	ERRORS-FND TO TRUE.	/	/
3098	001757	IF (MICRODTE OF RCD02-I = 0 OR	/	/
	001758	MICRODTE-INVALID)	/	/
3099	001759	IF REELNO1 OF RCD02-I NOT = SPACES	/	/
3100	001760	SET REELNO-INVALID	/	/
	001761	ERRORS-FND TO TRUE	/	/
	001762	END-IF	/	/
3101	001763	IF BLIPNO1 OF RCD02-I NOT = SPACES	/	/
3102	001764	SET BLIPNO-INVALID	/	/
	001765	ERRORS-FND TO TRUE.	/	/
3103	001766	IF NOT (ROW OF RCD02-I = SPACES OR	/	/
	001767	COLUMNS OF RCD02-I = ZEROES OR	/	/
	001768	SHELF OF RCD02-I = ZEROES)	/	/
3104	001769	IF BOXNO OF RCD02-I = SPACES AND	/	/
	001770	NOT EQUIP-TYPE OF CHK-ITMTYPE	/	/
3105	001771	SET NO-BOXNO	/	/
	001772	ERRORS-FND TO TRUE.	/	/
3106	001773	IF NAME OF RCD02-I = SPACES AND	/	/
	001774	NOT EQUIP-TYPE OF CHK-ITMTYPE	/	/
3107	001775	SET NO-NAME	/	/
	001776	ERRORS-FND TO TRUE.	/	/
3108	001777	IF LOCDESC OF RCD02-I NOT = SPACES	/	/
3109	001778	IF (ROW OF RCD02-I NOT = SPACES OR	/	/
	001779	COLUMNS OF RCD02-I NOT = ZEROES OR	/	/
	001780	SHELF OF RCD02-I NOT = ZEROES)	/	/
3110	001781	SET INVALID-LOC	/	/
	001782	ERRORS-FND TO TRUE	/	/
	001783	END-IF	/	/
	001784	ELSE	/	/
3111	001785	IF (ROW OF RCD02-I NOT = SPACES OR	/	/
	001786	COLUMNS OF RCD02-I NOT = ZEROES OR	/	/
	001787	SHELF OF RCD02-I NOT = ZEROES)	/	/
3112	001788	IF NOT VALID-ROW	/	/
3113	001789	SET INVALID-ROW	/	/
	001790	ERRORS-FND TO TRUE	/	/
	001791	END-IF	/	/
3114	001792	IF NOT VALID-COLUMN	/	/
3115	001793	SET INVALID-COLUMN	/	/
	001794	ERRORS-FND TO TRUE	/	/
	001795	END-IF	/	/
3116	001796	IF NOT VALID-SHELF	/	/
3117	001797	SET INVALID-SHELF	/	/
	001798	ERRORS-FND TO TRUE.	/	/
	001799	P379-EXIT.	/	/
3118	001800	EXIT.	/	/
	001801	P380-LOAD-DETAIL.	/	/
3119	001802	MOVE CORR RWH010001 OF HOLD-RCD TO	/	/
	001803	RCD02-O OF DISPLAY-RCD.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```

*** CORRESPONDING items for statement 3119:
*** ITEMTYPE
*** ITEM
*** CNTR
*** LOCDESC
*** ROW
*** COLUMNS
*** SHELF
*** BOXNO
*** NAME
*** EFFDTE
*** EXPDTE
*** CUSTNO
*** REORDPNT
*** AMTHAND
*** CLOSDTE
*** MICRODTE
*** REELNO1
*** REELNO2
*** REELNO3
*** REELNO4
*** REELNO5
*** REELNO6
*** REELNO7
*** REELNO8
*** REELNO9
*** REELNO10
*** BLIPNO1
*** BLIPNO2
*** BLIPNO3
*** BLIPNO4
*** BLIPNO5
*** BLIPNO6
*** BLIPNO7
*** BLIPNO8
*** BLIPNO9
*** BLIPNO10
*** DESTDTE
*** ORIGITEM
*** ORIGNAM
*** COMPANY
*** End of CORRESPONDING items for statement 3119
3120 001804 MOVE CORR TYPE-TBL(ITEMTYPE OF HOLD-RCD) TO / /
      001805 RCD02-O OF DISPLAY-RCD. / /
      *** CORRESPONDING items for statement 3120:
      *** ITEMTYPE
      *** ITEMDESC
      *** End of CORRESPONDING items for statement 3120
3121 001806 SET CO-SEARCH TO TRUE. / /
3122 001807 PERFORM VARYING CNT FROM 1 BY 1 UNTIL CNT > MAX-CO OR / /
      001808 CO-FOUND / /
3123 001809 IF COMPANY OF CO-TBL(CNT) = COMPANY OF HOLD-RCD / /
3124 001810 MOVE CORR CO-TBL(CNT) TO RCD02-O / /
      *** CORRESPONDING items for statement 3124:
      *** COMPANY
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
***      CONAME
*** End of CORRESPONDING items for statement 3124
3125      001811      SET CO-FOUND TO TRUE                      /  /
          001812      END-IF                                    /  /
          001813      END-PERFORM.                             /  /
3126      001814      INITIALIZE DATES-TABLE.                  /  /
3127      001815      MOVE  MICRODTE OF HOLD-RCD TO F7-DATE2(1). /  /
3128      001816      MOVE  DESTDTE  OF HOLD-RCD TO F7-DATE2(2). /  /
3129      001817      MOVE  CLOSDTE  OF HOLD-RCD TO F7-DATE2(3). /  /
3130      001818      MOVE  EFFDTE   OF HOLD-RCD TO F7-DATE2(4). /  /
3131      001819      MOVE  EXPDTE   OF HOLD-RCD TO F7-DATE2(5). /  /
3132      001820      MOVE 5 TO NO-DATES.                      /  /
3133      001821      PERFORM P9999-FMT-DATES THRU P9999-EXIT.  /  /
3134      001822      MOVE  D8-DATE2(1) TO MICRODTE OF RCD02-O. /  /
3135      001823      MOVE  D8-DATE2(2) TO DESTDTE  OF RCD02-O. /  /
3136      001824      MOVE  D8-DATE2(3) TO CLOSDTE  OF RCD02-O. /  /
3137      001825      MOVE  D8-DATE2(4) TO EFFDTE   OF RCD02-O. /  /
3138      001826      MOVE  D8-DATE2(5) TO EXPDTE   OF RCD02-O. /  /
3139      001827      IF    POLICY-TYPE OF HOLD-RCD            /  /
3140          SET POLICY-DETAIL TO TRUE.                        /  /
3141      001829      IF    EQUIP-TYPE  OF HOLD-RCD            /  /
3142          SET EQUIP-DETAIL  TO TRUE.                        /  /
3143      001831      IF    ORIGITEM OF HOLD-RCD NOT = SPACES    /  /
3144          SET SHOW-ORIGITEM TO TRUE.                        /  /
3145      001833      IF    ORIGNAM  OF HOLD-RCD NOT = SPACES    /  /
3146          SET SHOW-ORIGNAM  TO TRUE.                        /  /
3147      001835      IF    ORIGDATE OF HOLD-RCD NOT = SPACES    /  /
3148          SET SHOW-ORIGDATE TO TRUE.                        /  /
3149      001837      SET NOT-DESTROY-DET                      /  /
          001838          NOT-CHKOUT-DET TO TRUE.              /  /
3150      001839      IF  DESTDTE  OF HOLD-RCD > 0              /  /
3151          001840          SET DESTROY-DET TO TRUE            /  /
          001841      ELSE                                      /  /
3152          001842          IF  NOT AVAILABLE OF HOLD-RCD      /  /
3153              SET CHKOUT-DET TO TRUE.                        /  /
3154          001844      IF  VALID-TYPES OF HOLD-RCD            /  /
3155              SET ALLOW-REPLICA TO TRUE                      /  /
          001846      ELSE                                      /  /
3156          001847          SET NO-REPLICA TO TRUE.            /  /
3157          001848          MOVE ORIGNAM OF HOLD-RCD(40:1) TO REOPN OF RCD02-O. /  /
          001849      P389-EXIT.                                /  /
3158          001850          EXIT.                              /  /
          001851      P390-RIGHT-JUST-FLDS.                    /  /
3159          001852          MOVE BOXNO OF RCD02-I TO BOXNO OF HOLD-POSKEYS. /  /
3160          001853          PERFORM VARYING C FROM 5 BY -1     /  /
          001854              UNTIL C = 1 OR                    /  /
          001855                  BOXNO OF HOLD-POSKEYS (C : 1) NOT = ' ' /  /
3161          001856          CONTINUE                          /  /
          001857          END-PERFORM.                          /  /
3162          001858          MOVE BOXNO OF HOLD-POSKEYS (1 : C) TO BOXNO OF HOLD-POSKEYS. /  /
3163          001859          MOVE BOXNO OF HOLD-POSKEYS TO BOXNO OF RCD02-I. /  /
3164          001860          MOVE CORR RCD02-I TO RJ-FIELDS.    /  /
          *** CORRESPONDING items for statement 3164:
          ***      REELNO1
          ***      REELNO2
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

*** REELNO3
*** REELNO4
*** REELNO5
*** REELNO6
*** REELNO7
*** REELNO8
*** REELNO9
*** REELNO10
*** BLIPNO1
*** BLIPNO2
*** BLIPNO3
*** BLIPNO4
*** BLIPNO5
*** BLIPNO6
*** BLIPNO7
*** BLIPNO8
*** BLIPNO9
*** BLIPNO10

*** End of CORRESPONDING items for statement 3164

3165	001861	PERFORM VARYING RJX FROM 1 BY 1 UNTIL RJX > 20	/	/
3166	001862	PERFORM VARYING C FROM 10 BY -1	/	/
	001863	UNTIL C = 1 OR	/	/
	001864	RJ-FIELD(RJX) (C : 1) NOT = ' '	/	/
3167	001865	CONTINUE	/	/
	001866	END-PERFORM	/	/
3168	001867	MOVE RJ-FIELD(RJX) (1 : C) TO RJ-FIELD(RJX)	/	/
	001868	END-PERFORM.	/	/
3169	001869	MOVE CORR RJ-FIELDS TO RCD02-I.	/	/

*** CORRESPONDING items for statement 3169:

*** REELNO1
*** REELNO2
*** REELNO3
*** REELNO4
*** REELNO5
*** REELNO6
*** REELNO7
*** REELNO8
*** REELNO9
*** REELNO10
*** BLIPNO1
*** BLIPNO2
*** BLIPNO3
*** BLIPNO4
*** BLIPNO5
*** BLIPNO6
*** BLIPNO7
*** BLIPNO8
*** BLIPNO9
*** BLIPNO10

*** End of CORRESPONDING items for statement 3169

	001870	P399-EXIT.	/	/
3170	001871	EXIT.	/	/
	001872	P400-UPDATE.	/	/
3171	001873	IF ADD-RCD	/	/
3172	001874	PERFORM P410-WRITE THRU P419-EXIT	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3173	001875	GO TO P409-EXIT.	/	/
3174	001876	IF CHANGE-KEYS	/	/
3175	001877	MOVE CORR ORIG-KEYS TO RWH010001 OF UPDATE-RECORD	/	/
	***	CORRESPONDING items for statement 3175:		
	***	ITEMTYPE		
	***	ITEM		
	***	CNTR		
	***	End of CORRESPONDING items for statement 3175		
	001878	ELSE	/	/
3176	001879	MOVE HOLD-RCD TO UPDATE-RECORD.	/	/
3177	001880	READ DETAIL-FILE-U	/	/
3178	001881	INVALID KEY CONTINUE.	/	/
3179	001882	IF UPDATE-STATUS NOT = I-O-OK	/	/
3180	001883	MOVE I-O-OK TO UPDATE-STATUS	/	/
3181	001884	GO TO P409-EXIT.	/	/
3182	001885	IF CHANGE-KEYS OR DELETE-RCD	/	/
3183	001886	DELETE DETAIL-FILE-U	/	/
3184	001887	INVALID KEY CONTINUE	/	/
	001888	END-DELETE	/	/
3185	001889	IF UPDATE-STATUS = I-O-OK	/	/
3186	001890	IF CHANGE-KEYS	/	/
3187	001891	PERFORM P410-WRITE THRU P419-EXIT	/	/
	001892	ELSE	/	/
3188	001893	PERFORM P430-DLT-HISTORY THRU P439-EXIT	/	/
	001894	END-IF	/	/
	001895	END-IF	/	/
3189	001896	GO TO P409-EXIT.	/	/
3190	001897	MOVE HOLD-RCD TO UPDATE-RECORD.	/	/
3191	001898	MOVE CURDTE TO DTECHG OF UPDATE-RECORD.	/	/
3192	001899	MOVE USER TO IDCHG OF UPDATE-RECORD.	/	/
3193	001900	REWRITE UPDATE-RECORD	/	/
3194	001901	INVALID KEY CONTINUE.	/	/
3195	001902	MOVE UPDATE-RECORD TO HOLD-RCD.	/	/
3196	001903	SET UPDATE-RCD TO TRUE.	/	/
3197	001904	SET BOXNO-SAME	/	/
	001905	DESTDTE-SAME TO TRUE.	/	/
3198	001906	MOVE ITEMTYPE OF HOLD-RCD TO NOTEPAD-CALLTYPES.	/	/
3199	001907	IF NOTEPAD-CALL-CLAIM OR NOTEPAD-CALL-POLICY	/	/
3200	001908	IF NEWBOX NOT = CURBOX	/	/
3201	001909	SET BOXNO-CHANGED TO TRUE	/	/
3202	001910	PERFORM P740-WRITE-NOTEPAD-RCD	/	/
	001911	THRU P749-WRITE-NOTEPAD-RCD-EXIT	/	/
	001912	END-IF	/	/
3203	001913	IF HLD-DESTDTE NOT = DESTDTE OF HOLD-RCD	/	/
3204	001914	SET DESTDTE-CHANGED TO TRUE	/	/
3205	001915	PERFORM P740-WRITE-NOTEPAD-RCD	/	/
	001916	THRU P749-WRITE-NOTEPAD-RCD-EXIT	/	/
	001917	END-IF	/	/
	001918	END-IF.	/	/
	001919	P409-EXIT.	/	/
3206	001920	EXIT.	/	/
	001921	P410-WRITE.	/	/
3207	001922	INITIALIZE RWH010001 OF UPDATE-RECORD.	/	/
3208	001923	MOVE HOLD-RCD TO UPDATE-RECORD.	/	/
3209	001924	MOVE 00000 TO CNTR OF UPDATE-RECORD.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3210	001925	START	DETAIL-FILE-U	/	/
	001926		KEY NOT < EXTERNALLY-DESCRIBED-KEY	/	/
3211	001927		INVALID KEY CONTINUE.	/	/
	001928	P413-READ-NEXT.		/	/
3212	001929	READ	DETAIL-FILE-U NEXT RECORD	/	/
3213	001930		AT END CONTINUE.	/	/
3214	001931	IF	UPDATE-STATUS = I-O-OK AND	/	/
	001932		ITEMTYPE OF UPDATE-RECORD = ITEMTYPE OF HOLD-RCD AND	/	/
	001933		ITEM OF UPDATE-RECORD = ITEM OF HOLD-RCD	/	/
3215	001934	IF	OVERRIDE-DUP OR	/	/
	001935		CRT-ITEM-REPLICA	/	/
3216	001936		MOVE CNTR OF UPDATE-RECORD TO CNTR OF HOLD-RCD	/	/
3217	001937		GO TO P413-READ-NEXT	/	/
	001938	ELSE		/	/
3218	001939		GO TO P419-EXIT.	/	/
3219	001940		INITIALIZE RWH010001 OF UPDATE-RECORD.	/	/
3220	001941	MOVE	HOLD-RCD TO UPDATE-RECORD.	/	/
3221	001942	IF	OVERRIDE-DUP OR	/	/
	001943		CRT-ITEM-REPLICA	/	/
3222	001944	ADD 1	TO CNTR OF UPDATE-RECORD	/	/
	001945	ELSE		/	/
3223	001946	MOVE 00000	TO CNTR OF UPDATE-RECORD.	/	/
3224	001947	IF	ADD-RCD OR CRT-ITEM-REPLICA	/	/
3225	001948	MOVE '1'	TO STATUSX OF UPDATE-RECORD	/	/
3226	001949	MOVE USER	TO IDADD OF UPDATE-RECORD	/	/
3227	001950	MOVE CURDTE	TO DTEADD OF UPDATE-RECORD	/	/
3228	001951	MOVE SPACES	TO IDCHG OF UPDATE-RECORD	/	/
3229	001952	MOVE ZEROES	TO DTECHG OF UPDATE-RECORD.	/	/
3230	001953	IF	CHANGE-KEYS	/	/
3231	001954	MOVE USER	TO IDCHG OF UPDATE-RECORD	/	/
3232	001955	MOVE CURDTE	TO DTECHG OF UPDATE-RECORD.	/	/
3233	001956	WRITE	UPDATE-RECORD	/	/
3234	001957		INVALID KEY CONTINUE.	/	/
3235	001958	IF	UPDATE-STATUS NOT = I-O-OK	/	/
3236	001959		MOVE I-O-OK TO UPDATE-STATUS	/	/
3237	001960		GO TO P419-EXIT.	/	/
3238	001961	MOVE	ITEMTYPE OF HOLD-RCD TO NOTEPAD-CALLTYPES.	/	/
3239	001962	IF	ADD-RCD AND	/	/
	001963		(NOTEPAD-CALL-CLAIM OR NOTEPAD-CALL-POLICY)	/	/
3240	001964	PERFORM	P740-WRITE-NOTEPAD-RCD	/	/
	001965		THRU P749-WRITE-NOTEPAD-RCD-EXIT	/	/
	001966	END-IF		/	/
3241	001967	IF	CHANGE-KEYS OR	/	/
	001968		CRT-ITEM-REPLICA	/	/
3242	001969		MOVE UPDATE-RECORD TO HOLD-RCD.	/	/
3243	001970	IF	CHANGE-KEYS	/	/
3244	001971		PERFORM P440-UPDATE-HISTORY-RCD-KEYS	/	/
	001972		THRU P449-EXIT	/	/
3245	001973		SET UPDATE-RCD TO TRUE.	/	/
	001974	P419-EXIT.		/	/
3246	001975	EXIT.		/	/
	001976	P420-AMT-REQUEST.		/	/
3247	001977		INITIALIZE WDW05-O.	/	/
	001978	P421-WRITE.		/	/
3248	001979		PERFORM PUI-30-WRITE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	001980					/	/
3249	001981	PERFORM PUI-31-READ				/	/
3250	001982	IF P-PUI-EOF = "1"				/	/
3251	001983	CONTINUE				/	/
	001984	END-IF				/	/
	001985					/	/
3252	001986	IF END-OF-PROCESS OR				/	/
	001987	CANCEL-SCREEN				/	/
3253	001988	GO TO P429-EXIT.				/	/
3254	001989	IF AMTREQ OF WDW05-I = 0				/	/
3255	001990	SET INVALID-AMTREQ TO TRUE				/	/
3256	001991	GO TO P421-WRITE				/	/
	001992	ELSE				/	/
3257	001993	SET VALID-AMTREQ TO TRUE.				/	/
3258	001994	MOVE AMTREQ OF WDW05-I TO				/	/
	001995	AMTREQ OF WHB0051-LINKAGE.				/	/
	001996	P429-EXIT.				/	/
3259	001997	EXIT.				/	/
	001998	P430-DLT-HISTORY.				/	/
3260	001999	MOVE CORR RWH010001 OF HOLD-RCD TO				/	/
	002000	RWH010501 OF HISTORY-RCD.				/	/
		*** CORRESPONDING items for statement 3260:					
		*** ITEMTYPE					
		*** ITEM					
		*** CNTR					
		*** STATUSX					
		*** EXPRTNDTE					
		*** End of CORRESPONDING items for statement 3260					
3261	002001	MOVE SPACES TO IDREQ OF HISTORY-RCD				/	/
	002002	FORID OF HISTORY-RCD.				/	/
3262	002003	MOVE 9999999 TO TRNDTE OF HISTORY-RCD.				/	/
3263	002004	START HISTORY-FILE				/	/
	002005	KEY NOT < EXTERNALLY-DESCRIBED-KEY				/	/
3264	002006	INVALID KEY CONTINUE.				/	/
	002007	P432-READ-NEXT.				/	/
3265	002008	READ HISTORY-FILE NEXT RECORD				/	/
3266	002009	AT END CONTINUE.				/	/
3267	002010	IF HISTORY-STATUS NOT = I-O-OK OR				/	/
	002011	ITEMTYPE OF HISTORY-RCD NOT = ITEMTYPE OF HOLD-RCD OR				/	/
	002012	ITEM OF HISTORY-RCD NOT = ITEM OF HOLD-RCD OR				/	/
	002013	CNTR OF HISTORY-RCD NOT = CNTR OF HOLD-RCD				/	/
3268	002014	MOVE I-O-OK TO HISTORY-STATUS				/	/
3269	002015	GO TO P439-EXIT.				/	/
3270	002016	DELETE HISTORY-FILE				/	/
3271	002017	INVALID KEY CONTINUE.				/	/
3272	002018	GO TO P432-READ-NEXT.				/	/
	002019	P439-EXIT.				/	/
3273	002020	EXIT.				/	/
	002021	P440-UPDATE-HISTORY-RCD-KEYS.				/	/
3274	002022	INITIALIZE HISTORY-RCD.				/	/
3275	002023	MOVE CORR ORIG-KEYS TO RWH010501 OF HISTORY-RCD.				/	/
		*** CORRESPONDING items for statement 3275:					
		*** ITEMTYPE					
		*** ITEM					
		*** CNTR					

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
*** End of CORRESPONDING items for statement 3275
3276 002024 MOVE 9999999 TO TRNDTE OF HISTORY-RCD. / /
3277 002025 START HISTORY-FILE / /
      002026 KEY NOT < EXTERNALLY-DESCRIBED-KEY / /
3278 002027 INVALID KEY CONTINUE. / /
      002028 P442-READ-NEXT. / /
3279 002029 READ HISTORY-FILE NEXT RECORD / /
3280 002030 AT END CONTINUE. / /
3281 002031 IF HISTORY-STATUS NOT = I-O-OK OR / /
      002032 ITEM OF HISTORY-RCD NOT = ITEM OF ORIG-KEYS OR / /
      002033 ITEMTYPE OF HISTORY-RCD NOT = ITEMTYPE OF ORIG-KEYS OR / /
      002034 CNTR OF HISTORY-RCD NOT = CNTR OF ORIG-KEYS / /
3282 002035 MOVE I-O-OK TO HISTORY-STATUS / /
3283 002036 GO TO P449-EXIT. / /
3284 002037 IF CHANGE-KEYS / /
3285 002038 DELETE HISTORY-FILE / /
3286 002039 INVALID KEY CONTINUE. / /
3287 002040 MOVE ITEM OF HOLD-RCD TO ITEM OF HISTORY-RCD. / /
3288 002041 MOVE ITEMTYPE OF HOLD-RCD TO ITEMTYPE OF HISTORY-RCD. / /
3289 002042 MOVE CNTR OF HOLD-RCD TO CNTR OF HISTORY-RCD. / /
3290 002043 WRITE HISTORY-RCD / /
3291 002044 INVALID KEY CONTINUE. / /
3292 002045 IF HISTORY-STATUS NOT = I-O-OK / /
3293 002046 ROLLBACK. / /
3294 002047 COMMIT. / /
3295 002048 GO TO P442-READ-NEXT. / /
      002049 P449-EXIT. / /
3296 002050 EXIT. / /
      002051 P450-FOR-WHOM. / /
3297 002052 INITIALIZE WDW12-O. / /
3298 002053 PERFORM PUI-32-WRITE / /
      002054 / /
3299 002055 PERFORM PUI-33-READ / /
3300 002056 IF P-PUI-EOF = "1" / /
3301 002057 CONTINUE / /
      002058 END-IF / /
      002059 / /
3302 002060 IF CANCEL-SCREEN / /
3303 002061 SET END-OF-PROCESS TO TRUE. / /
3304 002062 IF END-OF-PROCESS / /
3305 002063 GO TO P459-EXIT. / /
3306 002064 SET VALID-USER2 TO TRUE. / /
3307 002065 MOVE CORR WDW12-I TO WHB0051-LINKAGE. / /
      *** CORRESPONDING items for statement 3307:
      *** FORID
      *** End of CORRESPONDING items for statement 3307
3308 002066 IF FORID OF WHB0051-LINKAGE = SPACES / /
3309 002067 SET INVALID-USER TO TRUE / /
      002068 ELSE / /
3310 002069 CALL 'ZCCHKUSR' USING FORID OF WHB0051-LINKAGE. / /
3311 002070 IF INVALID-USER / /
3312 002071 SET INVALID-USER2 TO TRUE / /
3313 002072 GO TO P450-FOR-WHOM. / /
      002073 P459-EXIT. / /
3314 002074 EXIT. / /
```


STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	002075	P500-TYPE-SFL.	/	/
3315	002076	SET CLEAR-SUBFILE	/	/
	002077	EMPTY-SFL TO TRUE.	/	/
3316	002078	PERFORM PUI-34-WRITE	/	/
	002079	.	/	/
3317	002080	SET DISPLAY-SFL TO TRUE.	/	/
3318	002081	PERFORM P510-LOAD-SFL02 THRU P519-EXIT.	/	/
	002082	P503-CONTROL.	/	/
3319	002083	PERFORM PUI-35-WRITE	/	/
	002084	.	/	/
3320	002085	PERFORM PUI-36-READ	/	/
3321	002086	IF P-PUI-EOF = "1"	/	/
3322	002087	CONTINUE	/	/
	002088	END-IF	/	/
	002089	.	/	/
3323	002090	IF CANCEL-SCREEN OR	/	/
	002091	END-OF-PROCESS	/	/
3324	002092	GO TO P509-EXIT.	/	/
	002093	P505-READ-SFL03.	/	/
3325	002094	PERFORM PUI-37-READ	/	/
3326	002095	IF P-PUI-EOF = "1"	/	/
3327	002096	GO TO P503-CONTROL	/	/
	002097	END-IF	/	/
	002098	.	/	/
3328	002099	IF DSP-STATUS = I-O-OK AND	/	/
	002100	SELOPT OF WDWSFL03-I = '1'	/	/
3329	002101	MOVE CORR WDWSFL03-I TO HOLD-POSKEYS	/	/
	***	CORRESPONDING items for statement 3329:		
	***	ITEMTYPE		
	***	ITEMDESC		
	***	End of CORRESPONDING items for statement 3329		
3330	002102	GO TO P509-EXIT.	/	/
3331	002103	INITIALIZE WDWSFL03-O.	/	/
3332	002104	MOVE CORR TYPE-TBL(DSP-RCD-NO) TO WDWSFL03-O.	/	/
	***	CORRESPONDING items for statement 3332:		
	***	ITEMTYPE		
	***	ITEMDESC		
	***	End of CORRESPONDING items for statement 3332		
3333	002105	PERFORM PUI-38-REWRITE	/	/
3334	002106	IF P-PUI-FOUND = "0"	/	/
3335	002107	CONTINUE	/	/
	002108	END-IF	/	/
	002109	.	/	/
3336	002110	GO TO P505-READ-SFL03.	/	/
	002111	P509-EXIT.	/	/
3337	002112	EXIT.	/	/
	002113	P510-LOAD-SFL02.	/	/
3338	002114	SET NO-PLUS TO TRUE.	/	/
3339	002115	MOVE 1 TO DSP-RCD-NO.	/	/
3340	002116	PERFORM VARYING CNT2 FROM 1 BY 1 UNTIL	/	/
	002117	CNT2 > 20	/	/
3341	002118	IF (SHOW-VALID-ITEMS AND	/	/
	002119	VALID-ITEMS) OR	/	/
	002120	(SHOW-ITEM12-ITEMS AND	/	/
	002121	VALID-ITEM12-ITEMS) OR	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	002122	(SHOW-CMD04-ITEMS	AND		/	/
	002123	VALID-CMD04-ITEMS)	OR		/	/
	002124	ADD-RECORD			/	/
3342	002125	INITIALIZE WDWSFL03-O			/	/
3343	002126	MOVE CORR TYPE-TBL(CNT2) TO WDWSFL03-O			/	/
	***	CORRESPONDING items for statement 3343:				
	***	ITEMTYPE				
	***	ITEMDESC				
	***	End of CORRESPONDING items for statement 3343				
3344	002127	PERFORM PUI-39-WRITE			/	/
3345	002128	IF P-PUI-FOUND = "0"			/	/
3346	002129		CONTINUE		/	/
	002130	END-IF			/	/
3347	002131	ADD 1 TO DSP-RCD-NO			/	/
	002132	END-IF			/	/
	002133	END-PERFORM.			/	/
3348	002134	SET NOT-SHOW-VALID-ITEMS			/	/
	002135	NOT-SHOW-CMD04-ITEMS			/	/
	002136	NOT-SHOW-ITEM12-ITEMS	TO TRUE.		/	/
3349	002137	IF DSP-RCD-NO > 1			/	/
3350	002138	SET SFL-DATA TO TRUE.			/	/
	002139	P519-EXIT.			/	/
3351	002140	EXIT.			/	/
	002141	P520-READ-POL01.			/	/
3352	002142	START POLICY-FILE			/	/
	002143	KEY NOT < EXTERNALLY-DESCRIBED-KEY			/	/
3353	002144	INVALID KEY CONTINUE.			/	/
3354	002145	READ POLICY-FILE NEXT RECORD			/	/
3355	002146	AT END CONTINUE.			/	/
3356	002147	IF POLICY-STATUS NOT = I-O-OK		OR	/	/
	002148	POLICY OF RPOL0101 NOT = ITEM OF HOLD-POSKEYS			/	/
3357	002149	SET ITEM-NOT-FND			/	/
	002150	ERRORS-FND	TO TRUE		/	/
3358	002151	MOVE I-O-OK TO POLICY-STATUS			/	/
3359	002152	GO TO P529-EXIT.			/	/
3360	002153	MOVE CORR	RPOL0101 TO RWH010001 OF HOLD-RCD.		/	/
	***	CORRESPONDING items for statement 3360:				
	***	EFFDTE				
	***	EXPDTE				
	***	CUSTNO				
	***	End of CORRESPONDING items for statement 3360				
3361	002154	MOVE CO	OF RPOL0101 TO COMPANY OF HOLD-RCD.		/	/
3362	002155	MOVE INSNAM	OF RPOL0101 TO NAME OF HOLD-RCD.		/	/
	002156	P529-EXIT.			/	/
3363	002157	EXIT.			/	/
	002158	P530-READ-DWXC010.			/	/
3364	002159	START CLAIM-FILE			/	/
	002160	KEY NOT < EXTERNALLY-DESCRIBED-KEY			/	/
3365	002161	INVALID KEY CONTINUE.			/	/
3366	002162	READ CLAIM-FILE NEXT RECORD			/	/
3367	002163	AT END CONTINUE.			/	/
3368	002164	IF CLAIM-STATUS NOT = I-O-OK		OR	/	/
	002165	CLAIM OF RWXC010A NOT = ITEM OF HOLD-POSKEYS			/	/
3369	002166	SET ITEM-NOT-FND			/	/
	002167	ERRORS-FND	TO TRUE		/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3370	002168	MOVE I-O-OK TO CLAIM-STATUS	/	/
3371	002169	GO TO P539-EXIT.	/	/
3372	002170	MOVE INSNAM OF RWXC010A TO NAME OF HOLD-RCD.	/	/
3373	002171	MOVE CO OF RWXC010A TO COMPANY OF HOLD-RCD.	/	/
	002172	P539-EXIT.	/	/
3374	002173	EXIT.	/	/
	002174	P540-CO-SFL.	/	/
3375	002175	SET CLEAR-SUBFILE	/	/
	002176	EMPTY-SFL TO TRUE.	/	/
3376	002177	PERFORM PUI-40-WRITE	/	/
	002178	.	/	/
3377	002179	SET DISPLAY-SFL TO TRUE.	/	/
3378	002180	PERFORM P550-LOAD-SFL04 THRU P559-EXIT.	/	/
	002181	P543-CONTROL.	/	/
3379	002182	PERFORM PUI-41-WRITE	/	/
	002183	.	/	/
3380	002184	PERFORM PUI-42-READ	/	/
3381	002185	IF P-PUI-EOF = "1"	/	/
3382	002186	CONTINUE	/	/
	002187	END-IF	/	/
	002188	.	/	/
3383	002189	IF CANCEL-SCREEN OR	/	/
	002190	END-OF-PROCESS	/	/
3384	002191	GO TO P549-EXIT.	/	/
	002192	P545-READ-SFL04.	/	/
3385	002193	PERFORM PUI-43-READ	/	/
3386	002194	IF P-PUI-EOF = "1"	/	/
3387	002195	GO TO P543-CONTROL	/	/
	002196	END-IF	/	/
	002197	.	/	/
3388	002198	IF DSP-STATUS = I-O-OK AND	/	/
	002199	SELOPT OF WDWSFL04-I = '1'	/	/
3389	002200	MOVE CORR WDWSFL04-I TO RWH010001 OF HOLD-RCD	/	/
	***	CORRESPONDING items for statement 3389:		
	***	COMPANY		
	***	End of CORRESPONDING items for statement 3389		
3390	002201	GO TO P549-EXIT.	/	/
3391	002202	INITIALIZE WDWSFL04-O.	/	/
3392	002203	MOVE CORR CO-TBL(DSP-RCD-NO) TO WDWSFL04-O.	/	/
	***	CORRESPONDING items for statement 3392:		
	***	COMPANY		
	***	CONAME		
	***	End of CORRESPONDING items for statement 3392		
3393	002204	PERFORM PUI-44-REWRITE	/	/
3394	002205	IF P-PUI-FOUND = "0"	/	/
3395	002206	CONTINUE	/	/
	002207	END-IF	/	/
	002208	.	/	/
3396	002209	GO TO P545-READ-SFL04.	/	/
	002210	P549-EXIT.	/	/
3397	002211	EXIT.	/	/
	002212	P550-LOAD-SFL04.	/	/
3398	002213	SET NO-PLUS TO TRUE.	/	/
3399	002214	PERFORM VARYING DSP-RCD-NO FROM 1 BY 1 UNTIL	/	/
	002215	DSP-RCD-NO > MAX-CO	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
3400      002216      INITIALIZE WDWSFL04-O      /  /
3401      002217      MOVE CORR CO-TBL(DSP-RCD-NO) TO WDWSFL04-O      /  /
          *** CORRESPONDING items for statement 3401:
          ***      COMPANY
          ***      CONAME
          *** End of CORRESPONDING items for statement 3401
3402      002218      PERFORM PUI-45-WRITE      /  /
3403      002219      IF P-PUI-FOUND = "0"      /  /
3404      002220      CONTINUE      /  /
          002221      END-IF      /  /
          002222      END-PERFORM.      /  /
3405      002223      IF DSP-RCD-NO > 1      /  /
3406      002224      SET SFL-DATA TO TRUE.      /  /
3407      002225      IF DSP-RCD-NO > 6      /  /
3408      002226      SET DSP-PLUS TO TRUE      /  /
          002227      ELSE      /  /
3409      002228      SET NO-PLUS TO TRUE.      /  /
          002229      P559-EXIT.      /  /
3410      002230      EXIT.      /  /
          002231      P600-CHKOUT-DSP.      /  /
3411      002232      INITIALIZE RCD03-O.      /  /
3412      002233      SET NOT-RETURN      /  /
          002234      NOT-CHECK-OUT TO TRUE.      /  /
3413      002235      MOVE ALL B'0' TO CHKOUT-ERRS.      /  /
3414      002236      SET NO-ERRORS TO TRUE.      /  /
3415      002237      MOVE CORR RWH010001 OF HOLD-RCD TO RCD03-O.      /  /
          *** CORRESPONDING items for statement 3415:
          ***      ITEMTYPE
          ***      ITEM
          ***      CNTR
          ***      LOCDESC
          ***      ROW
          ***      COLUMNS
          ***      SHELF
          ***      BOXNO
          ***      ORIGITEM
          ***      COMPANY
          ***      EXPRTNDTE
          *** End of CORRESPONDING items for statement 3415
3416      002238      MOVE ITEMDESC OF TYPE-TBL(ITEMTYPE OF HOLD-RCD) TO      /  /
          002239      ITEMDESC OF RCD03-O.      /  /
3417      002240      IF CHKOUT-DET AND NOT CHG-EXPRTNDTE      /  /
3418      002241      SET RETURN-FLG TO TRUE.      /  /
3419      002242      IF NOT EQUIP-TYPE OF HOLD-RCD      /  /
3420      002243      IF CHKOUT-DET OR      /  /
          002244      CHG-EXPRTNDTE      /  /
3421      002245      PERFORM P660-RTV-CHKOUT THRU P669-EXIT      /  /
3422      002246      MOVE CORR HOLD-CHKDTA TO RCD03-O      /  /
          *** CORRESPONDING items for statement 3422:
          ***      IDREQ
          ***      FORID
          ***      TRNDTE
          ***      TRNAMT
          ***      AMTPEND
          ***      EXPRTNDTE
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```

      ***      RTNDTE
      ***      EQPFLG
      *** End of CORRESPONDING items for statement 3422
3423      002247      MOVE DSP-CURDTE TO RTNDTE OF RCD03-O      /  /
3424      002248      GO TO P602-WRITE-RCD.      /  /
3425      002249      IF EQUIP-RETURN      OR      /  /
      002250      (CHG-EXPRTNDTE      AND      /  /
      002251      EQUIP-TYPE OF HOLD-RCD)      /  /
3426      002252      MOVE CORR HOLD-CHKDTA TO RCD03-O      /  /
      *** CORRESPONDING items for statement 3426:
      ***      IDREQ
      ***      FORID
      ***      TRNDTE
      ***      TRNAMT
      ***      AMTPEND
      ***      EXPRTNDTE
      ***      RTNDTE
      ***      EQPFLG
      *** End of CORRESPONDING items for statement 3426
3427      002253      IF EQUIP-RETURN      /  /
3428      002254      MOVE DSP-CURDTE TO RTNDTE OF RCD03-O      /  /
      002255      END-IF      /  /
3429      002256      GO TO P602-WRITE-RCD.      /  /
3430      002257      SET CHECK-OUT-FLG TO TRUE.      /  /
3431      002258      PERFORM P670-DFT-EXPRTNDTE THRU P679-EXIT.      /  /
3432      002259      MOVE DATE2(1)      TO EXPRTNDTE OF RCD03-O.      /  /
3433      002260      MOVE DSP-CURDTE TO TRNDTE      OF RCD03-O.      /  /
      002261      P602-WRITE-RCD.      /  /
3434      002262      PERFORM PUI-46-WRITE      /  /
      002263      .      /  /
3435      002264      PERFORM PUI-47-READ      /  /
3436      002265      IF P-PUI-EOF = "1"      /  /
3437      002266      CONTINUE      /  /
      002267      END-IF      /  /
      002268      .      /  /
3438      002269      IF      END-OF-PROCESS      OR      /  /
      002270      CANCEL-SCREEN      /  /
3439      002271      GO TO P609-EXIT.      /  /
3440      002272      PERFORM P610-VALIDATE THRU P619-EXIT.      /  /
3441      002273      INITIALIZE HOLD-CHKDTA.      /  /
3442      002274      MOVE CORR RCD03-I TO HOLD-CHKDTA.      /  /
      *** CORRESPONDING items for statement 3442:
      ***      TRNDTE
      ***      IDREQ
      ***      TRNAMT
      ***      EXPRTNDTE
      ***      EQPFLG
      ***      RTNDTE
      ***      AMTPEND
      ***      FORID
      *** End of CORRESPONDING items for statement 3442
3443      002275      IF      NO-ERRORS      /  /
3444      002276      MOVE ITEMTYPE OF HOLD-RCD TO NOTEPAD-CALLTYPES      /  /
3445      002277      IF NOTEPAD-CALL-CLAIM OR NOTEPAD-CALL-POLICY      /  /
3446      002278      IF CHG-EXPRTNDTE OR      /  /
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	002279	NOTEPAD-FLAGS NOT = '0000'	/	/
3447	002280	PERFORM P740-WRITE-NOTEPAD-RCD	/	/
	002281	THRU P749-WRITE-NOTEPAD-RCD-EXIT	/	/
	002282	END-IF	/	/
	002283	END-IF	/	/
3448	002284	PERFORM P620-UPDATE-HISTORY THRU P629-EXIT	/	/
3449	002285	MOVE I-O-OK TO HISTORY-STATUS	/	/
3450	002286	GO TO P609-EXIT.	/	/
	002287	P607-REDISPLAY.	/	/
3451	002288	INITIALIZE RCD03-O.	/	/
3452	002289	MOVE CORR RWH010001 OF HOLD-RCD TO RCD03-O.	/	/
	***	CORRESPONDING items for statement 3452:		
	***	ITEMTYPE		
	***	ITEM		
	***	CNTR		
	***	LOCDESC		
	***	ROW		
	***	COLUMNS		
	***	SHELF		
	***	BOXNO		
	***	ORIGITEM		
	***	COMPANY		
	***	EXPRTNDTE		
	***	End of CORRESPONDING items for statement 3452		
3453	002290	MOVE CORR HOLD-CHKDTA TO RCD03-O.	/	/
	***	CORRESPONDING items for statement 3453:		
	***	IDREQ		
	***	FORID		
	***	TRNDTE		
	***	TRNAMT		
	***	AMTPEND		
	***	EXPRTNDTE		
	***	RTNDTE		
	***	EQPFLG		
	***	End of CORRESPONDING items for statement 3453		
3454	002291	IF NOT EXPRTNDTE-INVALID	/	/
3455	002292	MOVE EXPRTNDTE OF RCD03-O TO F7-DATE2(1)	/	/
3456	002293	MOVE CORR F7-DATE(1) TO D8-DATE(1)	/	/
	***	CORRESPONDING items for statement 3456:		
	***	YY		
	***	MM		
	***	DD		
	***	End of CORRESPONDING items for statement 3456		
3457	002294	IF YY OF D8-DATE(1) > 0	/	/
3458	002295	ADD 1900 TO YY OF D8-DATE(1)	/	/
	002296	END-IF	/	/
3459	002297	MOVE D8-DATE2(1) TO EXPRTNDTE OF RCD03-O.	/	/
3460	002298	IF NOT INVALID-RTNDTE	/	/
3461	002299	MOVE RTNDTE OF RCD03-O TO F7-DATE2(1)	/	/
3462	002300	MOVE CORR F7-DATE(1) TO D8-DATE(1)	/	/
	***	CORRESPONDING items for statement 3462:		
	***	YY		
	***	MM		
	***	DD		
	***	End of CORRESPONDING items for statement 3462		

STMT PL SEQNBR -A 1 B..+....2.....3.....4.....5.....6.....7..IDENTFCN S COPYNAME CHG DATE

3463	002301	IF YY OF D8-DATE(1) > 0	/	/
3464	002302	ADD 1900 TO YY OF D8-DATE(1)	/	/
	002303	END-IF	/	/
3465	002304	MOVE D8-DATE2(1) TO RTNDTE OF RCD03-O.	/	/
3466	002305	MOVE ITEMDESC OF TYPE-TBL(ITEMTYPE OF HOLD-RCD) TO	/	/
	002306	ITEMDESC OF RCD03-O.	/	/
3467	002307	GO TO P602-WRITE-RCD.	/	/
	002308	P609-EXIT.	/	/
3468	002309	EXIT.	/	/
	002310	P610-VALIDATE.	/	/
3469	002311	MOVE ALL B'0' TO CHKOUT-ERRS.	/	/
3470	002312	SET NO-ERRORS TO TRUE.	/	/
3471	002313	IF DSP-REPLENISH	/	/
3472	002314	GO TO P617-CHECK-AMT.	/	/
3473	002315	IF EXPRTNDTE OF RCD03-I > 0	/	/
3474	002316	MOVE EXPRTNDTE OF RCD03-I TO DATE-CHECK-IN	/	/
3475	002317	MOVE 2 TO DATE-CHECK-TYPE	/	/
3476	002318	PERFORM DATE-CHECK THRU DATE-CHECK-EXIT	/	/
3477	002319	IF DATE-CHECK-OK	/	/
3478	002320	MOVE DATE-CHECK-OUT TO EXPRTNDTE OF RCD03-I	/	/
	002321	ELSE	/	/
3479	002322	SET EXPRTNDTE-INVALID	/	/
	002323	ERRORS-FND TO TRUE.	/	/
3480	002324	IF (NOT-CHKOUT-DET AND	/	/
	002325	NOT EQUIP-TYPE OF HOLD-RCD) OR	/	/
	002326	(NOT-EQUIP-RETURN AND	/	/
	002327	EQUIP-TYPE OF HOLD-RCD) OR	/	/
	002328	CHG-EXPRTNDTE	/	/
3481	002329	IF NOT EXPRTNDTE-INVALID AND	/	/
	002330	EXPRTNDTE OF RCD03-I > 0 AND	/	/
	002331	EXPRTNDTE OF RCD03-I <= CURDTE	/	/
3482	002332	SET EXPRTNDTE-RANGE-ERR	/	/
	002333	ERRORS-FND TO TRUE.	/	/
3483	002334	IF NOT (CHANGE-EXPRTNDTE OR	/	/
	002335	EQUIP-RETURN) AND	/	/
	002336	EQUIP-DETAIL	/	/
3484	002337	IF TRNAMT OF RCD03-I > AMTHAND OF HOLD-RCD	/	/
3485	002338	SET AMT-UNAVAILABLE	/	/
	002339	ERRORS-FND TO TRUE.	/	/
3486	002340	IF (NOT-CHKOUT-DET AND NOT EQUIP-DETAIL) OR	/	/
	002341	(NOT EQUIP-RETURN AND EQUIP-DETAIL) OR	/	/
	002342	CHANGE-EXPRTNDTE	/	/
3487	002343	GO TO P617-CHECK-AMT.	/	/
3488	002344	IF RTNDTE OF RCD03-I > 0	/	/
3489	002345	MOVE RTNDTE OF RCD03-I TO DATE-CHECK-IN	/	/
3490	002346	MOVE 2 TO DATE-CHECK-TYPE	/	/
3491	002347	PERFORM DATE-CHECK THRU DATE-CHECK-EXIT	/	/
3492	002348	IF DATE-CHECK-OK	/	/
3493	002349	MOVE DATE-CHECK-OUT TO RTNDTE OF RCD03-I	/	/
	002350	ELSE	/	/
3494	002351	SET INVALID-RTNDTE	/	/
	002352	ERRORS-FND TO TRUE.	/	/
3495	002353	IF RTNDTE OF RCD03-I = 0	/	/
3496	002354	SET INVALID-RTNDTE	/	/
	002355	ERRORS-FND TO TRUE.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
002356 P617-CHECK-AMT. / /
3497 002357 IF TRNAMT OF RCD03-I = 0 AND / /
002358 EQUIP-TYPE OF HOLD-RCD AND / /
002359 NOT EQUIP-RETURN / /
3498 002360 SET NO-AMOUNT / /
002361 ERRORS-FND TO TRUE. / /
3499 002362 IF EQUIP-RETURN / /
3500 002363 IF AMTRET OF RCD03-I = 0 / /
3501 002364 SET NO-RTNAMT / /
002365 ERRORS-FND TO TRUE / /
002366 END-IF / /
3502 002367 IF AMTRET OF RCD03-I > AMTPEND OF HOLD-CHKDTA / /
3503 002368 SET OVER-AMTPEND / /
002369 ERRORS-FND TO TRUE. / /
002370 P619-EXIT. / /
3504 002371 EXIT. / /
002372 P620-UPDATE-HISTORY. / /
3505 002373 INITIALIZE RWH010501 OF HISTORY-RCD. / /
3506 002374 SET FILE-UPDATED TO TRUE. / /
3507 002375 MOVE CORR RWH010001 OF HOLD-RCD TO / /
002376 RWH010501 OF HISTORY-RCD. / /
*** CORRESPONDING items for statement 3507:
*** ITEMTYPE
*** ITEM
*** CNTR
*** STATUSX
*** EXPRTNDTE
*** End of CORRESPONDING items for statement 3507
3508 002377 IF DSP-REPLENISH / /
3509 002378 PERFORM P650-REPLENISH THRU P659-EXIT / /
3510 002379 GO TO P629-EXIT. / /
3511 002380 IF (CHKOUT-DET AND / /
002381 NOT EQUIP-DETAIL) OR / /
002382 EQUIP-RETURN OR / /
002383 CHANGE-EXPRTNDTE / /
3512 002384 PERFORM P640-RETURN-ITM THRU P649-EXIT / /
3513 002385 GO TO P629-EXIT. / /
3514 002386 PERFORM P630-CHECK-OUT THRU P639-EXIT. / /
3515 002387 MOVE USER OF LINKAGE-AREA TO / /
002388 IDKEY OF HISTORY-RCD. / /
3516 002389 MOVE CURDTE TO TRNDTE OF HISTORY-RCD. / /
3517 002390 MOVE IDREQ OF RCD03-I TO IDREQ OF HISTORY-RCD. / /
3518 002391 MOVE FORID OF RCD03-I TO FORID OF HISTORY-RCD. / /
3519 002392 IF EQUIP-TYPE OF HOLD-RCD / /
3520 002393 MOVE TRNAMT OF RCD03-I TO TRNAMT OF HISTORY-RCD. / /
3521 002394 WRITE HISTORY-RCD / /
3522 002395 INVALID KEY CONTINUE. / /
3523 002396 IF HISTORY-STATUS NOT = I-O-OK / /
3524 002397 SET FILE-NOT-UPDATED TO TRUE / /
3525 002398 GO TO P629-EXIT. / /
3526 002399 MOVE CORR RWH010501 OF HISTORY-RCD TO / /
002400 RWH010001 OF UPDATE-RECORD. / /
*** CORRESPONDING items for statement 3526:
*** ITEMTYPE
*** ITEM
```


STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```

      ***      CNTR
      ***      EXPRTNDTE
      ***      STATUSX
      *** End of CORRESPONDING items for statement 3526
3527      002401      READ  DETAIL-FILE-U                      /  /
3528      002402                      INVALID KEY CONTINUE.    /  /
3529      002403      IF    UPDATE-STATUS NOT = I-O-OK          /  /
3530      002404                      SET FILE-NOT-UPDATED TO TRUE /  /
3531      002405                      ROLLBACK                  /  /
3532      002406                      GO TO P629-EXIT.          /  /
3533      002407      MOVE  STATUSX    OF HISTORY-RCD TO        /  /
      002408                      STATUSX    OF UPDATE-RECORD.  /  /
3534      002409      MOVE  EXPRTNDTE OF HISTORY-RCD TO        /  /
      002410                      EXPRTNDTE OF UPDATE-RECORD.  /  /
3535      002411      MOVE  TRNDTE     OF HISTORY-RCD TO        /  /
      002412                      STSDTE     OF UPDATE-RECORD.  /  /
3536      002413      IF    EQUIP-TYPE OF HOLD-RCD              /  /
3537      002414                      IF EQUIP-RETURN            /  /
3538      002415                      ADD  TRNAMT OF HISTORY-RCD TO /  /
      002416                      AMTHAND OF UPDATE-RECORD      /  /
      002417                      ELSE                            /  /
3539      002418                      SUBTRACT TRNAMT OF HISTORY-RCD FROM /  /
      002419                      AMTHAND OF UPDATE-RECORD.      /  /
3540      002420      REWRITE UPDATE-RECORD                      /  /
3541      002421                      INVALID KEY CONTINUE.      /  /
3542      002422      IF    UPDATE-STATUS NOT = I-O-OK          /  /
3543      002423                      SET FILE-NOT-UPDATED TO TRUE /  /
3544      002424                      ROLLBACK                  /  /
3545      002425                      GO TO P629-EXIT.          /  /
3546      002426      COMMIT.                                    /  /
3547      002427      MOVE  CORR RWH010001 OF UPDATE-RECORD TO /  /
      002428                      RWH010001    OF HOLD-RCD.      /  /
      *** CORRESPONDING items for statement 3547:
      ***      ITEMTYPE
      ***      ITEM
      ***      CNTR
      ***      LOCDESC
      ***      ROW
      ***      COLUMNS
      ***      SHELF
      ***      BOXNO
      ***      NAME
      ***      EFFDTE
      ***      EXPDTE
      ***      CUSTNO
      ***      REORDPNT
      ***      AMTHAND
      ***      CLOSDTE
      ***      MICRODTE
      ***      REELNO1
      ***      REELNO2
      ***      REELNO3
      ***      REELNO4
      ***      REELNO5
      ***      REELNO6
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

*** REELNO7
*** REELNO8
*** REELNO9
*** REELNO10
*** BLIPNO1
*** BLIPNO2
*** BLIPNO3
*** BLIPNO4
*** BLIPNO5
*** BLIPNO6
*** BLIPNO7
*** BLIPNO8
*** BLIPNO9
*** BLIPNO10
*** DESTDTE
*** ORIGITEM
*** ORIGNAM
*** COMPANY
*** ORIGDATE
*** STATUSX
*** STSDTE
*** EXPRTNDTE
*** IDADD
*** DTEADD
*** IDCHG
*** DTECHG

*** End of CORRESPONDING items for statement 3547

3548	002429	MOVE STATUSX OF HOLD-RCD TO HOLD-STATUSX.	/	/
	002430	P629-EXIT.	/	/
3549	002431	EXIT.	/	/
	002432	P630-CHECK-OUT.	/	/
3550	002433	SET CHECK-ACT TO TRUE.	/	/
3551	002434	IF EQUIP-TYPE OF HOLD-RCD	/	/
3552	002435	IF EQPFLG OF RCD03-I = 'Y'	/	/
3553	002436	MOVE TRNAMT OF RCD03-I TO AMTPEND OF HISTORY-RCD	/	/
3554	002437	MOVE EXPRTNDTE OF RCD03-I TO	/	/
	002438	EXPRTNDTE OF HISTORY-RCD	/	/
3555	002439	SET CHECK-OUT OF HISTORY-RCD TO TRUE	/	/
	002440	ELSE	/	/
3556	002441	MOVE ZEROES TO EXPRTNDTE OF HISTORY-RCD	/	/
3557	002442	SET AVAILABLE OF HISTORY-RCD TO TRUE	/	/
	002443	END-IF	/	/
	002444	ELSE	/	/
3558	002445	SET CHECK-OUT OF HISTORY-RCD TO TRUE	/	/
3559	002446	MOVE EXPRTNDTE OF RCD03-I TO	/	/
	002447	EXPRTNDTE OF HISTORY-RCD.	/	/
	002448	P639-EXIT.	/	/
3560	002449	EXIT.	/	/
	002450	P640-RETURN-ITM.	/	/
3561	002451	MOVE ITEMTYPE OF HOLD-RCD TO ITEMTYPE OF HISTORY-RCD.	/	/
3562	002452	MOVE ITEM OF HOLD-RCD TO ITEM OF HISTORY-RCD.	/	/
3563	002453	MOVE CNTR OF HOLD-RCD TO CNTR OF HISTORY-RCD.	/	/
3564	002454	IF EQUIP-TYPE OF HOLD-RCD	/	/
3565	002455	MOVE TRNDTE OF HOLD-CHKDTA TO D8-DATE2(1)	/	/
3566	002456	IF YY OF D8-DATE(1) > 1900	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
3567      002457          SUBTRACT 1900 FROM YY OF D8-DATE(1)          /  /
      002458          END-IF          /  /
3568      002459          MOVE CORR D8-DATE(1) TO F7-DATE(1)          /  /
      *** CORRESPONDING items for statement 3568:
      ***          MM
      ***          DD
      ***          YY
      *** End of CORRESPONDING items for statement 3568
3569      002460          MOVE F7-DATE2(1) TO TRNDTE OF HISTORY-RCD          /  /
      002461          ELSE          /  /
3570      002462          MOVE 9999999          TO TRNDTE OF HISTORY-RCD.          /  /
3571      002463          START HISTORY-FILE          /  /
      002464          KEY NOT < EXTERNALLY-DESCRIBED-KEY          /  /
3572      002465          INVALID KEY CONTINUE.          /  /
      002466 P642-READ-NEXT.          /  /
3573      002467          READ HISTORY-FILE NEXT RECORD          /  /
3574      002468          AT END CONTINUE.          /  /
3575      002469          IF HISTORY-STATUS NOT = I-O-OK          OR          /  /
      002470          ITEMTYPE OF HISTORY-RCD NOT = ITEMTYPE OF HOLD-RCD OR          /  /
      002471          ITEM          OF HISTORY-RCD NOT = ITEM          OF HOLD-RCD OR          /  /
      002472          CNTR          OF HISTORY-RCD NOT = CNTR          OF HOLD-RCD          /  /
3576      002473          GO TO P649-EXIT.          /  /
3577      002474          IF ACTION OF HISTORY-RCD NOT = '01' OR          /  /
      002475          STATUSX OF HISTORY-RCD NOT = '2' OR          /  /
      002476          (EQUIP-TYPE          OF HOLD-RCD          AND          /  /
      002477          IDREQ          OF HISTORY-RCD NOT = IDREQ OF HOLD-CHKDTA)          /  /
3578      002478          GO TO P642-READ-NEXT.          /  /
3579      002479          IF CHG-EXPRTNDTE          /  /
3580      002480          MOVE EXPRTNDTE OF RCD03-I TO EXPRTNDTE OF HISTORY-RCD          /  /
3581      002481          GO TO P647-REWRITE.          /  /
3582      002482          IF EQUIP-RETURN          /  /
3583      002483          SUBTRACT AMTRET OF RCD03-I FROM          /  /
      002484          AMTPEND OF HISTORY-RCD.          /  /
3584      002485          IF AMTPEND OF HISTORY-RCD = 0          /  /
3585      002486          SET AVAILABLE OF HISTORY-RCD TO TRUE          /  /
3586      002487          MOVE RTNDTE OF RCD03-I TO RTNDTE OF HISTORY-RCD          /  /
3587      002488          MOVE ZEROS TO EXPRTNDTE OF HISTORY-RCD.          /  /
      002489 P647-REWRITE.          /  /
3588      002490          REWRITE HISTORY-RCD          /  /
3589      002491          INVALID KEY CONTINUE.          /  /
3590      002492          IF HISTORY-STATUS NOT = I-O-OK          /  /
3591      002493          SET FILE-NOT-UPDATED TO TRUE          /  /
3592      002494          ROLLBACK          /  /
3593      002495          GO TO P649-EXIT.          /  /
3594      002496          IF CHG-EXPRTNDTE          /  /
3595      002497          COMMIT          /  /
3596      002498          GO TO P649-EXIT.          /  /
3597      002499          MOVE CORR RWH010501 OF HISTORY-RCD TO          /  /
      002500          RWH010001 OF UPDATE-RECORD.          /  /
      *** CORRESPONDING items for statement 3597:
      ***          ITEMTYPE
      ***          ITEM
      ***          CNTR
      ***          EXPRTNDTE
      ***          STATUSX
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
*** End of CORRESPONDING items for statement 3597
3598      002501      READ      DETAIL-FILE-U                      /  /
3599      002502                      INVALID KEY CONTINUE.      /  /
3600      002503      IF      UPDATE-STATUS NOT = I-O-OK          /  /
3601      002504                      SET FILE-NOT-UPDATED TO TRUE /  /
3602      002505                      ROLLBACK                     /  /
3603      002506                      GO TO P649-EXIT.             /  /
3604      002507      IF      EQUIP-TYPE OF HOLD-RCD              /  /
3605      002508                      ADD AMTRET OF RCD03-I TO AMTHAND OF UPDATE-RECORD /  /
3606      002509                      IF (ONLY-AMTPEND AND          /  /
3607      002510                      AMTPEND OF HISTORY-RCD = 0) /  /
3607      002511                      MOVE '1' TO STATUSX OF UPDATE-RECORD /  /
3607      002512                      END-IF                        /  /
3607      002513      ELSE                      /  /
3608      002514                      MOVE '1' TO STATUSX OF UPDATE-RECORD. /  /
3609      002515      REWRITE UPDATE-RECORD                        /  /
3610      002516                      INVALID KEY CONTINUE.      /  /
3611      002517      IF      UPDATE-STATUS NOT = I-O-OK          /  /
3612      002518                      SET FILE-NOT-UPDATED TO TRUE /  /
3613      002519                      ROLLBACK                     /  /
3614      002520                      GO TO P649-EXIT.             /  /
3615      002521      COMMIT.                      /  /
3616      002522      MOVE CORR RWH010001 OF UPDATE-RECORD TO    /  /
3616      002523                      RWH010001 OF HOLD-RCD.      /  /
```

*** CORRESPONDING items for statement 3616:

```
***      ITEMTYPE
***      ITEM
***      CNTR
***      LOCDESC
***      ROW
***      COLUMNS
***      SHELF
***      BOXNO
***      NAME
***      EFFDTE
***      EXPDTE
***      CUSTNO
***      REORDPNT
***      AMTHAND
***      CLOSDTE
***      MICRODTE
***      REELNO1
***      REELNO2
***      REELNO3
***      REELNO4
***      REELNO5
***      REELNO6
***      REELNO7
***      REELNO8
***      REELNO9
***      REELNO10
***      BLIPNO1
***      BLIPNO2
***      BLIPNO3
***      BLIPNO4
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

*** BLIPNO5
*** BLIPNO6
*** BLIPNO7
*** BLIPNO8
*** BLIPNO9
*** BLIPNO10
*** DESTDTE
*** ORIGITEM
*** ORIGNAM
*** COMPANY
*** ORIGDATE
*** STATUSX
*** STSDTE
*** EXPRTNDTE
*** IDADD
*** DTEADD
*** IDCHG
*** DTECHG

*** End of CORRESPONDING items for statement 3616

3617	002524	MOVE STATUSX OF HOLD-RCD TO HOLD-STATUSX.	/	/
	002525	P649-EXIT.	/	/
3618	002526	EXIT.	/	/
	002527	P650-REPLENISH.	/	/
3619	002528	SET REPLEN-ACT TO TRUE.	/	/
3620	002529	MOVE CURDTE TO TRNDTE OF HISTORY-RCD.	/	/
3621	002530	MOVE TRNAMT OF RCD03-I TO TRNAMT OF HISTORY-RCD.	/	/
3622	002531	MOVE ZEROES TO EXPRTNDTE OF HISTORY-RCD.	/	/
3623	002532	SET AVAILABLE OF HISTORY-RCD TO TRUE.	/	/
3624	002533	WRITE HISTORY-RCD	/	/
3625	002534	INVALID KEY CONTINUE.	/	/
3626	002535	IF HISTORY-STATUS NOT = I-O-OK	/	/
3627	002536	SET FILE-NOT-UPDATED TO TRUE	/	/
3628	002537	GO TO P659-EXIT.	/	/
3629	002538	MOVE CORR RWH010501 OF HISTORY-RCD TO	/	/
	002539	RWH010001 OF UPDATE-RECORD.	/	/

*** CORRESPONDING items for statement 3629:

*** ITEMTYPE
*** ITEM
*** CNTR
*** EXPRTNDTE
*** STATUSX

*** End of CORRESPONDING items for statement 3629

3630	002540	READ DETAIL-FILE-U	/	/
3631	002541	INVALID KEY CONTINUE.	/	/
3632	002542	IF UPDATE-STATUS NOT = I-O-OK	/	/
3633	002543	SET FILE-NOT-UPDATED TO TRUE	/	/
3634	002544	ROLLBACK	/	/
3635	002545	GO TO P659-EXIT.	/	/
3636	002546	ADD TRNAMT OF RCD03-I TO AMTHAND OF UPDATE-RECORD.	/	/
3637	002547	REWRITE UPDATE-RECORD	/	/
3638	002548	INVALID KEY CONTINUE.	/	/
3639	002549	IF UPDATE-STATUS NOT = I-O-OK	/	/
3640	002550	SET FILE-NOT-UPDATED TO TRUE	/	/
3641	002551	ROLLBACK	/	/
3642	002552	GO TO P659-EXIT.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3643	002553	COMMIT.	/	/
3644	002554	MOVE CORR RWH010001 OF UPDATE-RECORD TO	/	/
	002555	RWH010001 OF HOLD-RCD.	/	/
	***	CORRESPONDING items for statement 3644:		
	***	ITEMTYPE		
	***	ITEM		
	***	CNTR		
	***	LOCDESC		
	***	ROW		
	***	COLUMNS		
	***	SHELF		
	***	BOXNO		
	***	NAME		
	***	EFFDTE		
	***	EXPDTE		
	***	CUSTNO		
	***	REORDPNT		
	***	AMTHAND		
	***	CLOSDTE		
	***	MICRODTE		
	***	REELNO1		
	***	REELNO2		
	***	REELNO3		
	***	REELNO4		
	***	REELNO5		
	***	REELNO6		
	***	REELNO7		
	***	REELNO8		
	***	REELNO9		
	***	REELNO10		
	***	BLIPNO1		
	***	BLIPNO2		
	***	BLIPNO3		
	***	BLIPNO4		
	***	BLIPNO5		
	***	BLIPNO6		
	***	BLIPNO7		
	***	BLIPNO8		
	***	BLIPNO9		
	***	BLIPNO10		
	***	DESTDTE		
	***	ORIGITEM		
	***	ORIGNAM		
	***	COMPANY		
	***	ORIGDATE		
	***	STATUSX		
	***	STSDTE		
	***	EXPRNDTE		
	***	IDADD		
	***	DTEADD		
	***	IDCHG		
	***	DTECHG		
	***	End of CORRESPONDING items for statement 3644		
	002556	P659-EXIT.	/	/
3645	002557	EXIT.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
002558 P660-RTV-CHKOUT. / /
3646 002559 MOVE ITEMTYPE OF HOLD-RCD TO ITEMTYPE OF HISTORY-RCD. / /
3647 002560 MOVE ITEM OF HOLD-RCD TO ITEM OF HISTORY-RCD. / /
3648 002561 MOVE CNTR OF HOLD-RCD TO CNTR OF HISTORY-RCD. / /
3649 002562 MOVE 9999999 TO TRNDTE OF HISTORY-RCD. / /
3650 002563 START HISTORY-FILE / /
002564 KEY NOT < EXTERNALLY-DESCRIBED-KEY / /
3651 002565 INVALID KEY CONTINUE. / /
002566 P669-READ-NEXT. / /
3652 002567 READ HISTORY-FILE NEXT RECORD / /
3653 002568 AT END CONTINUE. / /
3654 002569 IF HISTORY-STATUS NOT = I-O-OK OR / /
002570 ITEMTYPE OF HISTORY-RCD NOT = ITEMTYPE OF HOLD-RCD OR / /
002571 ITEM OF HISTORY-RCD NOT = ITEM OF HOLD-RCD OR / /
002572 CNTR OF HISTORY-RCD NOT = CNTR OF HOLD-RCD / /
3655 002573 MOVE I-O-OK TO HISTORY-STATUS / /
3656 002574 GO TO P669-EXIT. / /
3657 002575 IF STATUSX OF HISTORY-RCD NOT = '2' OR / /
002576 ACTION OF HISTORY-RCD NOT = '01' OR / /
002577 (EQUIP-TYPE OF HOLD-RCD AND / /
002578 IDREQ OF HISTORY-RCD NOT = IDREQ OF HOLD-CHKDTA) / /
3658 002579 GO TO P669-READ-NEXT. / /
3659 002580 MOVE IDREQ OF HISTORY-RCD TO IDREQ OF HOLD-CHKDTA. / /
3660 002581 MOVE FORID OF HISTORY-RCD TO FORID OF HOLD-CHKDTA. / /
3661 002582 MOVE EXPRTNDTE OF HISTORY-RCD TO EXPRTNDTE OF HOLD-CHKDTA. / /
3662 002583 MOVE AMTPEND OF HISTORY-RCD TO AMTPEND OF HOLD-CHKDTA. / /
3663 002584 MOVE EXPRTNDTE OF HISTORY-RCD TO F7-DATE2(1). / /
3664 002585 MOVE CORR F7-DATE(1) TO D8-DATE(1). / /
*** CORRESPONDING items for statement 3664:
*** YY
*** MM
*** DD
*** End of CORRESPONDING items for statement 3664
3665 002586 IF YY OF D8-DATE(1) > 0 / /
3666 002587 ADD 1900 TO YY OF D8-DATE(1). / /
3667 002588 MOVE D8-DATE2(1) TO EXPRTNDTE OF HOLD-CHKDTA. / /
3668 002589 MOVE TRNDTE OF HISTORY-RCD TO F7-DATE2(1). / /
3669 002590 MOVE CORR F7-DATE(1) TO D8-DATE(1). / /
*** CORRESPONDING items for statement 3669:
*** YY
*** MM
*** DD
*** End of CORRESPONDING items for statement 3669
3670 002591 IF YY OF D8-DATE(1) > 0 / /
3671 002592 ADD 1900 TO YY OF D8-DATE(1). / /
3672 002593 MOVE D8-DATE2(1) TO TRNDTE OF HOLD-CHKDTA. / /
3673 002594 MOVE 'N' TO EQPFLG OF HOLD-CHKDTA. / /
3674 002595 IF EQUIP-TYPE OF HOLD-RCD AND / /
002596 AMTPEND OF HOLD-CHKDTA > 0 / /
3675 002597 MOVE 'Y' TO EQPFLG OF HOLD-CHKDTA. / /
002598 P669-EXIT. / /
3676 002599 EXIT. / /
002600 P670-DFT-EXPRTNDTE. / /
3677 002601 INITIALIZE ZRDATCVT-LINKAGE / /
002602 DATE-CONV-TABLE. / /
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3678	002603	MOVE 1 TO DTECNT.	/	/
3679	002604	MOVE CURDTE TO DATE1(1).	/	/
3680	002605	MOVE '*CYMD' TO FRMFMT(1).	/	/
3681	002606	MOVE '*MDYY' TO TOFMT(1).	/	/
3682	002607	IF REOPENED OF HOLD-RCD	/	/
3683	002608	MOVE 6 TO DUR(1)	/	/
	002609	ELSE	/	/
3684	002610	MOVE 1 TO DUR(1).	/	/
3685	002611	MOVE '*DURMO' TO DURTYPE(1).	/	/
3686	002612	CALL 'ZRDATCVT' USING ZRDATCVT-LINKAGE.	/	/
	002613	P679-EXIT.	/	/
3687	002614	EXIT.	/	/
	002615	P700-SFL08.	/	/
3688	002616	MOVE 0 TO AMT-PEND-FLG.	/	/
3689	002617	PERFORM P730-START-SFL08 THRU P739-EXIT.	/	/
3690	002618	IF SHOW-HISTORY	/	/
3691	002619	IF EQUIP-TYPE OF HOLD-RCD	/	/
3692	002620	MOVE B'1' TO IN41	/	/
	002621	ELSE	/	/
3693	002622	MOVE B'0' TO IN41.	/	/
	002623	P702-CLR-CONTROL.	/	/
3694	002624	SET CLEAR-SUBFILE	/	/
	002625	EMPTY-SFL TO TRUE.	/	/
3695	002626	PERFORM PUI-48-WRITE	/	/
	002627	.	/	/
3696	002628	SET DISPLAY-SFL TO TRUE.	/	/
3697	002629	IF ROLL-DOWN	/	/
3698	002630	PERFORM P720-DOWN-RCDS THRU P729-EXIT.	/	/
3699	002631	PERFORM P710-LOAD-SFL08 THRU P719-EXIT.	/	/
	002632	P703-CONTROL.	/	/
3700	002633	MOVE ITEM OF HOLD-RCD TO ITEM OF WDWCTL09-O.	/	/
3701	002634	MOVE ITEMDESC OF TYPE-TBL(ITEMTYPE OF HOLD-RCD) TO	/	/
	002635	ITEMDESC OF WDWCTL09-O.	/	/
3702	002636	PERFORM PUI-49-WRITE	/	/
	002637	.	/	/
3703	002638	PERFORM PUI-50-READ	/	/
3704	002639	IF P-PUI-EOF = "1"	/	/
3705	002640	CONTINUE	/	/
	002641	END-IF	/	/
	002642	.	/	/
3706	002643	IF CANCEL-SCREEN OR	/	/
	002644	END-OF-PROCESS	/	/
3707	002645	GO TO P709-EXIT.	/	/
3708	002646	IF ROLL-UP OR	/	/
	002647	ROLL-DOWN	/	/
3709	002648	GO TO P702-CLR-CONTROL.	/	/
3710	002649	IF SHOW-HISTORY	/	/
3711	002650	GO TO P709-EXIT.	/	/
	002651	P705-READ-SFL08.	/	/
3712	002652	PERFORM PUI-51-READ	/	/
3713	002653	IF P-PUI-EOF = "1"	/	/
3714	002654	GO TO P703-CONTROL	/	/
	002655	END-IF	/	/
	002656	.	/	/
3715	002657	IF SHOW-HISTORY	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
3716      002658      GO TO P709-EXIT.                      /  /
3717      002659      IF    EMPTY-SFL                      /  /
3718      002660      SET EXIT-YES TO TRUE                  /  /
3719      002661      GO TO P709-EXIT.                      /  /
3720      002662      IF    DSP-STATUS =  I-O-OK            AND  /  /
      002663      SELOPT OF WDWSFL08-I = '1'              /  /
3721      002664      MOVE HISTRCD OF WDWSFL08-I TO HOLD-HIST-RCD /  /
3722      002665      MOVE CORR RWH010501 OF HOLD-HIST-RCD TO HOLD-CHKDTA /  /
      *** CORRESPONDING items for statement 3722:
      *** IDREQ
      *** FORID
      *** TRNDTE
      *** TRNAMT
      *** RTNDTE
      *** AMTPEND
      *** EXPRTNDTE
      *** End of CORRESPONDING items for statement 3722
3723      002666      MOVE TRNDTE      OF HOLD-CHKDTA TO F7-DATE2(1) /  /
3724      002667      MOVE EXPRTNDTE OF HOLD-CHKDTA TO F7-DATE2(2) /  /
3725      002668      MOVE RTNDTE      OF HOLD-CHKDTA TO F7-DATE2(3) /  /
3726      002669      MOVE 3 TO NO-DATES                    /  /
3727      002670      PERFORM P9999-FMT-DATES THRU P9999-EXIT /  /
3728      002671      MOVE D8-DATE2(1) TO TRNDTE      OF HOLD-CHKDTA /  /
3729      002672      MOVE D8-DATE2(2) TO EXPRTNDTE OF HOLD-CHKDTA /  /
3730      002673      MOVE D8-DATE2(3) TO RTNDTE      OF HOLD-CHKDTA /  /
3731      002674      GO TO P709-EXIT.                      /  /
3732      002675      GO TO P705-READ-SFL08.                /  /
      002676 P709-EXIT.                      /  /
3733      002677      EXIT.                                  /  /
      002678 P710-LOAD-SFL08.                /  /
3734      002679      MOVE 1 TO DSP-RCD-NO.                 /  /
3735      002680      SET NO-PLUS TO TRUE.                  /  /
3736      002681      IF    HISTORY-STATUS NOT = I-O-OK      /  /
3737      002682      PERFORM P730-START-SFL08 THRU P739-EXIT. /  /
      002683 P713-READ-NEXT.                  /  /
3738      002684      READ  HISTORY-FILE NEXT RECORD        /  /
3739      002685      AT END CONTINUE.                      /  /
3740      002686      IF    HISTORY-STATUS NOT = I-O-OK      OR  /  /
      002687      ITEMYPE OF HISTORY-RCD NOT = ITEMYPE OF HOLD-RCD OR /  /
      002688      ITEM      OF HISTORY-RCD NOT = ITEM      OF HOLD-RCD OR /  /
      002689      CNTR      OF HISTORY-RCD NOT = CNTR      OF HOLD-RCD /  /
3741      002690      MOVE      HISTORY-RCD TO LAST-HIST-RCD /  /
3742      002691      MOVE I-O-OK TO HISTORY-STATUS        /  /
3743      002692      GO TO P719-EXIT.                      /  /
3744      002693      IF    (STATUSX OF HISTORY-RCD NOT = '2'   OR  /  /
      002694      ACTION  OF HISTORY-RCD NOT = '01') AND      /  /
      002695      NOT SHOW-HISTORY                      /  /
3745      002696      GO TO P713-READ-NEXT.                /  /
3746      002697      ADD 1 TO AMT-PEND-FLG.                /  /
3747      002698      IF    ACTION OF HISTORY-RCD = '03'      /  /
3748      002699      SET HIST-REPL-RCD TO TRUE            /  /
      002700      ELSE                                  /  /
3749      002701      SET NOT-REPL-RCD TO TRUE.            /  /
3750      002702      INITIALIZE WDWSFL08-O.                /  /
3751      002703      MOVE HISTORY-RCD TO HISTRCD OF WDWSFL08-O. /  /
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
3752      002704      MOVE TRNDTE OF HISTORY-RCD TO F7-DATE2(1).          /  /
3753      002705      MOVE CORR F7-DATE(1) TO D8-DATE(1).                /  /
          *** CORRESPONDING items for statement 3753:
          ***      YY
          ***      MM
          ***      DD
          *** End of CORRESPONDING items for statement 3753
3754      002706      IF      YY OF D8-DATE(1) > 0                        /  /
3755      002707          ADD 1900 TO YY OF D8-DATE(1).                    /  /
3756      002708      MOVE D8-DATE2(1) TO TRNDTE OF WDWSFL08-O            /  /
          002709          TRNDTE2 OF WDWSFL08-O.                          /  /
3757      002710      MOVE EXPRTNDTE OF HISTORY-RCD TO F7-DATE2(1).        /  /
3758      002711      MOVE CORR F7-DATE(1) TO D8-DATE(1).                /  /
          *** CORRESPONDING items for statement 3758:
          ***      YY
          ***      MM
          ***      DD
          *** End of CORRESPONDING items for statement 3758
3759      002712      IF      YY OF D8-DATE(1) > 0                        /  /
3760      002713          ADD 1900 TO YY OF D8-DATE(1).                    /  /
3761      002714      MOVE D8-DATE2(1) TO EXPRTNDTE OF WDWSFL08-O.        /  /
3762      002715      MOVE RTNDTE OF HISTORY-RCD TO F7-DATE2(1).          /  /
3763      002716      MOVE CORR F7-DATE(1) TO D8-DATE(1).                /  /
          *** CORRESPONDING items for statement 3763:
          ***      YY
          ***      MM
          ***      DD
          *** End of CORRESPONDING items for statement 3763
3764      002717      IF      YY OF D8-DATE(1) > 0                        /  /
3765      002718          ADD 1900 TO YY OF D8-DATE(1).                    /  /
3766      002719      MOVE D8-DATE2(1) TO RTNDTE OF WDWSFL08-O.            /  /
3767      002720      MOVE IDREQ      OF HISTORY-RCD TO IDREQ      OF WDWSFL08-O. /  /
3768      002721      MOVE FORID      OF HISTORY-RCD TO FORID      OF WDWSFL08-O. /  /
3769      002722      MOVE AMTPEND     OF HISTORY-RCD TO AMTPEND     OF WDWSFL08-O. /  /
3770      002723      MOVE TRNAMT      OF HISTORY-RCD TO AMTRET      OF WDWSFL08-O. /  /
3771      002724      PERFORM PUI-52-WRITE                                /  /
3772      002725      IF P-PUI-FOUND = "0"                                /  /
3773      002726          CONTINUE                                          /  /
          002727      END-IF                                              /  /
          002728      .                                                  /  /
3774      002729      IF EMPTY-SFL                                          /  /
3775      002730          SET SFL-DATA TO TRUE.                            /  /
3776      002731      ADD 1 TO DSP-RCD-NO.                                  /  /
3777      002732      IF DSP-RCD-NO > 6                                    /  /
3778      002733          SET DSP-PLUS TO TRUE                            /  /
3779      002734          GO TO P719-EXIT.                                  /  /
3780      002735      GO TO P713-READ-NEXT.                                /  /
          002736      P719-EXIT.                                          /  /
3781      002737      EXIT.                                              /  /
          002738      P720-DOWN-RCDS.                                      /  /
3782      002739      IF HISTORY-STATUS NOT = I-O-OK                      /  /
3783      002740          MOVE LAST-HIST-RCD TO HISTORY-RCD                /  /
3784      002741          START HISTORY-FILE                              /  /
          002742          KEY NOT < EXTERNALLY-DESCRIBED-KEY              /  /
3785      002743          INVALID KEY CONTINUE.                            /  /
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3786	002744	COMPUTE DOWN-RCDS = SFL06-SIZE + HLD-RCD-NO2 - 1.	/	/
3787	002745	PERFORM VARYING CNT FROM 1 BY 1 UNTIL CNT > DOWN-RCDS OR	/	/
	002746	HISTORY-STATUS NOT = I-O-OK	/	/
3788	002747	READ HISTORY-FILE PRIOR RECORD	/	/
3789	002748	AT END CONTINUE	/	/
	002749	END-READ	/	/
	002750	END-PERFORM.	/	/
3790	002751	IF HISTORY-STATUS NOT = I-O-OK	/	/
3791	002752	PERFORM P730-START-SFL08 THRU P739-EXIT.	/	/
	002753	P729-EXIT.	/	/
3792	002754	EXIT.	/	/
	002755	P730-START-SFL08.	/	/
3793	002756	MOVE ITEMTYPE OF HOLD-RCD TO ITEMTYPE OF HISTORY-RCD.	/	/
3794	002757	MOVE ITEM OF HOLD-RCD TO ITEM OF HISTORY-RCD.	/	/
3795	002758	MOVE CNTR OF HOLD-RCD TO CNTR OF HISTORY-RCD.	/	/
3796	002759	MOVE 9999999 TO TRNDTE OF HISTORY-RCD.	/	/
3797	002760	START HISTORY-FILE	/	/
	002761	KEY NOT < EXTERNALLY-DESCRIBED-KEY	/	/
3798	002762	INVALID KEY CONTINUE.	/	/
	002763	P739-EXIT.	/	/
3799	002764	EXIT.	/	/
	002765	P740-WRITE-NOTEPAD-RCD.	/	/
3800	002766	IF NOTEPAD-CALL-CLAIM	/	/
3801	002767	MOVE ITEM OF HOLD-RCD TO CLAIM OF RWXC010A	/	/
3802	002768	START CLAIM-FILE	/	/
	002769	KEY NOT < EXTERNALLY-DESCRIBED-KEY	/	/
3803	002770	INVALID KEY CONTINUE	/	/
	002771	END-START	/	/
3804	002772	READ CLAIM-FILE NEXT RECORD	/	/
3805	002773	AT END CONTINUE	/	/
	002774	END-READ	/	/
3806	002775	IF CLAIM-STATUS NOT = I-O-OK OR	/	/
	002776	CLAIM OF RWXC010A NOT = ITEM OF HOLD-RCD	/	/
3807	002777	GO TO P749-WRITE-NOTEPAD-RCD-EXIT	/	/
	002778	END-IF	/	/
	002779	END-IF.	/	/
3808	002780	INITIALIZE LWXX011-LINKAGE.	/	/
3809	002781	IF NOTEPAD-CALL-CLAIM	/	/
3810	002782	MOVE POLICY OF RWXC010A TO POLICY OF LWXX011-LINKAGE	/	/
3811	002783	MOVE ITEM OF HOLD-RCD TO NOTKEY OF LWXX011-LINKAGE	/	/
3812	002784	MOVE 'C' TO NOTCODE OF LWXX011-LINKAGE	/	/
3813	002785	MOVE COMPANY OF DETAIL-FILE-U TO	/	/
	002786	COMPANY OF LWXX011-LINKAGE	/	/
	002787	ELSE	/	/
3814	002788	IF NOTEPAD-CALL-POLICY	/	/
3815	002789	MOVE ITEM OF HOLD-RCD TO POLICY OF LWXX011-LINKAGE	/	/
3816	002790	MOVE 'P' TO NOTCODE OF LWXX011-LINKAGE	/	/
3817	002791	MOVE COMPANY OF DETAIL-FILE-U TO	/	/
	002792	COMPANY OF LWXX011-LINKAGE	/	/
	002793	END-IF	/	/
	002794	END-IF.	/	/
3818	002795	INITIALIZE DATES-TABLE.	/	/
3819	002796	MOVE CURDTE TO F7-DATE2(1).	/	/
3820	002797	MOVE CORR F7-DATE(1) TO D8-DATE(1).	/	/

*** CORRESPONDING items for statement 3820:

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

```
      ***      YY
      ***      MM
      ***      DD
      *** End of CORRESPONDING items for statement 3820
3821      002798      ADD 1900 TO YY OF D8-DATE(1).          / /
3822      002799      IF CHG-EXPRINDTE                      / /
3823      002800      MOVE EXPRINDTE OF HOLD-CHKDTA TO F7-DATE2(2) / /
      002801      ELSE                                      / /
3824      002802      MOVE DESTDTE OF HOLD-RCD TO F7-DATE2(2). / /
3825      002803      MOVE CORR F7-DATE(2) TO D8-DATE(2).    / /
      *** CORRESPONDING items for statement 3825:
      ***      YY
      ***      MM
      ***      DD
      *** End of CORRESPONDING items for statement 3825
3826      002804      ADD 1900 TO YY OF D8-DATE(2).          / /
3827      002805      INITIALIZE HLD-BOXNO NUM-SPACES.        / /
3828      002806      IF CURBOX NOT = ' '                    / /
3829      002807      INSPECT CURBOX TALLYING NUM-SPACES FOR LEADING SPACES / /
3830      002808      IF NUM-SPACES > 0                        / /
3831      002809      MOVE CURBOX(NUM-SPACES + 1:5 - NUM-SPACES) TO HLD-BOXNO / /
3832      002810      INITIALIZE CURBOX                        / /
3833      002811      MOVE HLD-BOXNO TO CURBOX                 / /
      002812      END-IF                                       / /
      002813      END-IF.                                       / /
3834      002814      INITIALIZE NUM-SPACES HLD-BOXNO.        / /
3835      002815      IF NEWBOX NOT = ' '                      / /
3836      002816      INSPECT NEWBOX TALLYING NUM-SPACES FOR LEADING SPACES / /
3837      002817      IF NUM-SPACES > 0                        / /
3838      002818      MOVE NEWBOX(NUM-SPACES + 1:5 - NUM-SPACES) TO HLD-BOXNO / /
3839      002819      INITIALIZE NEWBOX                        / /
3840      002820      MOVE HLD-BOXNO TO NEWBOX                 / /
      002821      END-IF                                       / /
      002822      END-IF.                                       / /
3841      002823      MOVE SPACES TO HOLD-ID.                  / /
3842      002824      EVALUATE TRUE                             / /
      002825      WHEN CHECK-OUT-FLG                           / /
3843      002826      SET NOT-CHECK-OUT TO TRUE                / /
3844      002827      IF IDREQ OF HOLD-CHKDTA = ' '            / /
3845      002828      MOVE USER TO HOLD-ID                     / /
      002829      ELSE                                         / /
3846      002830      MOVE IDREQ OF HOLD-CHKDTA TO HOLD-ID     / /
      002831      END-IF                                       / /
3847      002832      IF FORID OF HOLD-CHKDTA = ' '            / /
3848      002833      STRING 'WAREHOUSE FILE CHECKED OUT BY ' / /
      002834      DELIMITED BY SIZE                            / /
      002835      HOLD-ID DELIMITED BY ' '                     / /
      002836      ' ON ' DELIMITED BY SIZE                      / /
      002837      MM OF D8-DATE(1) DELIMITED BY SIZE           / /
      002838      '/' DELIMITED BY SIZE                        / /
      002839      DD OF D8-DATE(1) DELIMITED BY SIZE           / /
      002840      '/' DELIMITED BY SIZE                        / /
      002841      YY OF D8-DATE(1) DELIMITED BY SIZE           / /
      002842      INTO NOTDES OF LWXX011-LINKAGE               / /
      002843      ELSE                                         / /
```

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3849	002844	STRING 'WAREHOUSE FILE CHECKED OUT BY '	/	/
	002845	DELIMITED BY SIZE	/	/
	002846	HOLD-ID	/	/
	002847	' ON '	/	/
	002848	MM OF D8-DATE(1)	/	/
	002849	'/'	/	/
	002850	DD OF D8-DATE(1)	/	/
	002851	'/'	/	/
	002852	YY OF D8-DATE(1)	/	/
	002853	' FOR '	/	/
	002854	FORID OF HOLD-CHKDTA	/	/
	002855	DELIMITED BY ' '	/	/
	002855	INTO NOTDES OF LWXX011-LINKAGE	/	/
	002856	END-IF	/	/
	002857	WHEN RETURN-FLG	/	/
3850	002858	SET NOT-RETURN TO TRUE	/	/
3851	002859	IF IDREQ OF HISTORY-FILE = ' '	/	/
3852	002860	MOVE USER TO HOLD-ID	/	/
	002861	ELSE	/	/
3853	002862	MOVE IDREQ OF HISTORY-FILE TO HOLD-ID	/	/
	002863	END-IF	/	/
3854	002864	IF FORID OF HISTORY-FILE = ' '	/	/
3855	002865	STRING 'WAREHOUSE FILE RETURNED BY '	/	/
	002866	DELIMITED BY SIZE	/	/
	002867	HOLD-ID	/	/
	002868	' ON '	/	/
	002869	MM OF D8-DATE(1)	/	/
	002870	'/'	/	/
	002871	DD OF D8-DATE(1)	/	/
	002872	'/'	/	/
	002873	YY OF D8-DATE(1)	/	/
	002874	DELIMITED BY SIZE	/	/
	002874	INTO NOTDES OF LWXX011-LINKAGE	/	/
	002875	ELSE	/	/
3856	002876	STRING 'WAREHOUSE FILE RETURNED BY '	/	/
	002877	DELIMITED BY SIZE	/	/
	002878	HOLD-ID	/	/
	002879	' ON '	/	/
	002880	MM OF D8-DATE(1)	/	/
	002881	'/'	/	/
	002882	DD OF D8-DATE(1)	/	/
	002883	'/'	/	/
	002884	YY OF D8-DATE(1)	/	/
	002885	' FOR '	/	/
	002886	FORID OF HISTORY-FILE	/	/
	002887	DELIMITED BY ' '	/	/
	002887	INTO NOTDES OF LWXX011-LINKAGE	/	/
	002888	END-IF	/	/
	002889	WHEN BOXNO-CHANGED	/	/
3857	002890	SET BOXNO-SAME TO TRUE	/	/
3858	002891	IF CURBOX = ' '	/	/
3859	002892	STRING 'WAREHOUSE FILE ADDED - ' DELIMITED BY SIZE	/	/
	002893	'BOX NO. ' DELIMITED BY SIZE	/	/
	002894	NEWBOX DELIMITED BY SIZE	/	/
	002895	INTO NOTDES OF LWXX011-LINKAGE	/	/
	002896	ELSE	/	/
3860	002897	STRING 'WAREHOUSE BOX NO. CHANGED FROM '	/	/
	002898	DELIMITED BY SIZE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	002899	CURBOX	DELIMITED BY ' '	/	/
	002900	' TO '	DELIMITED BY SIZE	/	/
	002901	NEWBOX	DELIMITED BY ' '	/	/
	002902	' ON '	DELIMITED BY SIZE	/	/
	002903	MM OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002904	'/'	DELIMITED BY SIZE	/	/
	002905	DD OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002906	'/'	DELIMITED BY SIZE	/	/
	002907	YY OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002908	' BY '	DELIMITED BY SIZE	/	/
	002909	USER	DELIMITED BY ' '	/	/
	002910	INTO NOTDES OF LWXX011-LINKAGE		/	/
	002911	END-IF		/	/
	002912	WHEN DESTDTE-CHANGED		/	/
3861	002913	SET DESTDTE-SAME TO TRUE		/	/
3862	002914	STRING 'WAREHOUSE FILE DEST. DATE CHANGED TO '		/	/
	002915		DELIMITED BY SIZE	/	/
	002916	MM OF D8-DATE(2)	DELIMITED BY SIZE	/	/
	002917	'/'	DELIMITED BY SIZE	/	/
	002918	DD OF D8-DATE(2)	DELIMITED BY SIZE	/	/
	002919	'/'	DELIMITED BY SIZE	/	/
	002920	YY OF D8-DATE(2)	DELIMITED BY SIZE	/	/
	002921	' BY '	DELIMITED BY SIZE	/	/
	002922	USER	DELIMITED BY ' '	/	/
	002923	' ON '	DELIMITED BY SIZE	/	/
	002924	MM OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002925	'/'	DELIMITED BY SIZE	/	/
	002926	DD OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002927	'/'	DELIMITED BY SIZE	/	/
	002928	YY OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002929	INTO NOTDES OF LWXX011-LINKAGE		/	/
	002930	WHEN ADD-RCD		/	/
3863	002931	IF NEWBOX NOT = ' '		/	/
3864	002932	STRING 'WAREHOUSE FILE ADDED - '	DELIMITED BY SIZE	/	/
	002933	'BOX NO. '	DELIMITED BY SIZE	/	/
	002934	NEWBOX	DELIMITED BY SIZE	/	/
	002935	' ON '	DELIMITED BY SIZE	/	/
	002936	MM OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002937	'/'	DELIMITED BY SIZE	/	/
	002938	DD OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002939	'/'	DELIMITED BY SIZE	/	/
	002940	YY OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002941	INTO NOTDES OF LWXX011-LINKAGE		/	/
	002942	END-IF		/	/
	002943	WHEN CHG-EXPTNDTE		/	/
3865	002944	STRING 'WAREHOUSE FILE RETURN DATE CHANGED TO '		/	/
	002945		DELIMITED BY SIZE	/	/
	002946	MM OF D8-DATE(2)	DELIMITED BY SIZE	/	/
	002947	'/'	DELIMITED BY SIZE	/	/
	002948	DD OF D8-DATE(2)	DELIMITED BY SIZE	/	/
	002949	'/'	DELIMITED BY SIZE	/	/
	002950	YY OF D8-DATE(2)	DELIMITED BY SIZE	/	/
	002951	' BY '	DELIMITED BY SIZE	/	/
	002952	USER	DELIMITED BY ' '	/	/
	002953	' ON '	DELIMITED BY SIZE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	002954	MM OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002955	'/'	DELIMITED BY SIZE	/	/
	002956	DD OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002957	'/'	DELIMITED BY SIZE	/	/
	002958	YY OF D8-DATE(1)	DELIMITED BY SIZE	/	/
	002959	INTO NOTDES OF LWXX011-LINKAGE		/	/
	002960	END-EVALUATE.		/	/
3866	002961	MOVE '*NOTEPAD' TO IDADD OF LWXX011-LINKAGE.		/	/
3867	002962	MOVE CURDTE TO DTEADD OF LWXX011-LINKAGE.		/	/
3868	002963	CALL 'LWXX011' USING LWXX011-LINKAGE.		/	/
	002964	P749-WRITE-NOTEPAD-RCD-EXIT.		/	/
3869	002965	EXIT.		/	/
	002966	P9998-UNFMT-DATES.		/	/
3870	002967	PERFORM VARYING DATX FROM 1 BY 1 UNTIL DATX > NO-DATES		/	/
3871	002968	IF YY OF D8-DATE(DATX) > 1900		/	/
3872	002969	SUBTRACT 1900 FROM YY OF D8-DATE(DATX)		/	/
	002970	END-IF		/	/
3873	002971	MOVE CORR D8-DATE(DATX) TO F7-DATE(DATX)		/	/
	***	CORRESPONDING items for statement 3873:			
	***	MM			
	***	DD			
	***	YY			
	***	End of CORRESPONDING items for statement 3873			
	002972	END-PERFORM.		/	/
	002973	P9998-EXIT.		/	/
3874	002974	EXIT.		/	/
	002975	P9999-FMT-DATES.		/	/
3875	002976	PERFORM VARYING DATX FROM 1 BY 1 UNTIL DATX > NO-DATES		/	/
3876	002977	MOVE CORR F7-DATE(DATX) TO D8-DATE(DATX)		/	/
	***	CORRESPONDING items for statement 3876:			
	***	YY			
	***	MM			
	***	DD			
	***	End of CORRESPONDING items for statement 3876			
3877	002978	IF YY OF D8-DATE(DATX) > 0		/	/
3878	002979	ADD 1900 TO YY OF D8-DATE(DATX)		/	/
	002980	END-IF		/	/
	002981	END-PERFORM.		/	/
	002982	P9999-EXIT.		/	/
3879	002983	EXIT.		/	/
	002984	PUI-GENERATED-ROUTINES SECTION.		/	/
	002985	PUI-1-OPEN.		/	/
3880	002986	MOVE "0" TO P-PUI-HAS-INDARA		/	/
3881	002987	MOVE "O" TO P-PUI-ACTION		/	/
3882	002988	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	002989	TO P-PUI-OPEN-ACCESS-LENGTH		/	/
3883	002990	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE		/	/
3884	002991	MOVE "0" TO P-PUI-IS-SUBFILE		/	/
3885	002992	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN		/	/
3886	002993	CALL "PUICBL001P" USING P-PUI-ACTION		/	/
	002994	P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	002995	P-PUI-OPEN-ACCESS-LENGTH		/	/
	002996	P-PUI-RECORD-LEVELS		/	/
	002997	P-PUI-DISPLAY-NAMES		/	/
	002998	P-PUI-IS-OPEN-TABLE		/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	002999	P-PUI-DSP-INDEX	/	/
	003000	P-PUI-DUMMY-PARM	/	/
	003001	P-PUI-EOF	/	/
	003002	P-PUI-FOUND	/	/
	003003	P-PUI-RECORD-COUNT	/	/
	003004	P-PUI-RECORD-DATA-TABLE	/	/
	003005	P-PUI-QUALIFIED-FILE	/	/
	003006	P-PUI-DUMMY-PARM	/	/
	003007	P-PUI-RECORD-FORMAT	/	/
	003008	P-PUI-IS-SUBFILE	/	/
	003009	P-PUI-SUBFILE-RRN	/	/
	003010	P-PUI-COMMAND-KEYS	/	/
	003011	P-PUI-HAS-INDARA	/	/
	003012	P-PUI-DUMMY-PARM	/	/
	003013	P-PUI-CONTROL-AREA	/	/
	003014	P-PUI-I-O-FEEDBACK	/	/
	003015	P-PUI-OPEN-FEEDBACK	/	/
	003016	END-CALL	/	/
3887	003017	CONTINUE.	/	/
	003018	PUI-2-CLOSE.	/	/
3888	003019	MOVE "0" TO P-PUI-HAS-INDARA	/	/
3889	003020	MOVE "C" TO P-PUI-ACTION	/	/
3890	003021	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003022	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
3891	003023	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
3892	003024	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
3893	003025	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
3894	003026	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003027	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003028	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003029	P-PUI-RECORD-LEVELS	/	/
	003030	P-PUI-DISPLAY-NAMES	/	/
	003031	P-PUI-IS-OPEN-TABLE	/	/
	003032	P-PUI-DSP-INDEX	/	/
	003033	P-PUI-DUMMY-PARM	/	/
	003034	P-PUI-EOF	/	/
	003035	P-PUI-FOUND	/	/
	003036	P-PUI-RECORD-COUNT	/	/
	003037	P-PUI-RECORD-DATA-TABLE	/	/
	003038	P-PUI-QUALIFIED-FILE	/	/
	003039	P-PUI-DUMMY-PARM	/	/
	003040	P-PUI-RECORD-FORMAT	/	/
	003041	P-PUI-IS-SUBFILE	/	/
	003042	P-PUI-SUBFILE-RRN	/	/
	003043	P-PUI-COMMAND-KEYS	/	/
	003044	P-PUI-HAS-INDARA	/	/
	003045	P-PUI-DUMMY-PARM	/	/
	003046	P-PUI-CONTROL-AREA	/	/
	003047	P-PUI-I-O-FEEDBACK	/	/
	003048	P-PUI-OPEN-FEEDBACK	/	/
	003049	END-CALL	/	/
3895	003050	CONTINUE.	/	/
	003051	PUI-0-INITIALIZE.	/	/
3896	003052	IF PUI-IS-INITIALIZED = "0"	/	/
3897	003053	MOVE "WHD0050C" TO P-PUI-DISPLAY-NAME (1)	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3898	003054	MOVE 24 TO P-PUI-RECORD-COUNT	/	/
3899	003055	MOVE "CTL01" TO P-PUI-RECORD-NAME (1)	/	/
3900	003056	MOVE "085A4943172E8" TO P-PUI-RECORD-LEVEL (1)	/	/
3901	003057	MOVE "QSFLCTL001" TO P-PUI-RECORD-NAME (2)	/	/
3902	003058	MOVE "0C9D3B7D3C4B7" TO P-PUI-RECORD-LEVEL (2)	/	/
3903	003059	MOVE "QSFLCTL002" TO P-PUI-RECORD-NAME (3)	/	/
3904	003060	MOVE "0C9D3B8D3C4B7" TO P-PUI-RECORD-LEVEL (3)	/	/
3905	003061	MOVE "QSFLCTL003" TO P-PUI-RECORD-NAME (4)	/	/
3906	003062	MOVE "0C9D3B9D3C4B7" TO P-PUI-RECORD-LEVEL (4)	/	/
3907	003063	MOVE "QSFLCTL004" TO P-PUI-RECORD-NAME (5)	/	/
3908	003064	MOVE "0C9D3BAD3C4B7" TO P-PUI-RECORD-LEVEL (5)	/	/
3909	003065	MOVE "RCD01" TO P-PUI-RECORD-NAME (6)	/	/
3910	003066	MOVE "09B84853172E8" TO P-PUI-RECORD-LEVEL (6)	/	/
3911	003067	MOVE "RCD02" TO P-PUI-RECORD-NAME (7)	/	/
3912	003068	MOVE "266038016007A" TO P-PUI-RECORD-LEVEL (7)	/	/
3913	003069	MOVE "RCD03" TO P-PUI-RECORD-NAME (8)	/	/
3914	003070	MOVE "1D24A151DDEFF" TO P-PUI-RECORD-LEVEL (8)	/	/
3915	003071	MOVE "SFL01" TO P-PUI-RECORD-NAME (9)	/	/
3916	003072	MOVE "1B42188EAB315" TO P-PUI-RECORD-LEVEL (9)	/	/
3917	003073	MOVE "WDWCTL03" TO P-PUI-RECORD-NAME (10)	/	/
3918	003074	MOVE "05B85A704662C" TO P-PUI-RECORD-LEVEL (10)	/	/
3919	003075	MOVE "WDWCTL04" TO P-PUI-RECORD-NAME (11)	/	/
3920	003076	MOVE "05C85A704662C" TO P-PUI-RECORD-LEVEL (11)	/	/
3921	003077	MOVE "WDWCTL09" TO P-PUI-RECORD-NAME (12)	/	/
3922	003078	MOVE "07382A4A5CF67" TO P-PUI-RECORD-LEVEL (12)	/	/
3923	003079	MOVE "WDWSFL03" TO P-PUI-RECORD-NAME (13)	/	/
3924	003080	MOVE "1632A38E41210" TO P-PUI-RECORD-LEVEL (13)	/	/
3925	003081	MOVE "WDWSFL04" TO P-PUI-RECORD-NAME (14)	/	/
3926	003082	MOVE "1ADB79B17163B" TO P-PUI-RECORD-LEVEL (14)	/	/
3927	003083	MOVE "WDWSFL08" TO P-PUI-RECORD-NAME (15)	/	/
3928	003084	MOVE "1B8DBD07C1E97" TO P-PUI-RECORD-LEVEL (15)	/	/
3929	003085	MOVE "WDW01" TO P-PUI-RECORD-NAME (16)	/	/
3930	003086	MOVE "03921118EDB67" TO P-PUI-RECORD-LEVEL (16)	/	/
3931	003087	MOVE "WDW02" TO P-PUI-RECORD-NAME (17)	/	/
3932	003088	MOVE "15199D731021C" TO P-PUI-RECORD-LEVEL (17)	/	/
3933	003089	MOVE "WDW03" TO P-PUI-RECORD-NAME (18)	/	/
3934	003090	MOVE "0570B3B3174CB" TO P-PUI-RECORD-LEVEL (18)	/	/
3935	003091	MOVE "WDW05" TO P-PUI-RECORD-NAME (19)	/	/
3936	003092	MOVE "143D9F0B70EC2" TO P-PUI-RECORD-LEVEL (19)	/	/
3937	003093	MOVE "WDW07" TO P-PUI-RECORD-NAME (20)	/	/
3938	003094	MOVE "0BA82975884BA" TO P-PUI-RECORD-LEVEL (20)	/	/
3939	003095	MOVE "WDW10" TO P-PUI-RECORD-NAME (21)	/	/
3940	003096	MOVE "1432D3CC871C3" TO P-PUI-RECORD-LEVEL (21)	/	/
3941	003097	MOVE "WDW11" TO P-PUI-RECORD-NAME (22)	/	/
3942	003098	MOVE "0A885A73272E8" TO P-PUI-RECORD-LEVEL (22)	/	/
3943	003099	MOVE "WDW12" TO P-PUI-RECORD-NAME (23)	/	/
3944	003100	MOVE "1481F30B673C7" TO P-PUI-RECORD-LEVEL (23)	/	/
3945	003101	MOVE "WDW13" TO P-PUI-RECORD-NAME (24)	/	/
3946	003102	MOVE "0270526F1F381" TO P-PUI-RECORD-LEVEL (24)	/	/
3947	003103	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
3948	003104	MOVE "1" TO PUI-IS-INITIALIZED	/	/
	003105	END-IF	/	/
3949	003106	CONTINUE.	/	/
	003107	COPY PUIABORT IN QCBLINC.	/	/
	003108	PUI-1-WRITE.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3950	003109	MOVE "1" TO P-PUI-HAS-INDARA	/	/
3951	003110	IF LENGTH OF INDIC-AREA NOT = 99	/	/
3952	003111	MOVE "Indicator structure"	/	/
	003112	TO PUI-IN-MESSAGE-DATA	/	/
3953	003113	MOVE "INDIC-AREA"	/	/
	003114	TO PUI-IN-MESSAGE-DATA (21:)	/	/
3954	003115	MOVE "must be 99 bytes long"	/	/
	003116	TO PUI-IN-MESSAGE-DATA (52:)	/	/
3955	003117	PERFORM PUI-250-ABORT	/	/
	003118	END-IF	/	/
3956	003119	MOVE "W" TO P-PUI-ACTION	/	/
3957	003120	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003121	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
3958	003122	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
3959	003123	MOVE 'CTL01' TO P-PUI-RECORD-FORMAT	/	/
3960	003124	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
3961	003125	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
3962	003126	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003127	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003128	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003129	P-PUI-RECORD-LEVELS	/	/
	003130	P-PUI-DISPLAY-NAMES	/	/
	003131	P-PUI-IS-OPEN-TABLE	/	/
	003132	P-PUI-DSP-INDEX	/	/
	003133	P-PUI-DUMMY-PARM	/	/
	003134	P-PUI-EOF	/	/
	003135	P-PUI-FOUND	/	/
	003136	P-PUI-RECORD-COUNT	/	/
	003137	P-PUI-RECORD-DATA-TABLE	/	/
	003138	P-PUI-QUALIFIED-FILE	/	/
	003139	DISPLAY-RCD	/	/
	003140	P-PUI-RECORD-FORMAT	/	/
	003141	P-PUI-IS-SUBFILE	/	/
	003142	P-PUI-SUBFILE-RRN	/	/
	003143	P-PUI-COMMAND-KEYS	/	/
	003144	P-PUI-HAS-INDARA	/	/
	003145	INDIC-AREA	/	/
	003146	P-PUI-CONTROL-AREA	/	/
	003147	P-PUI-I-O-FEEDBACK	/	/
	003148	P-PUI-OPEN-FEEDBACK	/	/
	003149	END-CALL	/	/
3963	003150	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
3964	003151	CONTINUE.	/	/
	003152	PUI-2-WRITE.	/	/
3965	003153	MOVE "1" TO P-PUI-HAS-INDARA	/	/
3966	003154	IF LENGTH OF INDIC-AREA NOT = 99	/	/
3967	003155	MOVE "Indicator structure"	/	/
	003156	TO PUI-IN-MESSAGE-DATA	/	/
3968	003157	MOVE "INDIC-AREA"	/	/
	003158	TO PUI-IN-MESSAGE-DATA (21:)	/	/
3969	003159	MOVE "must be 99 bytes long"	/	/
	003160	TO PUI-IN-MESSAGE-DATA (52:)	/	/
3970	003161	PERFORM PUI-250-ABORT	/	/
	003162	END-IF	/	/
3971	003163	MOVE "W" TO P-PUI-ACTION	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

3972	003164	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003165	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
3973	003166	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
3974	003167	MOVE 'RCD01' TO P-PUI-RECORD-FORMAT	/	/
3975	003168	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
3976	003169	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
3977	003170	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003171	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003172	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003173	P-PUI-RECORD-LEVELS	/	/
	003174	P-PUI-DISPLAY-NAMES	/	/
	003175	P-PUI-IS-OPEN-TABLE	/	/
	003176	P-PUI-DSP-INDEX	/	/
	003177	P-PUI-DUMMY-PARM	/	/
	003178	P-PUI-EOF	/	/
	003179	P-PUI-FOUND	/	/
	003180	P-PUI-RECORD-COUNT	/	/
	003181	P-PUI-RECORD-DATA-TABLE	/	/
	003182	P-PUI-QUALIFIED-FILE	/	/
	003183	DISPLAY-RCD	/	/
	003184	P-PUI-RECORD-FORMAT	/	/
	003185	P-PUI-IS-SUBFILE	/	/
	003186	P-PUI-SUBFILE-RRN	/	/
	003187	P-PUI-COMMAND-KEYS	/	/
	003188	P-PUI-HAS-INDARA	/	/
	003189	INDIC-AREA	/	/
	003190	P-PUI-CONTROL-AREA	/	/
	003191	P-PUI-I-O-FEEDBACK	/	/
	003192	P-PUI-OPEN-FEEDBACK	/	/
	003193	END-CALL	/	/
3978	003194	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
3979	003195	CONTINUE.	/	/
	003196	PUI-3-WRITE.	/	/
3980	003197	MOVE "1" TO P-PUI-HAS-INDARA	/	/
3981	003198	IF LENGTH OF INDIC-AREA NOT = 99	/	/
3982	003199	MOVE "Indicator structure"	/	/
	003200	TO PUI-IN-MESSAGE-DATA	/	/
3983	003201	MOVE "INDIC-AREA"	/	/
	003202	TO PUI-IN-MESSAGE-DATA (21:)	/	/
3984	003203	MOVE "must be 99 bytes long"	/	/
	003204	TO PUI-IN-MESSAGE-DATA (52:)	/	/
3985	003205	PERFORM PUI-250-ABORT	/	/
	003206	END-IF	/	/
3986	003207	MOVE "W" TO P-PUI-ACTION	/	/
3987	003208	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003209	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
3988	003210	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
3989	003211	MOVE 'CTL01' TO P-PUI-RECORD-FORMAT	/	/
3990	003212	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
3991	003213	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
3992	003214	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003215	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003216	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003217	P-PUI-RECORD-LEVELS	/	/
	003218	P-PUI-DISPLAY-NAMES	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003219	P-PUI-IS-OPEN-TABLE	/	/
	003220	P-PUI-DSP-INDEX	/	/
	003221	P-PUI-DUMMY-PARM	/	/
	003222	P-PUI-EOF	/	/
	003223	P-PUI-FOUND	/	/
	003224	P-PUI-RECORD-COUNT	/	/
	003225	P-PUI-RECORD-DATA-TABLE	/	/
	003226	P-PUI-QUALIFIED-FILE	/	/
	003227	DISPLAY-RCD	/	/
	003228	P-PUI-RECORD-FORMAT	/	/
	003229	P-PUI-IS-SUBFILE	/	/
	003230	P-PUI-SUBFILE-RRN	/	/
	003231	P-PUI-COMMAND-KEYS	/	/
	003232	P-PUI-HAS-INDARA	/	/
	003233	INDIC-AREA	/	/
	003234	P-PUI-CONTROL-AREA	/	/
	003235	P-PUI-I-O-FEEDBACK	/	/
	003236	P-PUI-OPEN-FEEDBACK	/	/
	003237	END-CALL	/	/
3993	003238	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
3994	003239	CONTINUE.	/	/
	003240	PUI-4-READ.	/	/
3995	003241	MOVE "1" TO P-PUI-HAS-INDARA	/	/
3996	003242	IF LENGTH OF INDIC-AREA NOT = 99	/	/
3997	003243	MOVE "Indicator structure"	/	/
	003244	TO PUI-IN-MESSAGE-DATA	/	/
3998	003245	MOVE "INDIC-AREA"	/	/
	003246	TO PUI-IN-MESSAGE-DATA (21:)	/	/
3999	003247	MOVE "must be 99 bytes long"	/	/
	003248	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4000	003249	PERFORM PUI-250-ABORT	/	/
	003250	END-IF	/	/
4001	003251	MOVE "R" TO P-PUI-ACTION	/	/
4002	003252	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003253	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4003	003254	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4004	003255	MOVE 'CTL01' TO P-PUI-RECORD-FORMAT	/	/
4005	003256	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4006	003257	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4007	003258	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003259	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003260	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003261	P-PUI-RECORD-LEVELS	/	/
	003262	P-PUI-DISPLAY-NAMES	/	/
	003263	P-PUI-IS-OPEN-TABLE	/	/
	003264	P-PUI-DSP-INDEX	/	/
	003265	P-PUI-DUMMY-PARM	/	/
	003266	P-PUI-EOF	/	/
	003267	P-PUI-FOUND	/	/
	003268	P-PUI-RECORD-COUNT	/	/
	003269	P-PUI-RECORD-DATA-TABLE	/	/
	003270	P-PUI-QUALIFIED-FILE	/	/
	003271	DISPLAY-RCD	/	/
	003272	P-PUI-RECORD-FORMAT	/	/
	003273	P-PUI-IS-SUBFILE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003274	P-PUI-SUBFILE-RRN	/	/
	003275	P-PUI-COMMAND-KEYS	/	/
	003276	P-PUI-HAS-INDARA	/	/
	003277	INDIC-AREA	/	/
	003278	P-PUI-CONTROL-AREA	/	/
	003279	P-PUI-I-O-FEEDBACK	/	/
	003280	P-PUI-OPEN-FEEDBACK	/	/
	003281	END-CALL	/	/
4008	003282	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4009	003283	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4010	003284	CONTINUE.	/	/
	003285	PUI-5-WRITE.	/	/
4011	003286	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4012	003287	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4013	003288	MOVE "Indicator structure"	/	/
	003289	TO PUI-IN-MESSAGE-DATA	/	/
4014	003290	MOVE "INDIC-AREA"	/	/
	003291	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4015	003292	MOVE "must be 99 bytes long"	/	/
	003293	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4016	003294	PERFORM PUI-250-ABORT	/	/
	003295	END-IF	/	/
4017	003296	MOVE "W" TO P-PUI-ACTION	/	/
4018	003297	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003298	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4019	003299	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4020	003300	MOVE 'RCD01' TO P-PUI-RECORD-FORMAT	/	/
4021	003301	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4022	003302	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4023	003303	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003304	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003305	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003306	P-PUI-RECORD-LEVELS	/	/
	003307	P-PUI-DISPLAY-NAMES	/	/
	003308	P-PUI-IS-OPEN-TABLE	/	/
	003309	P-PUI-DSP-INDEX	/	/
	003310	P-PUI-DUMMY-PARM	/	/
	003311	P-PUI-EOF	/	/
	003312	P-PUI-FOUND	/	/
	003313	P-PUI-RECORD-COUNT	/	/
	003314	P-PUI-RECORD-DATA-TABLE	/	/
	003315	P-PUI-QUALIFIED-FILE	/	/
	003316	DISPLAY-RCD	/	/
	003317	P-PUI-RECORD-FORMAT	/	/
	003318	P-PUI-IS-SUBFILE	/	/
	003319	P-PUI-SUBFILE-RRN	/	/
	003320	P-PUI-COMMAND-KEYS	/	/
	003321	P-PUI-HAS-INDARA	/	/
	003322	INDIC-AREA	/	/
	003323	P-PUI-CONTROL-AREA	/	/
	003324	P-PUI-I-O-FEEDBACK	/	/
	003325	P-PUI-OPEN-FEEDBACK	/	/
	003326	END-CALL	/	/
4024	003327	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4025	003328	CONTINUE.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003329	PUI-6-WRITE.	/	/
4026	003330	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4027	003331	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4028	003332	MOVE "Indicator structure"	/	/
	003333	TO PUI-IN-MESSAGE-DATA	/	/
4029	003334	MOVE "INDIC-AREA"	/	/
	003335	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4030	003336	MOVE "must be 99 bytes long"	/	/
	003337	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4031	003338	PERFORM PUI-250-ABORT	/	/
	003339	END-IF	/	/
4032	003340	MOVE "W" TO P-PUI-ACTION	/	/
4033	003341	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003342	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4034	003343	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4035	003344	MOVE 'CTL01' TO P-PUI-RECORD-FORMAT	/	/
4036	003345	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4037	003346	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4038	003347	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003348	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003349	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003350	P-PUI-RECORD-LEVELS	/	/
	003351	P-PUI-DISPLAY-NAMES	/	/
	003352	P-PUI-IS-OPEN-TABLE	/	/
	003353	P-PUI-DSP-INDEX	/	/
	003354	P-PUI-DUMMY-PARM	/	/
	003355	P-PUI-EOF	/	/
	003356	P-PUI-FOUND	/	/
	003357	P-PUI-RECORD-COUNT	/	/
	003358	P-PUI-RECORD-DATA-TABLE	/	/
	003359	P-PUI-QUALIFIED-FILE	/	/
	003360	DISPLAY-RCD	/	/
	003361	P-PUI-RECORD-FORMAT	/	/
	003362	P-PUI-IS-SUBFILE	/	/
	003363	P-PUI-SUBFILE-RRN	/	/
	003364	P-PUI-COMMAND-KEYS	/	/
	003365	P-PUI-HAS-INDARA	/	/
	003366	INDIC-AREA	/	/
	003367	P-PUI-CONTROL-AREA	/	/
	003368	P-PUI-I-O-FEEDBACK	/	/
	003369	P-PUI-OPEN-FEEDBACK	/	/
	003370	END-CALL	/	/
4039	003371	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4040	003372	CONTINUE.	/	/
	003373	PUI-7-WRITE.	/	/
4041	003374	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4042	003375	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4043	003376	MOVE "Indicator structure"	/	/
	003377	TO PUI-IN-MESSAGE-DATA	/	/
4044	003378	MOVE "INDIC-AREA"	/	/
	003379	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4045	003380	MOVE "must be 99 bytes long"	/	/
	003381	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4046	003382	PERFORM PUI-250-ABORT	/	/
	003383	END-IF	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4047	003384	MOVE "W" TO P-PUI-ACTION	/	/
4048	003385	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003386	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4049	003387	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4050	003388	MOVE 'WDWCTL03' TO P-PUI-RECORD-FORMAT	/	/
4051	003389	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4052	003390	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4053	003391	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003392	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003393	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003394	P-PUI-RECORD-LEVELS	/	/
	003395	P-PUI-DISPLAY-NAMES	/	/
	003396	P-PUI-IS-OPEN-TABLE	/	/
	003397	P-PUI-DSP-INDEX	/	/
	003398	P-PUI-DUMMY-PARM	/	/
	003399	P-PUI-EOF	/	/
	003400	P-PUI-FOUND	/	/
	003401	P-PUI-RECORD-COUNT	/	/
	003402	P-PUI-RECORD-DATA-TABLE	/	/
	003403	P-PUI-QUALIFIED-FILE	/	/
	003404	DISPLAY-RCD	/	/
	003405	P-PUI-RECORD-FORMAT	/	/
	003406	P-PUI-IS-SUBFILE	/	/
	003407	P-PUI-SUBFILE-RRN	/	/
	003408	P-PUI-COMMAND-KEYS	/	/
	003409	P-PUI-HAS-INDARA	/	/
	003410	INDIC-AREA	/	/
	003411	P-PUI-CONTROL-AREA	/	/
	003412	P-PUI-I-O-FEEDBACK	/	/
	003413	P-PUI-OPEN-FEEDBACK	/	/
	003414	END-CALL	/	/
4054	003415	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4055	003416	CONTINUE.	/	/
	003417	PUI-8-WRITE.	/	/
4056	003418	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4057	003419	MOVE "W" TO P-PUI-ACTION	/	/
4058	003420	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003421	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4059	003422	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4060	003423	MOVE 'WDW13' TO P-PUI-RECORD-FORMAT	/	/
4061	003424	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4062	003425	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4063	003426	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003427	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003428	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003429	P-PUI-RECORD-LEVELS	/	/
	003430	P-PUI-DISPLAY-NAMES	/	/
	003431	P-PUI-IS-OPEN-TABLE	/	/
	003432	P-PUI-DSP-INDEX	/	/
	003433	P-PUI-DUMMY-PARM	/	/
	003434	P-PUI-EOF	/	/
	003435	P-PUI-FOUND	/	/
	003436	P-PUI-RECORD-COUNT	/	/
	003437	P-PUI-RECORD-DATA-TABLE	/	/
	003438	P-PUI-QUALIFIED-FILE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003439	DISPLAY-RCD	/	/
	003440	P-PUI-RECORD-FORMAT	/	/
	003441	P-PUI-IS-SUBFILE	/	/
	003442	P-PUI-SUBFILE-RRN	/	/
	003443	P-PUI-COMMAND-KEYS	/	/
	003444	P-PUI-HAS-INDARA	/	/
	003445	P-PUI-DUMMY-PARM	/	/
	003446	P-PUI-CONTROL-AREA	/	/
	003447	P-PUI-I-O-FEEDBACK	/	/
	003448	P-PUI-OPEN-FEEDBACK	/	/
	003449	END-CALL	/	/
4064	003450	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4065	003451	CONTINUE.	/	/
	003452	PUI-9-READ.	/	/
4066	003453	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4067	003454	MOVE "R" TO P-PUI-ACTION	/	/
4068	003455	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003456	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4069	003457	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4070	003458	MOVE 'WDW13' TO P-PUI-RECORD-FORMAT	/	/
4071	003459	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4072	003460	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4073	003461	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003462	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003463	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003464	P-PUI-RECORD-LEVELS	/	/
	003465	P-PUI-DISPLAY-NAMES	/	/
	003466	P-PUI-IS-OPEN-TABLE	/	/
	003467	P-PUI-DSP-INDEX	/	/
	003468	P-PUI-DUMMY-PARM	/	/
	003469	P-PUI-EOF	/	/
	003470	P-PUI-FOUND	/	/
	003471	P-PUI-RECORD-COUNT	/	/
	003472	P-PUI-RECORD-DATA-TABLE	/	/
	003473	P-PUI-QUALIFIED-FILE	/	/
	003474	DISPLAY-RCD	/	/
	003475	P-PUI-RECORD-FORMAT	/	/
	003476	P-PUI-IS-SUBFILE	/	/
	003477	P-PUI-SUBFILE-RRN	/	/
	003478	P-PUI-COMMAND-KEYS	/	/
	003479	P-PUI-HAS-INDARA	/	/
	003480	P-PUI-DUMMY-PARM	/	/
	003481	P-PUI-CONTROL-AREA	/	/
	003482	P-PUI-I-O-FEEDBACK	/	/
	003483	P-PUI-OPEN-FEEDBACK	/	/
	003484	END-CALL	/	/
4074	003485	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4075	003486	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4076	003487	CONTINUE.	/	/
	003488	PUI-10-READ.	/	/
4077	003489	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4078	003490	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4079	003491	MOVE "Indicator structure"	/	/
	003492	TO PUI-IN-MESSAGE-DATA	/	/
4080	003493	MOVE "INDIC-AREA"	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003494		TO PUI-IN-MESSAGE-DATA (21:)	/	/
4081	003495	MOVE "must be 99 bytes long"		/	/
	003496		TO PUI-IN-MESSAGE-DATA (52:)	/	/
4082	003497	PERFORM PUI-250-ABORT		/	/
	003498	END-IF		/	/
4083	003499	MOVE "M" TO P-PUI-ACTION		/	/
4084	003500	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	003501	TO P-PUI-OPEN-ACCESS-LENGTH		/	/
4085	003502	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE		/	/
4086	003503	MOVE 'SFL01' TO P-PUI-RECORD-FORMAT		/	/
4087	003504	MOVE "1" TO P-PUI-IS-SUBFILE		/	/
4088	003505	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN		/	/
4089	003506	CALL "PUICBL001P" USING P-PUI-ACTION		/	/
	003507		P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003508		P-PUI-OPEN-ACCESS-LENGTH	/	/
	003509		P-PUI-RECORD-LEVELS	/	/
	003510		P-PUI-DISPLAY-NAMES	/	/
	003511		P-PUI-IS-OPEN-TABLE	/	/
	003512		P-PUI-DSP-INDEX	/	/
	003513		P-PUI-DUMMY-PARM	/	/
	003514		P-PUI-EOF	/	/
	003515		P-PUI-FOUND	/	/
	003516		P-PUI-RECORD-COUNT	/	/
	003517		P-PUI-RECORD-DATA-TABLE	/	/
	003518		P-PUI-QUALIFIED-FILE	/	/
	003519		DISPLAY-RCD	/	/
	003520		P-PUI-RECORD-FORMAT	/	/
	003521		P-PUI-IS-SUBFILE	/	/
	003522		P-PUI-SUBFILE-RRN	/	/
	003523		P-PUI-COMMAND-KEYS	/	/
	003524		P-PUI-HAS-INDARA	/	/
	003525		INDIC-AREA	/	/
	003526		P-PUI-CONTROL-AREA	/	/
	003527		P-PUI-I-O-FEEDBACK	/	/
	003528		P-PUI-OPEN-FEEDBACK	/	/
	003529	END-CALL		/	/
4090	003530	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO		/	/
4091	003531	CONTINUE.		/	/
	003532	PUI-11-READ.		/	/
4092	003533	MOVE "1" TO P-PUI-HAS-INDARA		/	/
4093	003534	IF LENGTH OF INDIC-AREA NOT = 99		/	/
4094	003535	MOVE "Indicator structure"		/	/
	003536		TO PUI-IN-MESSAGE-DATA	/	/
4095	003537	MOVE "INDIC-AREA"		/	/
	003538		TO PUI-IN-MESSAGE-DATA (21:)	/	/
4096	003539	MOVE "must be 99 bytes long"		/	/
	003540		TO PUI-IN-MESSAGE-DATA (52:)	/	/
4097	003541	PERFORM PUI-250-ABORT		/	/
	003542	END-IF		/	/
4098	003543	MOVE "R" TO P-PUI-ACTION		/	/
4099	003544	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	003545	TO P-PUI-OPEN-ACCESS-LENGTH		/	/
4100	003546	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE		/	/
4101	003547	MOVE 'SFL01' TO P-PUI-RECORD-FORMAT		/	/
4102	003548	MOVE "1" TO P-PUI-IS-SUBFILE		/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4103	003549	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4104	003550	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003551	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003552	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003553	P-PUI-RECORD-LEVELS	/	/
	003554	P-PUI-DISPLAY-NAMES	/	/
	003555	P-PUI-IS-OPEN-TABLE	/	/
	003556	P-PUI-DSP-INDEX	/	/
	003557	P-PUI-DUMMY-PARM	/	/
	003558	P-PUI-EOF	/	/
	003559	P-PUI-FOUND	/	/
	003560	P-PUI-RECORD-COUNT	/	/
	003561	P-PUI-RECORD-DATA-TABLE	/	/
	003562	P-PUI-QUALIFIED-FILE	/	/
	003563	DISPLAY-RCD	/	/
	003564	P-PUI-RECORD-FORMAT	/	/
	003565	P-PUI-IS-SUBFILE	/	/
	003566	P-PUI-SUBFILE-RRN	/	/
	003567	P-PUI-COMMAND-KEYS	/	/
	003568	P-PUI-HAS-INDARA	/	/
	003569	INDIC-AREA	/	/
	003570	P-PUI-CONTROL-AREA	/	/
	003571	P-PUI-I-O-FEEDBACK	/	/
	003572	P-PUI-OPEN-FEEDBACK	/	/
	003573	END-CALL	/	/
4105	003574	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4106	003575	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4107	003576	CONTINUE.	/	/
	003577	PUI-12-REWRITE.	/	/
4108	003578	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4109	003579	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4110	003580	MOVE "Indicator structure"	/	/
	003581	TO PUI-IN-MESSAGE-DATA	/	/
4111	003582	MOVE "INDIC-AREA"	/	/
	003583	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4112	003584	MOVE "must be 99 bytes long"	/	/
	003585	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4113	003586	PERFORM PUI-250-ABORT	/	/
	003587	END-IF	/	/
4114	003588	MOVE "U" TO P-PUI-ACTION	/	/
4115	003589	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003590	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4116	003591	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4117	003592	MOVE 'SFL01' TO P-PUI-RECORD-FORMAT	/	/
4118	003593	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4119	003594	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4120	003595	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003596	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003597	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003598	P-PUI-RECORD-LEVELS	/	/
	003599	P-PUI-DISPLAY-NAMES	/	/
	003600	P-PUI-IS-OPEN-TABLE	/	/
	003601	P-PUI-DSP-INDEX	/	/
	003602	P-PUI-DUMMY-PARM	/	/
	003603	P-PUI-EOF	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003604	P-PUI-FOUND	/	/
	003605	P-PUI-RECORD-COUNT	/	/
	003606	P-PUI-RECORD-DATA-TABLE	/	/
	003607	P-PUI-QUALIFIED-FILE	/	/
	003608	DISPLAY-RCD	/	/
	003609	P-PUI-RECORD-FORMAT	/	/
	003610	P-PUI-IS-SUBFILE	/	/
	003611	P-PUI-SUBFILE-RRN	/	/
	003612	P-PUI-COMMAND-KEYS	/	/
	003613	P-PUI-HAS-INDARA	/	/
	003614	INDIC-AREA	/	/
	003615	P-PUI-CONTROL-AREA	/	/
	003616	P-PUI-I-O-FEEDBACK	/	/
	003617	P-PUI-OPEN-FEEDBACK	/	/
	003618	END-CALL	/	/
4121	003619	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4122	003620	CONTINUE.	/	/
	003621	PUI-13-WRITE.	/	/
4123	003622	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4124	003623	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4125	003624	MOVE "Indicator structure"	/	/
	003625	TO PUI-IN-MESSAGE-DATA	/	/
4126	003626	MOVE "INDIC-AREA"	/	/
	003627	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4127	003628	MOVE "must be 99 bytes long"	/	/
	003629	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4128	003630	PERFORM PUI-250-ABORT	/	/
	003631	END-IF	/	/
4129	003632	MOVE "W" TO P-PUI-ACTION	/	/
4130	003633	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003634	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4131	003635	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4132	003636	MOVE 'SFL01' TO P-PUI-RECORD-FORMAT	/	/
4133	003637	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4134	003638	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4135	003639	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003640	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003641	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003642	P-PUI-RECORD-LEVELS	/	/
	003643	P-PUI-DISPLAY-NAMES	/	/
	003644	P-PUI-IS-OPEN-TABLE	/	/
	003645	P-PUI-DSP-INDEX	/	/
	003646	P-PUI-DUMMY-PARM	/	/
	003647	P-PUI-EOF	/	/
	003648	P-PUI-FOUND	/	/
	003649	P-PUI-RECORD-COUNT	/	/
	003650	P-PUI-RECORD-DATA-TABLE	/	/
	003651	P-PUI-QUALIFIED-FILE	/	/
	003652	DISPLAY-RCD	/	/
	003653	P-PUI-RECORD-FORMAT	/	/
	003654	P-PUI-IS-SUBFILE	/	/
	003655	P-PUI-SUBFILE-RRN	/	/
	003656	P-PUI-COMMAND-KEYS	/	/
	003657	P-PUI-HAS-INDARA	/	/
	003658	INDIC-AREA	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003659	P-PUI-CONTROL-AREA	/	/
	003660	P-PUI-I-O-FEEDBACK	/	/
	003661	P-PUI-OPEN-FEEDBACK	/	/
	003662	END-CALL	/	/
4136	003663	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4137	003664	CONTINUE.	/	/
	003665	PUI-14-WRITE.	/	/
4138	003666	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4139	003667	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4140	003668	MOVE "Indicator structure"	/	/
	003669	TO PUI-IN-MESSAGE-DATA	/	/
4141	003670	MOVE "INDIC-AREA"	/	/
	003671	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4142	003672	MOVE "must be 99 bytes long"	/	/
	003673	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4143	003674	PERFORM PUI-250-ABORT	/	/
	003675	END-IF	/	/
4144	003676	MOVE "W" TO P-PUI-ACTION	/	/
4145	003677	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003678	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4146	003679	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4147	003680	MOVE 'WDW01' TO P-PUI-RECORD-FORMAT	/	/
4148	003681	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4149	003682	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4150	003683	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003684	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003685	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003686	P-PUI-RECORD-LEVELS	/	/
	003687	P-PUI-DISPLAY-NAMES	/	/
	003688	P-PUI-IS-OPEN-TABLE	/	/
	003689	P-PUI-DSP-INDEX	/	/
	003690	P-PUI-DUMMY-PARM	/	/
	003691	P-PUI-EOF	/	/
	003692	P-PUI-FOUND	/	/
	003693	P-PUI-RECORD-COUNT	/	/
	003694	P-PUI-RECORD-DATA-TABLE	/	/
	003695	P-PUI-QUALIFIED-FILE	/	/
	003696	DISPLAY-RCD	/	/
	003697	P-PUI-RECORD-FORMAT	/	/
	003698	P-PUI-IS-SUBFILE	/	/
	003699	P-PUI-SUBFILE-RRN	/	/
	003700	P-PUI-COMMAND-KEYS	/	/
	003701	P-PUI-HAS-INDARA	/	/
	003702	INDIC-AREA	/	/
	003703	P-PUI-CONTROL-AREA	/	/
	003704	P-PUI-I-O-FEEDBACK	/	/
	003705	P-PUI-OPEN-FEEDBACK	/	/
	003706	END-CALL	/	/
4151	003707	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4152	003708	CONTINUE.	/	/
	003709	PUI-15-READ.	/	/
4153	003710	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4154	003711	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4155	003712	MOVE "Indicator structure"	/	/
	003713	TO PUI-IN-MESSAGE-DATA	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4156	003714	MOVE "INDIC-AREA"		/	/
	003715		TO PUI-IN-MESSAGE-DATA (21:)	/	/
4157	003716	MOVE "must be 99 bytes long"		/	/
	003717		TO PUI-IN-MESSAGE-DATA (52:)	/	/
4158	003718	PERFORM PUI-250-ABORT		/	/
	003719	END-IF		/	/
4159	003720	MOVE "R" TO P-PUI-ACTION		/	/
4160	003721	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	003722	TO P-PUI-OPEN-ACCESS-LENGTH		/	/
4161	003723	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE		/	/
4162	003724	MOVE 'WDW01' TO P-PUI-RECORD-FORMAT		/	/
4163	003725	MOVE "0" TO P-PUI-IS-SUBFILE		/	/
4164	003726	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN		/	/
4165	003727	CALL "PUICBL001P" USING P-PUI-ACTION		/	/
	003728		P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003729		P-PUI-OPEN-ACCESS-LENGTH	/	/
	003730		P-PUI-RECORD-LEVELS	/	/
	003731		P-PUI-DISPLAY-NAMES	/	/
	003732		P-PUI-IS-OPEN-TABLE	/	/
	003733		P-PUI-DSP-INDEX	/	/
	003734		P-PUI-DUMMY-PARM	/	/
	003735		P-PUI-EOF	/	/
	003736		P-PUI-FOUND	/	/
	003737		P-PUI-RECORD-COUNT	/	/
	003738		P-PUI-RECORD-DATA-TABLE	/	/
	003739		P-PUI-QUALIFIED-FILE	/	/
	003740		DISPLAY-RCD	/	/
	003741		P-PUI-RECORD-FORMAT	/	/
	003742		P-PUI-IS-SUBFILE	/	/
	003743		P-PUI-SUBFILE-RRN	/	/
	003744		P-PUI-COMMAND-KEYS	/	/
	003745		P-PUI-HAS-INDARA	/	/
	003746		INDIC-AREA	/	/
	003747		P-PUI-CONTROL-AREA	/	/
	003748		P-PUI-I-O-FEEDBACK	/	/
	003749		P-PUI-OPEN-FEEDBACK	/	/
	003750	END-CALL		/	/
4166	003751	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA		/	/
4167	003752	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO		/	/
4168	003753	CONTINUE.		/	/
	003754	PUI-16-WRITE.		/	/
4169	003755	MOVE "1" TO P-PUI-HAS-INDARA		/	/
4170	003756	IF LENGTH OF INDIC-AREA NOT = 99		/	/
4171	003757	MOVE "Indicator structure"		/	/
	003758		TO PUI-IN-MESSAGE-DATA	/	/
4172	003759	MOVE "INDIC-AREA"		/	/
	003760		TO PUI-IN-MESSAGE-DATA (21:)	/	/
4173	003761	MOVE "must be 99 bytes long"		/	/
	003762		TO PUI-IN-MESSAGE-DATA (52:)	/	/
4174	003763	PERFORM PUI-250-ABORT		/	/
	003764	END-IF		/	/
4175	003765	MOVE "W" TO P-PUI-ACTION		/	/
4176	003766	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	003767	TO P-PUI-OPEN-ACCESS-LENGTH		/	/
4177	003768	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE		/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4178	003769	MOVE 'WDW02' TO P-PUI-RECORD-FORMAT	/	/
4179	003770	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4180	003771	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4181	003772	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003773	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003774	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003775	P-PUI-RECORD-LEVELS	/	/
	003776	P-PUI-DISPLAY-NAMES	/	/
	003777	P-PUI-IS-OPEN-TABLE	/	/
	003778	P-PUI-DSP-INDEX	/	/
	003779	P-PUI-DUMMY-PARM	/	/
	003780	P-PUI-EOF	/	/
	003781	P-PUI-FOUND	/	/
	003782	P-PUI-RECORD-COUNT	/	/
	003783	P-PUI-RECORD-DATA-TABLE	/	/
	003784	P-PUI-QUALIFIED-FILE	/	/
	003785	DISPLAY-RCD	/	/
	003786	P-PUI-RECORD-FORMAT	/	/
	003787	P-PUI-IS-SUBFILE	/	/
	003788	P-PUI-SUBFILE-RRN	/	/
	003789	P-PUI-COMMAND-KEYS	/	/
	003790	P-PUI-HAS-INDARA	/	/
	003791	INDIC-AREA	/	/
	003792	P-PUI-CONTROL-AREA	/	/
	003793	P-PUI-I-O-FEEDBACK	/	/
	003794	P-PUI-OPEN-FEEDBACK	/	/
	003795	END-CALL	/	/
4182	003796	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4183	003797	CONTINUE.	/	/
	003798	PUI-17-READ.	/	/
4184	003799	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4185	003800	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4186	003801	MOVE "Indicator structure"	/	/
	003802	TO PUI-IN-MESSAGE-DATA	/	/
4187	003803	MOVE "INDIC-AREA"	/	/
	003804	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4188	003805	MOVE "must be 99 bytes long"	/	/
	003806	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4189	003807	PERFORM PUI-250-ABORT	/	/
	003808	END-IF	/	/
4190	003809	MOVE "R" TO P-PUI-ACTION	/	/
4191	003810	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003811	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4192	003812	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4193	003813	MOVE 'WDW02' TO P-PUI-RECORD-FORMAT	/	/
4194	003814	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4195	003815	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4196	003816	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003817	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003818	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003819	P-PUI-RECORD-LEVELS	/	/
	003820	P-PUI-DISPLAY-NAMES	/	/
	003821	P-PUI-IS-OPEN-TABLE	/	/
	003822	P-PUI-DSP-INDEX	/	/
	003823	P-PUI-DUMMY-PARM	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003824	P-PUI-EOF	/	/
	003825	P-PUI-FOUND	/	/
	003826	P-PUI-RECORD-COUNT	/	/
	003827	P-PUI-RECORD-DATA-TABLE	/	/
	003828	P-PUI-QUALIFIED-FILE	/	/
	003829	DISPLAY-RCD	/	/
	003830	P-PUI-RECORD-FORMAT	/	/
	003831	P-PUI-IS-SUBFILE	/	/
	003832	P-PUI-SUBFILE-RRN	/	/
	003833	P-PUI-COMMAND-KEYS	/	/
	003834	P-PUI-HAS-INDARA	/	/
	003835	INDIC-AREA	/	/
	003836	P-PUI-CONTROL-AREA	/	/
	003837	P-PUI-I-O-FEEDBACK	/	/
	003838	P-PUI-OPEN-FEEDBACK	/	/
	003839	END-CALL	/	/
4197	003840	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4198	003841	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4199	003842	CONTINUE.	/	/
	003843	PUI-18-WRITE.	/	/
4200	003844	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4201	003845	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4202	003846	MOVE "Indicator structure"	/	/
	003847	TO PUI-IN-MESSAGE-DATA	/	/
4203	003848	MOVE "INDIC-AREA"	/	/
	003849	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4204	003850	MOVE "must be 99 bytes long"	/	/
	003851	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4205	003852	PERFORM PUI-250-ABORT	/	/
	003853	END-IF	/	/
4206	003854	MOVE "W" TO P-PUI-ACTION	/	/
4207	003855	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003856	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4208	003857	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4209	003858	MOVE 'WDW03' TO P-PUI-RECORD-FORMAT	/	/
4210	003859	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4211	003860	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4212	003861	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003862	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003863	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003864	P-PUI-RECORD-LEVELS	/	/
	003865	P-PUI-DISPLAY-NAMES	/	/
	003866	P-PUI-IS-OPEN-TABLE	/	/
	003867	P-PUI-DSP-INDEX	/	/
	003868	P-PUI-DUMMY-PARM	/	/
	003869	P-PUI-EOF	/	/
	003870	P-PUI-FOUND	/	/
	003871	P-PUI-RECORD-COUNT	/	/
	003872	P-PUI-RECORD-DATA-TABLE	/	/
	003873	P-PUI-QUALIFIED-FILE	/	/
	003874	DISPLAY-RCD	/	/
	003875	P-PUI-RECORD-FORMAT	/	/
	003876	P-PUI-IS-SUBFILE	/	/
	003877	P-PUI-SUBFILE-RRN	/	/
	003878	P-PUI-COMMAND-KEYS	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003879	P-PUI-HAS-INDARA	/	/
	003880	INDIC-AREA	/	/
	003881	P-PUI-CONTROL-AREA	/	/
	003882	P-PUI-I-O-FEEDBACK	/	/
	003883	P-PUI-OPEN-FEEDBACK	/	/
	003884	END-CALL	/	/
4213	003885	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4214	003886	CONTINUE.	/	/
	003887	PUI-19-READ.	/	/
4215	003888	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4216	003889	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4217	003890	MOVE "Indicator structure"	/	/
	003891	TO PUI-IN-MESSAGE-DATA	/	/
4218	003892	MOVE "INDIC-AREA"	/	/
	003893	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4219	003894	MOVE "must be 99 bytes long"	/	/
	003895	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4220	003896	PERFORM PUI-250-ABORT	/	/
	003897	END-IF	/	/
4221	003898	MOVE "R" TO P-PUI-ACTION	/	/
4222	003899	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003900	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4223	003901	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4224	003902	MOVE 'WDW03' TO P-PUI-RECORD-FORMAT	/	/
4225	003903	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4226	003904	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4227	003905	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003906	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003907	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003908	P-PUI-RECORD-LEVELS	/	/
	003909	P-PUI-DISPLAY-NAMES	/	/
	003910	P-PUI-IS-OPEN-TABLE	/	/
	003911	P-PUI-DSP-INDEX	/	/
	003912	P-PUI-DUMMY-PARM	/	/
	003913	P-PUI-EOF	/	/
	003914	P-PUI-FOUND	/	/
	003915	P-PUI-RECORD-COUNT	/	/
	003916	P-PUI-RECORD-DATA-TABLE	/	/
	003917	P-PUI-QUALIFIED-FILE	/	/
	003918	DISPLAY-RCD	/	/
	003919	P-PUI-RECORD-FORMAT	/	/
	003920	P-PUI-IS-SUBFILE	/	/
	003921	P-PUI-SUBFILE-RRN	/	/
	003922	P-PUI-COMMAND-KEYS	/	/
	003923	P-PUI-HAS-INDARA	/	/
	003924	INDIC-AREA	/	/
	003925	P-PUI-CONTROL-AREA	/	/
	003926	P-PUI-I-O-FEEDBACK	/	/
	003927	P-PUI-OPEN-FEEDBACK	/	/
	003928	END-CALL	/	/
4228	003929	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4229	003930	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4230	003931	CONTINUE.	/	/
	003932	PUI-20-WRITE.	/	/
4231	003933	MOVE "1" TO P-PUI-HAS-INDARA	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4232	003934	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4233	003935	MOVE "Indicator structure"	/	/
	003936	TO PUI-IN-MESSAGE-DATA	/	/
4234	003937	MOVE "INDIC-AREA"	/	/
	003938	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4235	003939	MOVE "must be 99 bytes long"	/	/
	003940	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4236	003941	PERFORM PUI-250-ABORT	/	/
	003942	END-IF	/	/
4237	003943	MOVE "W" TO P-PUI-ACTION	/	/
4238	003944	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003945	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4239	003946	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4240	003947	MOVE 'WDW10' TO P-PUI-RECORD-FORMAT	/	/
4241	003948	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4242	003949	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4243	003950	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003951	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003952	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003953	P-PUI-RECORD-LEVELS	/	/
	003954	P-PUI-DISPLAY-NAMES	/	/
	003955	P-PUI-IS-OPEN-TABLE	/	/
	003956	P-PUI-DSP-INDEX	/	/
	003957	P-PUI-DUMMY-PARM	/	/
	003958	P-PUI-EOF	/	/
	003959	P-PUI-FOUND	/	/
	003960	P-PUI-RECORD-COUNT	/	/
	003961	P-PUI-RECORD-DATA-TABLE	/	/
	003962	P-PUI-QUALIFIED-FILE	/	/
	003963	DISPLAY-RCD	/	/
	003964	P-PUI-RECORD-FORMAT	/	/
	003965	P-PUI-IS-SUBFILE	/	/
	003966	P-PUI-SUBFILE-RRN	/	/
	003967	P-PUI-COMMAND-KEYS	/	/
	003968	P-PUI-HAS-INDARA	/	/
	003969	INDIC-AREA	/	/
	003970	P-PUI-CONTROL-AREA	/	/
	003971	P-PUI-I-O-FEEDBACK	/	/
	003972	P-PUI-OPEN-FEEDBACK	/	/
	003973	END-CALL	/	/
4244	003974	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4245	003975	CONTINUE.	/	/
	003976	PUI-21-READ.	/	/
4246	003977	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4247	003978	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4248	003979	MOVE "Indicator structure"	/	/
	003980	TO PUI-IN-MESSAGE-DATA	/	/
4249	003981	MOVE "INDIC-AREA"	/	/
	003982	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4250	003983	MOVE "must be 99 bytes long"	/	/
	003984	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4251	003985	PERFORM PUI-250-ABORT	/	/
	003986	END-IF	/	/
4252	003987	MOVE "R" TO P-PUI-ACTION	/	/
4253	003988	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	003989	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4254	003990	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4255	003991	MOVE 'WDW10' TO P-PUI-RECORD-FORMAT	/	/
4256	003992	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4257	003993	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4258	003994	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	003995	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	003996	P-PUI-OPEN-ACCESS-LENGTH	/	/
	003997	P-PUI-RECORD-LEVELS	/	/
	003998	P-PUI-DISPLAY-NAMES	/	/
	003999	P-PUI-IS-OPEN-TABLE	/	/
	004000	P-PUI-DSP-INDEX	/	/
	004001	P-PUI-DUMMY-PARM	/	/
	004002	P-PUI-EOF	/	/
	004003	P-PUI-FOUND	/	/
	004004	P-PUI-RECORD-COUNT	/	/
	004005	P-PUI-RECORD-DATA-TABLE	/	/
	004006	P-PUI-QUALIFIED-FILE	/	/
	004007	DISPLAY-RCD	/	/
	004008	P-PUI-RECORD-FORMAT	/	/
	004009	P-PUI-IS-SUBFILE	/	/
	004010	P-PUI-SUBFILE-RRN	/	/
	004011	P-PUI-COMMAND-KEYS	/	/
	004012	P-PUI-HAS-INDARA	/	/
	004013	INDIC-AREA	/	/
	004014	P-PUI-CONTROL-AREA	/	/
	004015	P-PUI-I-O-FEEDBACK	/	/
	004016	P-PUI-OPEN-FEEDBACK	/	/
	004017	END-CALL	/	/
4259	004018	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4260	004019	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4261	004020	CONTINUE.	/	/
	004021	PUI-22-WRITE.	/	/
4262	004022	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4263	004023	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4264	004024	MOVE "Indicator structure"	/	/
	004025	TO PUI-IN-MESSAGE-DATA	/	/
4265	004026	MOVE "INDIC-AREA"	/	/
	004027	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4266	004028	MOVE "must be 99 bytes long"	/	/
	004029	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4267	004030	PERFORM PUI-250-ABORT	/	/
	004031	END-IF	/	/
4268	004032	MOVE "W" TO P-PUI-ACTION	/	/
4269	004033	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004034	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4270	004035	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4271	004036	MOVE 'RCD02' TO P-PUI-RECORD-FORMAT	/	/
4272	004037	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4273	004038	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4274	004039	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004040	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004041	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004042	P-PUI-RECORD-LEVELS	/	/
	004043	P-PUI-DISPLAY-NAMES	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004044	P-PUI-IS-OPEN-TABLE	/	/
	004045	P-PUI-DSP-INDEX	/	/
	004046	P-PUI-DUMMY-PARM	/	/
	004047	P-PUI-EOF	/	/
	004048	P-PUI-FOUND	/	/
	004049	P-PUI-RECORD-COUNT	/	/
	004050	P-PUI-RECORD-DATA-TABLE	/	/
	004051	P-PUI-QUALIFIED-FILE	/	/
	004052	DISPLAY-RCD	/	/
	004053	P-PUI-RECORD-FORMAT	/	/
	004054	P-PUI-IS-SUBFILE	/	/
	004055	P-PUI-SUBFILE-RRN	/	/
	004056	P-PUI-COMMAND-KEYS	/	/
	004057	P-PUI-HAS-INDARA	/	/
	004058	INDIC-AREA	/	/
	004059	P-PUI-CONTROL-AREA	/	/
	004060	P-PUI-I-O-FEEDBACK	/	/
	004061	P-PUI-OPEN-FEEDBACK	/	/
	004062	END-CALL	/	/
4275	004063	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4276	004064	CONTINUE.	/	/
	004065	PUI-23-READ.	/	/
4277	004066	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4278	004067	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4279	004068	MOVE "Indicator structure"	/	/
	004069	TO PUI-IN-MESSAGE-DATA	/	/
4280	004070	MOVE "INDIC-AREA"	/	/
	004071	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4281	004072	MOVE "must be 99 bytes long"	/	/
	004073	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4282	004074	PERFORM PUI-250-ABORT	/	/
	004075	END-IF	/	/
4283	004076	MOVE "R" TO P-PUI-ACTION	/	/
4284	004077	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004078	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4285	004079	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4286	004080	MOVE 'RCD02' TO P-PUI-RECORD-FORMAT	/	/
4287	004081	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4288	004082	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4289	004083	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004084	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004085	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004086	P-PUI-RECORD-LEVELS	/	/
	004087	P-PUI-DISPLAY-NAMES	/	/
	004088	P-PUI-IS-OPEN-TABLE	/	/
	004089	P-PUI-DSP-INDEX	/	/
	004090	P-PUI-DUMMY-PARM	/	/
	004091	P-PUI-EOF	/	/
	004092	P-PUI-FOUND	/	/
	004093	P-PUI-RECORD-COUNT	/	/
	004094	P-PUI-RECORD-DATA-TABLE	/	/
	004095	P-PUI-QUALIFIED-FILE	/	/
	004096	DISPLAY-RCD	/	/
	004097	P-PUI-RECORD-FORMAT	/	/
	004098	P-PUI-IS-SUBFILE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004099	P-PUI-SUBFILE-RRN	/	/
	004100	P-PUI-COMMAND-KEYS	/	/
	004101	P-PUI-HAS-INDARA	/	/
	004102	INDIC-AREA	/	/
	004103	P-PUI-CONTROL-AREA	/	/
	004104	P-PUI-I-O-FEEDBACK	/	/
	004105	P-PUI-OPEN-FEEDBACK	/	/
	004106	END-CALL	/	/
4290	004107	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4291	004108	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4292	004109	CONTINUE.	/	/
	004110	PUI-24-WRITE.	/	/
4293	004111	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4294	004112	MOVE "W" TO P-PUI-ACTION	/	/
4295	004113	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004114	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4296	004115	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4297	004116	MOVE 'WDW11' TO P-PUI-RECORD-FORMAT	/	/
4298	004117	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4299	004118	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4300	004119	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004120	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004121	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004122	P-PUI-RECORD-LEVELS	/	/
	004123	P-PUI-DISPLAY-NAMES	/	/
	004124	P-PUI-IS-OPEN-TABLE	/	/
	004125	P-PUI-DSP-INDEX	/	/
	004126	P-PUI-DUMMY-PARM	/	/
	004127	P-PUI-EOF	/	/
	004128	P-PUI-FOUND	/	/
	004129	P-PUI-RECORD-COUNT	/	/
	004130	P-PUI-RECORD-DATA-TABLE	/	/
	004131	P-PUI-QUALIFIED-FILE	/	/
	004132	DISPLAY-RCD	/	/
	004133	P-PUI-RECORD-FORMAT	/	/
	004134	P-PUI-IS-SUBFILE	/	/
	004135	P-PUI-SUBFILE-RRN	/	/
	004136	P-PUI-COMMAND-KEYS	/	/
	004137	P-PUI-HAS-INDARA	/	/
	004138	P-PUI-DUMMY-PARM	/	/
	004139	P-PUI-CONTROL-AREA	/	/
	004140	P-PUI-I-O-FEEDBACK	/	/
	004141	P-PUI-OPEN-FEEDBACK	/	/
	004142	END-CALL	/	/
4301	004143	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4302	004144	CONTINUE.	/	/
	004145	PUI-25-READ.	/	/
4303	004146	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4304	004147	MOVE "R" TO P-PUI-ACTION	/	/
4305	004148	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004149	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4306	004150	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4307	004151	MOVE 'WDW11' TO P-PUI-RECORD-FORMAT	/	/
4308	004152	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4309	004153	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4310	004154	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004155	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004156	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004157	P-PUI-RECORD-LEVELS	/	/
	004158	P-PUI-DISPLAY-NAMES	/	/
	004159	P-PUI-IS-OPEN-TABLE	/	/
	004160	P-PUI-DSP-INDEX	/	/
	004161	P-PUI-DUMMY-PARM	/	/
	004162	P-PUI-EOF	/	/
	004163	P-PUI-FOUND	/	/
	004164	P-PUI-RECORD-COUNT	/	/
	004165	P-PUI-RECORD-DATA-TABLE	/	/
	004166	P-PUI-QUALIFIED-FILE	/	/
	004167	DISPLAY-RCD	/	/
	004168	P-PUI-RECORD-FORMAT	/	/
	004169	P-PUI-IS-SUBFILE	/	/
	004170	P-PUI-SUBFILE-RRN	/	/
	004171	P-PUI-COMMAND-KEYS	/	/
	004172	P-PUI-HAS-INDARA	/	/
	004173	P-PUI-DUMMY-PARM	/	/
	004174	P-PUI-CONTROL-AREA	/	/
	004175	P-PUI-I-O-FEEDBACK	/	/
	004176	P-PUI-OPEN-FEEDBACK	/	/
	004177	END-CALL	/	/
4311	004178	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4312	004179	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4313	004180	CONTINUE.	/	/
	004181	PUI-26-WRITE.	/	/
4314	004182	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4315	004183	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4316	004184	MOVE "Indicator structure"	/	/
	004185	TO PUI-IN-MESSAGE-DATA	/	/
4317	004186	MOVE "INDIC-AREA"	/	/
	004187	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4318	004188	MOVE "must be 99 bytes long"	/	/
	004189	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4319	004190	PERFORM PUI-250-ABORT	/	/
	004191	END-IF	/	/
4320	004192	MOVE "W" TO P-PUI-ACTION	/	/
4321	004193	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004194	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4322	004195	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4323	004196	MOVE 'WDW07' TO P-PUI-RECORD-FORMAT	/	/
4324	004197	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4325	004198	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4326	004199	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004200	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004201	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004202	P-PUI-RECORD-LEVELS	/	/
	004203	P-PUI-DISPLAY-NAMES	/	/
	004204	P-PUI-IS-OPEN-TABLE	/	/
	004205	P-PUI-DSP-INDEX	/	/
	004206	P-PUI-DUMMY-PARM	/	/
	004207	P-PUI-EOF	/	/
	004208	P-PUI-FOUND	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004209	P-PUI-RECORD-COUNT	/	/
	004210	P-PUI-RECORD-DATA-TABLE	/	/
	004211	P-PUI-QUALIFIED-FILE	/	/
	004212	DISPLAY-RCD	/	/
	004213	P-PUI-RECORD-FORMAT	/	/
	004214	P-PUI-IS-SUBFILE	/	/
	004215	P-PUI-SUBFILE-RRN	/	/
	004216	P-PUI-COMMAND-KEYS	/	/
	004217	P-PUI-HAS-INDARA	/	/
	004218	INDIC-AREA	/	/
	004219	P-PUI-CONTROL-AREA	/	/
	004220	P-PUI-I-O-FEEDBACK	/	/
	004221	P-PUI-OPEN-FEEDBACK	/	/
	004222	END-CALL	/	/
4327	004223	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4328	004224	CONTINUE.	/	/
	004225	PUI-27-READ.	/	/
4329	004226	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4330	004227	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4331	004228	MOVE "Indicator structure"	/	/
	004229	TO PUI-IN-MESSAGE-DATA	/	/
4332	004230	MOVE "INDIC-AREA"	/	/
	004231	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4333	004232	MOVE "must be 99 bytes long"	/	/
	004233	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4334	004234	PERFORM PUI-250-ABORT	/	/
	004235	END-IF	/	/
4335	004236	MOVE "R" TO P-PUI-ACTION	/	/
4336	004237	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004238	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4337	004239	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4338	004240	MOVE 'WDW07' TO P-PUI-RECORD-FORMAT	/	/
4339	004241	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4340	004242	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4341	004243	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004244	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004245	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004246	P-PUI-RECORD-LEVELS	/	/
	004247	P-PUI-DISPLAY-NAMES	/	/
	004248	P-PUI-IS-OPEN-TABLE	/	/
	004249	P-PUI-DSP-INDEX	/	/
	004250	P-PUI-DUMMY-PARM	/	/
	004251	P-PUI-EOF	/	/
	004252	P-PUI-FOUND	/	/
	004253	P-PUI-RECORD-COUNT	/	/
	004254	P-PUI-RECORD-DATA-TABLE	/	/
	004255	P-PUI-QUALIFIED-FILE	/	/
	004256	DISPLAY-RCD	/	/
	004257	P-PUI-RECORD-FORMAT	/	/
	004258	P-PUI-IS-SUBFILE	/	/
	004259	P-PUI-SUBFILE-RRN	/	/
	004260	P-PUI-COMMAND-KEYS	/	/
	004261	P-PUI-HAS-INDARA	/	/
	004262	INDIC-AREA	/	/
	004263	P-PUI-CONTROL-AREA	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004264	P-PUI-I-O-FEEDBACK	/	/
	004265	P-PUI-OPEN-FEEDBACK	/	/
	004266	END-CALL	/	/
4342	004267	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4343	004268	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4344	004269	CONTINUE.	/	/
	004270	PUI-28-WRITE.	/	/
4345	004271	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4346	004272	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4347	004273	MOVE "Indicator structure"	/	/
	004274	TO PUI-IN-MESSAGE-DATA	/	/
4348	004275	MOVE "INDIC-AREA"	/	/
	004276	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4349	004277	MOVE "must be 99 bytes long"	/	/
	004278	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4350	004279	PERFORM PUI-250-ABORT	/	/
	004280	END-IF	/	/
4351	004281	MOVE "W" TO P-PUI-ACTION	/	/
4352	004282	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004283	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4353	004284	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4354	004285	MOVE 'WDW03' TO P-PUI-RECORD-FORMAT	/	/
4355	004286	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4356	004287	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4357	004288	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004289	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004290	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004291	P-PUI-RECORD-LEVELS	/	/
	004292	P-PUI-DISPLAY-NAMES	/	/
	004293	P-PUI-IS-OPEN-TABLE	/	/
	004294	P-PUI-DSP-INDEX	/	/
	004295	P-PUI-DUMMY-PARM	/	/
	004296	P-PUI-EOF	/	/
	004297	P-PUI-FOUND	/	/
	004298	P-PUI-RECORD-COUNT	/	/
	004299	P-PUI-RECORD-DATA-TABLE	/	/
	004300	P-PUI-QUALIFIED-FILE	/	/
	004301	DISPLAY-RCD	/	/
	004302	P-PUI-RECORD-FORMAT	/	/
	004303	P-PUI-IS-SUBFILE	/	/
	004304	P-PUI-SUBFILE-RRN	/	/
	004305	P-PUI-COMMAND-KEYS	/	/
	004306	P-PUI-HAS-INDARA	/	/
	004307	INDIC-AREA	/	/
	004308	P-PUI-CONTROL-AREA	/	/
	004309	P-PUI-I-O-FEEDBACK	/	/
	004310	P-PUI-OPEN-FEEDBACK	/	/
	004311	END-CALL	/	/
4358	004312	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4359	004313	CONTINUE.	/	/
	004314	PUI-29-READ.	/	/
4360	004315	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4361	004316	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4362	004317	MOVE "Indicator structure"	/	/
	004318	TO PUI-IN-MESSAGE-DATA	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4363	004319	MOVE "INDIC-AREA"		/	/
	004320		TO PUI-IN-MESSAGE-DATA (21:)	/	/
4364	004321	MOVE "must be 99 bytes long"		/	/
	004322		TO PUI-IN-MESSAGE-DATA (52:)	/	/
4365	004323	PERFORM PUI-250-ABORT		/	/
	004324	END-IF		/	/
4366	004325	MOVE "R" TO P-PUI-ACTION		/	/
4367	004326	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	004327	TO P-PUI-OPEN-ACCESS-LENGTH		/	/
4368	004328	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE		/	/
4369	004329	MOVE 'WDW03' TO P-PUI-RECORD-FORMAT		/	/
4370	004330	MOVE "0" TO P-PUI-IS-SUBFILE		/	/
4371	004331	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN		/	/
4372	004332	CALL "PUICBL001P" USING P-PUI-ACTION		/	/
	004333		P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004334		P-PUI-OPEN-ACCESS-LENGTH	/	/
	004335		P-PUI-RECORD-LEVELS	/	/
	004336		P-PUI-DISPLAY-NAMES	/	/
	004337		P-PUI-IS-OPEN-TABLE	/	/
	004338		P-PUI-DSP-INDEX	/	/
	004339		P-PUI-DUMMY-PARM	/	/
	004340		P-PUI-EOF	/	/
	004341		P-PUI-FOUND	/	/
	004342		P-PUI-RECORD-COUNT	/	/
	004343		P-PUI-RECORD-DATA-TABLE	/	/
	004344		P-PUI-QUALIFIED-FILE	/	/
	004345		DISPLAY-RCD	/	/
	004346		P-PUI-RECORD-FORMAT	/	/
	004347		P-PUI-IS-SUBFILE	/	/
	004348		P-PUI-SUBFILE-RRN	/	/
	004349		P-PUI-COMMAND-KEYS	/	/
	004350		P-PUI-HAS-INDARA	/	/
	004351		INDIC-AREA	/	/
	004352		P-PUI-CONTROL-AREA	/	/
	004353		P-PUI-I-O-FEEDBACK	/	/
	004354		P-PUI-OPEN-FEEDBACK	/	/
	004355	END-CALL		/	/
4373	004356	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA		/	/
4374	004357	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO		/	/
4375	004358	CONTINUE.		/	/
	004359	PUI-30-WRITE.		/	/
4376	004360	MOVE "1" TO P-PUI-HAS-INDARA		/	/
4377	004361	IF LENGTH OF INDIC-AREA NOT = 99		/	/
4378	004362	MOVE "Indicator structure"		/	/
	004363		TO PUI-IN-MESSAGE-DATA	/	/
4379	004364	MOVE "INDIC-AREA"		/	/
	004365		TO PUI-IN-MESSAGE-DATA (21:)	/	/
4380	004366	MOVE "must be 99 bytes long"		/	/
	004367		TO PUI-IN-MESSAGE-DATA (52:)	/	/
4381	004368	PERFORM PUI-250-ABORT		/	/
	004369	END-IF		/	/
4382	004370	MOVE "W" TO P-PUI-ACTION		/	/
4383	004371	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	004372	TO P-PUI-OPEN-ACCESS-LENGTH		/	/
4384	004373	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE		/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4385	004374	MOVE 'WDW05' TO P-PUI-RECORD-FORMAT	/	/
4386	004375	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4387	004376	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4388	004377	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004378	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004379	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004380	P-PUI-RECORD-LEVELS	/	/
	004381	P-PUI-DISPLAY-NAMES	/	/
	004382	P-PUI-IS-OPEN-TABLE	/	/
	004383	P-PUI-DSP-INDEX	/	/
	004384	P-PUI-DUMMY-PARM	/	/
	004385	P-PUI-EOF	/	/
	004386	P-PUI-FOUND	/	/
	004387	P-PUI-RECORD-COUNT	/	/
	004388	P-PUI-RECORD-DATA-TABLE	/	/
	004389	P-PUI-QUALIFIED-FILE	/	/
	004390	DISPLAY-RCD	/	/
	004391	P-PUI-RECORD-FORMAT	/	/
	004392	P-PUI-IS-SUBFILE	/	/
	004393	P-PUI-SUBFILE-RRN	/	/
	004394	P-PUI-COMMAND-KEYS	/	/
	004395	P-PUI-HAS-INDARA	/	/
	004396	INDIC-AREA	/	/
	004397	P-PUI-CONTROL-AREA	/	/
	004398	P-PUI-I-O-FEEDBACK	/	/
	004399	P-PUI-OPEN-FEEDBACK	/	/
	004400	END-CALL	/	/
4389	004401	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4390	004402	CONTINUE.	/	/
	004403	PUI-31-READ.	/	/
4391	004404	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4392	004405	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4393	004406	MOVE "Indicator structure"	/	/
	004407	TO PUI-IN-MESSAGE-DATA	/	/
4394	004408	MOVE "INDIC-AREA"	/	/
	004409	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4395	004410	MOVE "must be 99 bytes long"	/	/
	004411	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4396	004412	PERFORM PUI-250-ABORT	/	/
	004413	END-IF	/	/
4397	004414	MOVE "R" TO P-PUI-ACTION	/	/
4398	004415	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004416	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4399	004417	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4400	004418	MOVE 'WDW05' TO P-PUI-RECORD-FORMAT	/	/
4401	004419	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4402	004420	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4403	004421	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004422	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004423	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004424	P-PUI-RECORD-LEVELS	/	/
	004425	P-PUI-DISPLAY-NAMES	/	/
	004426	P-PUI-IS-OPEN-TABLE	/	/
	004427	P-PUI-DSP-INDEX	/	/
	004428	P-PUI-DUMMY-PARM	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004429	P-PUI-EOF	/	/
	004430	P-PUI-FOUND	/	/
	004431	P-PUI-RECORD-COUNT	/	/
	004432	P-PUI-RECORD-DATA-TABLE	/	/
	004433	P-PUI-QUALIFIED-FILE	/	/
	004434	DISPLAY-RCD	/	/
	004435	P-PUI-RECORD-FORMAT	/	/
	004436	P-PUI-IS-SUBFILE	/	/
	004437	P-PUI-SUBFILE-RRN	/	/
	004438	P-PUI-COMMAND-KEYS	/	/
	004439	P-PUI-HAS-INDARA	/	/
	004440	INDIC-AREA	/	/
	004441	P-PUI-CONTROL-AREA	/	/
	004442	P-PUI-I-O-FEEDBACK	/	/
	004443	P-PUI-OPEN-FEEDBACK	/	/
	004444	END-CALL	/	/
4404	004445	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4405	004446	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4406	004447	CONTINUE.	/	/
	004448	PUI-32-WRITE.	/	/
4407	004449	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4408	004450	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4409	004451	MOVE "Indicator structure"	/	/
	004452	TO PUI-IN-MESSAGE-DATA	/	/
4410	004453	MOVE "INDIC-AREA"	/	/
	004454	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4411	004455	MOVE "must be 99 bytes long"	/	/
	004456	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4412	004457	PERFORM PUI-250-ABORT	/	/
	004458	END-IF	/	/
4413	004459	MOVE "W" TO P-PUI-ACTION	/	/
4414	004460	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004461	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4415	004462	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4416	004463	MOVE 'WDW12' TO P-PUI-RECORD-FORMAT	/	/
4417	004464	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4418	004465	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4419	004466	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004467	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004468	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004469	P-PUI-RECORD-LEVELS	/	/
	004470	P-PUI-DISPLAY-NAMES	/	/
	004471	P-PUI-IS-OPEN-TABLE	/	/
	004472	P-PUI-DSP-INDEX	/	/
	004473	P-PUI-DUMMY-PARM	/	/
	004474	P-PUI-EOF	/	/
	004475	P-PUI-FOUND	/	/
	004476	P-PUI-RECORD-COUNT	/	/
	004477	P-PUI-RECORD-DATA-TABLE	/	/
	004478	P-PUI-QUALIFIED-FILE	/	/
	004479	DISPLAY-RCD	/	/
	004480	P-PUI-RECORD-FORMAT	/	/
	004481	P-PUI-IS-SUBFILE	/	/
	004482	P-PUI-SUBFILE-RRN	/	/
	004483	P-PUI-COMMAND-KEYS	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004484	P-PUI-HAS-INDARA	/	/
	004485	INDIC-AREA	/	/
	004486	P-PUI-CONTROL-AREA	/	/
	004487	P-PUI-I-O-FEEDBACK	/	/
	004488	P-PUI-OPEN-FEEDBACK	/	/
	004489	END-CALL	/	/
4420	004490	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4421	004491	CONTINUE.	/	/
	004492	PUI-33-READ.	/	/
4422	004493	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4423	004494	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4424	004495	MOVE "Indicator structure"	/	/
	004496	TO PUI-IN-MESSAGE-DATA	/	/
4425	004497	MOVE "INDIC-AREA"	/	/
	004498	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4426	004499	MOVE "must be 99 bytes long"	/	/
	004500	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4427	004501	PERFORM PUI-250-ABORT	/	/
	004502	END-IF	/	/
4428	004503	MOVE "R" TO P-PUI-ACTION	/	/
4429	004504	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004505	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4430	004506	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4431	004507	MOVE 'WDW12' TO P-PUI-RECORD-FORMAT	/	/
4432	004508	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4433	004509	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4434	004510	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004511	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004512	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004513	P-PUI-RECORD-LEVELS	/	/
	004514	P-PUI-DISPLAY-NAMES	/	/
	004515	P-PUI-IS-OPEN-TABLE	/	/
	004516	P-PUI-DSP-INDEX	/	/
	004517	P-PUI-DUMMY-PARM	/	/
	004518	P-PUI-EOF	/	/
	004519	P-PUI-FOUND	/	/
	004520	P-PUI-RECORD-COUNT	/	/
	004521	P-PUI-RECORD-DATA-TABLE	/	/
	004522	P-PUI-QUALIFIED-FILE	/	/
	004523	DISPLAY-RCD	/	/
	004524	P-PUI-RECORD-FORMAT	/	/
	004525	P-PUI-IS-SUBFILE	/	/
	004526	P-PUI-SUBFILE-RRN	/	/
	004527	P-PUI-COMMAND-KEYS	/	/
	004528	P-PUI-HAS-INDARA	/	/
	004529	INDIC-AREA	/	/
	004530	P-PUI-CONTROL-AREA	/	/
	004531	P-PUI-I-O-FEEDBACK	/	/
	004532	P-PUI-OPEN-FEEDBACK	/	/
	004533	END-CALL	/	/
4435	004534	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4436	004535	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4437	004536	CONTINUE.	/	/
	004537	PUI-34-WRITE.	/	/
4438	004538	MOVE "1" TO P-PUI-HAS-INDARA	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4439	004539	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4440	004540	MOVE "Indicator structure"	/	/
	004541	TO PUI-IN-MESSAGE-DATA	/	/
4441	004542	MOVE "INDIC-AREA"	/	/
	004543	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4442	004544	MOVE "must be 99 bytes long"	/	/
	004545	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4443	004546	PERFORM PUI-250-ABORT	/	/
	004547	END-IF	/	/
4444	004548	MOVE "W" TO P-PUI-ACTION	/	/
4445	004549	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004550	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4446	004551	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4447	004552	MOVE 'WDWCTL03' TO P-PUI-RECORD-FORMAT	/	/
4448	004553	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4449	004554	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4450	004555	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004556	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004557	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004558	P-PUI-RECORD-LEVELS	/	/
	004559	P-PUI-DISPLAY-NAMES	/	/
	004560	P-PUI-IS-OPEN-TABLE	/	/
	004561	P-PUI-DSP-INDEX	/	/
	004562	P-PUI-DUMMY-PARM	/	/
	004563	P-PUI-EOF	/	/
	004564	P-PUI-FOUND	/	/
	004565	P-PUI-RECORD-COUNT	/	/
	004566	P-PUI-RECORD-DATA-TABLE	/	/
	004567	P-PUI-QUALIFIED-FILE	/	/
	004568	DISPLAY-RCD	/	/
	004569	P-PUI-RECORD-FORMAT	/	/
	004570	P-PUI-IS-SUBFILE	/	/
	004571	P-PUI-SUBFILE-RRN	/	/
	004572	P-PUI-COMMAND-KEYS	/	/
	004573	P-PUI-HAS-INDARA	/	/
	004574	INDIC-AREA	/	/
	004575	P-PUI-CONTROL-AREA	/	/
	004576	P-PUI-I-O-FEEDBACK	/	/
	004577	P-PUI-OPEN-FEEDBACK	/	/
	004578	END-CALL	/	/
4451	004579	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4452	004580	CONTINUE.	/	/
	004581	PUI-35-WRITE.	/	/
4453	004582	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4454	004583	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4455	004584	MOVE "Indicator structure"	/	/
	004585	TO PUI-IN-MESSAGE-DATA	/	/
4456	004586	MOVE "INDIC-AREA"	/	/
	004587	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4457	004588	MOVE "must be 99 bytes long"	/	/
	004589	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4458	004590	PERFORM PUI-250-ABORT	/	/
	004591	END-IF	/	/
4459	004592	MOVE "W" TO P-PUI-ACTION	/	/
4460	004593	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004594	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4461	004595	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4462	004596	MOVE 'WDWCTL03' TO P-PUI-RECORD-FORMAT	/	/
4463	004597	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4464	004598	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4465	004599	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004600	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004601	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004602	P-PUI-RECORD-LEVELS	/	/
	004603	P-PUI-DISPLAY-NAMES	/	/
	004604	P-PUI-IS-OPEN-TABLE	/	/
	004605	P-PUI-DSP-INDEX	/	/
	004606	P-PUI-DUMMY-PARM	/	/
	004607	P-PUI-EOF	/	/
	004608	P-PUI-FOUND	/	/
	004609	P-PUI-RECORD-COUNT	/	/
	004610	P-PUI-RECORD-DATA-TABLE	/	/
	004611	P-PUI-QUALIFIED-FILE	/	/
	004612	DISPLAY-RCD	/	/
	004613	P-PUI-RECORD-FORMAT	/	/
	004614	P-PUI-IS-SUBFILE	/	/
	004615	P-PUI-SUBFILE-RRN	/	/
	004616	P-PUI-COMMAND-KEYS	/	/
	004617	P-PUI-HAS-INDARA	/	/
	004618	INDIC-AREA	/	/
	004619	P-PUI-CONTROL-AREA	/	/
	004620	P-PUI-I-O-FEEDBACK	/	/
	004621	P-PUI-OPEN-FEEDBACK	/	/
	004622	END-CALL	/	/
4466	004623	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4467	004624	CONTINUE.	/	/
	004625	PUI-36-READ.	/	/
4468	004626	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4469	004627	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4470	004628	MOVE "Indicator structure"	/	/
	004629	TO PUI-IN-MESSAGE-DATA	/	/
4471	004630	MOVE "INDIC-AREA"	/	/
	004631	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4472	004632	MOVE "must be 99 bytes long"	/	/
	004633	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4473	004634	PERFORM PUI-250-ABORT	/	/
	004635	END-IF	/	/
4474	004636	MOVE "R" TO P-PUI-ACTION	/	/
4475	004637	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004638	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4476	004639	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4477	004640	MOVE 'WDWCTL03' TO P-PUI-RECORD-FORMAT	/	/
4478	004641	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4479	004642	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4480	004643	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004644	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004645	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004646	P-PUI-RECORD-LEVELS	/	/
	004647	P-PUI-DISPLAY-NAMES	/	/
	004648	P-PUI-IS-OPEN-TABLE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004649	P-PUI-DSP-INDEX	/	/
	004650	P-PUI-DUMMY-PARM	/	/
	004651	P-PUI-EOF	/	/
	004652	P-PUI-FOUND	/	/
	004653	P-PUI-RECORD-COUNT	/	/
	004654	P-PUI-RECORD-DATA-TABLE	/	/
	004655	P-PUI-QUALIFIED-FILE	/	/
	004656	DISPLAY-RCD	/	/
	004657	P-PUI-RECORD-FORMAT	/	/
	004658	P-PUI-IS-SUBFILE	/	/
	004659	P-PUI-SUBFILE-RRN	/	/
	004660	P-PUI-COMMAND-KEYS	/	/
	004661	P-PUI-HAS-INDARA	/	/
	004662	INDIC-AREA	/	/
	004663	P-PUI-CONTROL-AREA	/	/
	004664	P-PUI-I-O-FEEDBACK	/	/
	004665	P-PUI-OPEN-FEEDBACK	/	/
	004666	END-CALL	/	/
4481	004667	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4482	004668	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4483	004669	CONTINUE.	/	/
	004670	PUI-37-READ.	/	/
4484	004671	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4485	004672	MOVE "M" TO P-PUI-ACTION	/	/
4486	004673	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004674	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4487	004675	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4488	004676	MOVE 'WDWSFL03' TO P-PUI-RECORD-FORMAT	/	/
4489	004677	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4490	004678	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4491	004679	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004680	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004681	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004682	P-PUI-RECORD-LEVELS	/	/
	004683	P-PUI-DISPLAY-NAMES	/	/
	004684	P-PUI-IS-OPEN-TABLE	/	/
	004685	P-PUI-DSP-INDEX	/	/
	004686	P-PUI-DUMMY-PARM	/	/
	004687	P-PUI-EOF	/	/
	004688	P-PUI-FOUND	/	/
	004689	P-PUI-RECORD-COUNT	/	/
	004690	P-PUI-RECORD-DATA-TABLE	/	/
	004691	P-PUI-QUALIFIED-FILE	/	/
	004692	DISPLAY-RCD	/	/
	004693	P-PUI-RECORD-FORMAT	/	/
	004694	P-PUI-IS-SUBFILE	/	/
	004695	P-PUI-SUBFILE-RRN	/	/
	004696	P-PUI-COMMAND-KEYS	/	/
	004697	P-PUI-HAS-INDARA	/	/
	004698	P-PUI-DUMMY-PARM	/	/
	004699	P-PUI-CONTROL-AREA	/	/
	004700	P-PUI-I-O-FEEDBACK	/	/
	004701	P-PUI-OPEN-FEEDBACK	/	/
	004702	END-CALL	/	/
4492	004703	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4493	004704	CONTINUE.	/	/
	004705	PUI-38-REWRITE.	/	/
4494	004706	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4495	004707	MOVE "U" TO P-PUI-ACTION	/	/
4496	004708	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004709	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4497	004710	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4498	004711	MOVE 'WDWSFL03' TO P-PUI-RECORD-FORMAT	/	/
4499	004712	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4500	004713	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4501	004714	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004715	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004716	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004717	P-PUI-RECORD-LEVELS	/	/
	004718	P-PUI-DISPLAY-NAMES	/	/
	004719	P-PUI-IS-OPEN-TABLE	/	/
	004720	P-PUI-DSP-INDEX	/	/
	004721	P-PUI-DUMMY-PARM	/	/
	004722	P-PUI-EOF	/	/
	004723	P-PUI-FOUND	/	/
	004724	P-PUI-RECORD-COUNT	/	/
	004725	P-PUI-RECORD-DATA-TABLE	/	/
	004726	P-PUI-QUALIFIED-FILE	/	/
	004727	DISPLAY-RCD	/	/
	004728	P-PUI-RECORD-FORMAT	/	/
	004729	P-PUI-IS-SUBFILE	/	/
	004730	P-PUI-SUBFILE-RRN	/	/
	004731	P-PUI-COMMAND-KEYS	/	/
	004732	P-PUI-HAS-INDARA	/	/
	004733	P-PUI-DUMMY-PARM	/	/
	004734	P-PUI-CONTROL-AREA	/	/
	004735	P-PUI-I-O-FEEDBACK	/	/
	004736	P-PUI-OPEN-FEEDBACK	/	/
	004737	END-CALL	/	/
4502	004738	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4503	004739	CONTINUE.	/	/
	004740	PUI-39-WRITE.	/	/
4504	004741	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4505	004742	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4506	004743	MOVE "Indicator structure"	/	/
	004744	TO PUI-IN-MESSAGE-DATA	/	/
4507	004745	MOVE "INDIC-AREA"	/	/
	004746	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4508	004747	MOVE "must be 99 bytes long"	/	/
	004748	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4509	004749	PERFORM PUI-250-ABORT	/	/
	004750	END-IF	/	/
4510	004751	MOVE "W" TO P-PUI-ACTION	/	/
4511	004752	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004753	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4512	004754	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4513	004755	MOVE 'WDWSFL03' TO P-PUI-RECORD-FORMAT	/	/
4514	004756	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4515	004757	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4516	004758	CALL "PUICBL001P" USING P-PUI-ACTION	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004759	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004760	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004761	P-PUI-RECORD-LEVELS	/	/
	004762	P-PUI-DISPLAY-NAMES	/	/
	004763	P-PUI-IS-OPEN-TABLE	/	/
	004764	P-PUI-DSP-INDEX	/	/
	004765	P-PUI-DUMMY-PARM	/	/
	004766	P-PUI-EOF	/	/
	004767	P-PUI-FOUND	/	/
	004768	P-PUI-RECORD-COUNT	/	/
	004769	P-PUI-RECORD-DATA-TABLE	/	/
	004770	P-PUI-QUALIFIED-FILE	/	/
	004771	DISPLAY-RCD	/	/
	004772	P-PUI-RECORD-FORMAT	/	/
	004773	P-PUI-IS-SUBFILE	/	/
	004774	P-PUI-SUBFILE-RRN	/	/
	004775	P-PUI-COMMAND-KEYS	/	/
	004776	P-PUI-HAS-INDARA	/	/
	004777	INDIC-AREA	/	/
	004778	P-PUI-CONTROL-AREA	/	/
	004779	P-PUI-I-O-FEEDBACK	/	/
	004780	P-PUI-OPEN-FEEDBACK	/	/
	004781	END-CALL	/	/
4517	004782	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4518	004783	CONTINUE.	/	/
	004784	PUI-40-WRITE.	/	/
4519	004785	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4520	004786	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4521	004787	MOVE "Indicator structure"	/	/
	004788	TO PUI-IN-MESSAGE-DATA	/	/
4522	004789	MOVE "INDIC-AREA"	/	/
	004790	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4523	004791	MOVE "must be 99 bytes long"	/	/
	004792	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4524	004793	PERFORM PUI-250-ABORT	/	/
	004794	END-IF	/	/
4525	004795	MOVE "W" TO P-PUI-ACTION	/	/
4526	004796	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004797	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4527	004798	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4528	004799	MOVE 'WDWCTL04' TO P-PUI-RECORD-FORMAT	/	/
4529	004800	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4530	004801	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4531	004802	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004803	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004804	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004805	P-PUI-RECORD-LEVELS	/	/
	004806	P-PUI-DISPLAY-NAMES	/	/
	004807	P-PUI-IS-OPEN-TABLE	/	/
	004808	P-PUI-DSP-INDEX	/	/
	004809	P-PUI-DUMMY-PARM	/	/
	004810	P-PUI-EOF	/	/
	004811	P-PUI-FOUND	/	/
	004812	P-PUI-RECORD-COUNT	/	/
	004813	P-PUI-RECORD-DATA-TABLE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004814	P-PUI-QUALIFIED-FILE	/	/
	004815	DISPLAY-RCD	/	/
	004816	P-PUI-RECORD-FORMAT	/	/
	004817	P-PUI-IS-SUBFILE	/	/
	004818	P-PUI-SUBFILE-RRN	/	/
	004819	P-PUI-COMMAND-KEYS	/	/
	004820	P-PUI-HAS-INDARA	/	/
	004821	INDIC-AREA	/	/
	004822	P-PUI-CONTROL-AREA	/	/
	004823	P-PUI-I-O-FEEDBACK	/	/
	004824	P-PUI-OPEN-FEEDBACK	/	/
	004825	END-CALL	/	/
4532	004826	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4533	004827	CONTINUE.	/	/
	004828	PUI-41-WRITE.	/	/
4534	004829	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4535	004830	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4536	004831	MOVE "Indicator structure"	/	/
	004832	TO PUI-IN-MESSAGE-DATA	/	/
4537	004833	MOVE "INDIC-AREA"	/	/
	004834	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4538	004835	MOVE "must be 99 bytes long"	/	/
	004836	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4539	004837	PERFORM PUI-250-ABORT	/	/
	004838	END-IF	/	/
4540	004839	MOVE "W" TO P-PUI-ACTION	/	/
4541	004840	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004841	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4542	004842	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4543	004843	MOVE 'WDWCTL04' TO P-PUI-RECORD-FORMAT	/	/
4544	004844	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4545	004845	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4546	004846	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004847	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004848	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004849	P-PUI-RECORD-LEVELS	/	/
	004850	P-PUI-DISPLAY-NAMES	/	/
	004851	P-PUI-IS-OPEN-TABLE	/	/
	004852	P-PUI-DSP-INDEX	/	/
	004853	P-PUI-DUMMY-PARM	/	/
	004854	P-PUI-EOF	/	/
	004855	P-PUI-FOUND	/	/
	004856	P-PUI-RECORD-COUNT	/	/
	004857	P-PUI-RECORD-DATA-TABLE	/	/
	004858	P-PUI-QUALIFIED-FILE	/	/
	004859	DISPLAY-RCD	/	/
	004860	P-PUI-RECORD-FORMAT	/	/
	004861	P-PUI-IS-SUBFILE	/	/
	004862	P-PUI-SUBFILE-RRN	/	/
	004863	P-PUI-COMMAND-KEYS	/	/
	004864	P-PUI-HAS-INDARA	/	/
	004865	INDIC-AREA	/	/
	004866	P-PUI-CONTROL-AREA	/	/
	004867	P-PUI-I-O-FEEDBACK	/	/
	004868	P-PUI-OPEN-FEEDBACK	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004869	END-CALL	/	/
4547	004870	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4548	004871	CONTINUE.	/	/
	004872	PUI-42-READ.	/	/
4549	004873	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4550	004874	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4551	004875	MOVE "Indicator structure"	/	/
	004876	TO PUI-IN-MESSAGE-DATA	/	/
4552	004877	MOVE "INDIC-AREA"	/	/
	004878	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4553	004879	MOVE "must be 99 bytes long"	/	/
	004880	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4554	004881	PERFORM PUI-250-ABORT	/	/
	004882	END-IF	/	/
4555	004883	MOVE "R" TO P-PUI-ACTION	/	/
4556	004884	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004885	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4557	004886	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4558	004887	MOVE 'WDWCTL04' TO P-PUI-RECORD-FORMAT	/	/
4559	004888	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4560	004889	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4561	004890	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004891	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004892	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004893	P-PUI-RECORD-LEVELS	/	/
	004894	P-PUI-DISPLAY-NAMES	/	/
	004895	P-PUI-IS-OPEN-TABLE	/	/
	004896	P-PUI-DSP-INDEX	/	/
	004897	P-PUI-DUMMY-PARM	/	/
	004898	P-PUI-EOF	/	/
	004899	P-PUI-FOUND	/	/
	004900	P-PUI-RECORD-COUNT	/	/
	004901	P-PUI-RECORD-DATA-TABLE	/	/
	004902	P-PUI-QUALIFIED-FILE	/	/
	004903	DISPLAY-RCD	/	/
	004904	P-PUI-RECORD-FORMAT	/	/
	004905	P-PUI-IS-SUBFILE	/	/
	004906	P-PUI-SUBFILE-RRN	/	/
	004907	P-PUI-COMMAND-KEYS	/	/
	004908	P-PUI-HAS-INDARA	/	/
	004909	INDIC-AREA	/	/
	004910	P-PUI-CONTROL-AREA	/	/
	004911	P-PUI-I-O-FEEDBACK	/	/
	004912	P-PUI-OPEN-FEEDBACK	/	/
	004913	END-CALL	/	/
4562	004914	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4563	004915	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4564	004916	CONTINUE.	/	/
	004917	PUI-43-READ.	/	/
4565	004918	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4566	004919	MOVE "M" TO P-PUI-ACTION	/	/
4567	004920	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004921	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4568	004922	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4569	004923	MOVE 'WDWSFL04' TO P-PUI-RECORD-FORMAT	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4570	004924	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4571	004925	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4572	004926	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004927	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004928	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004929	P-PUI-RECORD-LEVELS	/	/
	004930	P-PUI-DISPLAY-NAMES	/	/
	004931	P-PUI-IS-OPEN-TABLE	/	/
	004932	P-PUI-DSP-INDEX	/	/
	004933	P-PUI-DUMMY-PARM	/	/
	004934	P-PUI-EOF	/	/
	004935	P-PUI-FOUND	/	/
	004936	P-PUI-RECORD-COUNT	/	/
	004937	P-PUI-RECORD-DATA-TABLE	/	/
	004938	P-PUI-QUALIFIED-FILE	/	/
	004939	DISPLAY-RCD	/	/
	004940	P-PUI-RECORD-FORMAT	/	/
	004941	P-PUI-IS-SUBFILE	/	/
	004942	P-PUI-SUBFILE-RRN	/	/
	004943	P-PUI-COMMAND-KEYS	/	/
	004944	P-PUI-HAS-INDARA	/	/
	004945	P-PUI-DUMMY-PARM	/	/
	004946	P-PUI-CONTROL-AREA	/	/
	004947	P-PUI-I-O-FEEDBACK	/	/
	004948	P-PUI-OPEN-FEEDBACK	/	/
	004949	END-CALL	/	/
4573	004950	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4574	004951	CONTINUE.	/	/
	004952	PUI-44-REWRITE.	/	/
4575	004953	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4576	004954	MOVE "U" TO P-PUI-ACTION	/	/
4577	004955	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004956	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4578	004957	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4579	004958	MOVE 'WDWSFL04' TO P-PUI-RECORD-FORMAT	/	/
4580	004959	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4581	004960	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4582	004961	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	004962	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	004963	P-PUI-OPEN-ACCESS-LENGTH	/	/
	004964	P-PUI-RECORD-LEVELS	/	/
	004965	P-PUI-DISPLAY-NAMES	/	/
	004966	P-PUI-IS-OPEN-TABLE	/	/
	004967	P-PUI-DSP-INDEX	/	/
	004968	P-PUI-DUMMY-PARM	/	/
	004969	P-PUI-EOF	/	/
	004970	P-PUI-FOUND	/	/
	004971	P-PUI-RECORD-COUNT	/	/
	004972	P-PUI-RECORD-DATA-TABLE	/	/
	004973	P-PUI-QUALIFIED-FILE	/	/
	004974	DISPLAY-RCD	/	/
	004975	P-PUI-RECORD-FORMAT	/	/
	004976	P-PUI-IS-SUBFILE	/	/
	004977	P-PUI-SUBFILE-RRN	/	/
	004978	P-PUI-COMMAND-KEYS	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	004979	P-PUI-HAS-INDARA	/	/
	004980	P-PUI-DUMMY-PARM	/	/
	004981	P-PUI-CONTROL-AREA	/	/
	004982	P-PUI-I-O-FEEDBACK	/	/
	004983	P-PUI-OPEN-FEEDBACK	/	/
	004984	END-CALL	/	/
4583	004985	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4584	004986	CONTINUE.	/	/
	004987	PUI-45-WRITE.	/	/
4585	004988	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4586	004989	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4587	004990	MOVE "Indicator structure"	/	/
	004991	TO PUI-IN-MESSAGE-DATA	/	/
4588	004992	MOVE "INDIC-AREA"	/	/
	004993	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4589	004994	MOVE "must be 99 bytes long"	/	/
	004995	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4590	004996	PERFORM PUI-250-ABORT	/	/
	004997	END-IF	/	/
4591	004998	MOVE "W" TO P-PUI-ACTION	/	/
4592	004999	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005000	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4593	005001	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4594	005002	MOVE 'WDWSFL04' TO P-PUI-RECORD-FORMAT	/	/
4595	005003	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4596	005004	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4597	005005	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	005006	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005007	P-PUI-OPEN-ACCESS-LENGTH	/	/
	005008	P-PUI-RECORD-LEVELS	/	/
	005009	P-PUI-DISPLAY-NAMES	/	/
	005010	P-PUI-IS-OPEN-TABLE	/	/
	005011	P-PUI-DSP-INDEX	/	/
	005012	P-PUI-DUMMY-PARM	/	/
	005013	P-PUI-EOF	/	/
	005014	P-PUI-FOUND	/	/
	005015	P-PUI-RECORD-COUNT	/	/
	005016	P-PUI-RECORD-DATA-TABLE	/	/
	005017	P-PUI-QUALIFIED-FILE	/	/
	005018	DISPLAY-RCD	/	/
	005019	P-PUI-RECORD-FORMAT	/	/
	005020	P-PUI-IS-SUBFILE	/	/
	005021	P-PUI-SUBFILE-RRN	/	/
	005022	P-PUI-COMMAND-KEYS	/	/
	005023	P-PUI-HAS-INDARA	/	/
	005024	INDIC-AREA	/	/
	005025	P-PUI-CONTROL-AREA	/	/
	005026	P-PUI-I-O-FEEDBACK	/	/
	005027	P-PUI-OPEN-FEEDBACK	/	/
	005028	END-CALL	/	/
4598	005029	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4599	005030	CONTINUE.	/	/
	005031	PUI-46-WRITE.	/	/
4600	005032	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4601	005033	IF LENGTH OF INDIC-AREA NOT = 99	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4602	005034	MOVE "Indicator structure"		/	/
	005035		TO PUI-IN-MESSAGE-DATA	/	/
4603	005036	MOVE "INDIC-AREA"		/	/
	005037		TO PUI-IN-MESSAGE-DATA (21:)	/	/
4604	005038	MOVE "must be 99 bytes long"		/	/
	005039		TO PUI-IN-MESSAGE-DATA (52:)	/	/
4605	005040	PERFORM PUI-250-ABORT		/	/
	005041	END-IF		/	/
4606	005042	MOVE "W" TO P-PUI-ACTION		/	/
4607	005043	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	005044	TO P-PUI-OPEN-ACCESS-LENGTH		/	/
4608	005045	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE		/	/
4609	005046	MOVE 'RCD03' TO P-PUI-RECORD-FORMAT		/	/
4610	005047	MOVE "0" TO P-PUI-IS-SUBFILE		/	/
4611	005048	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN		/	/
4612	005049	CALL "PUICBL001P" USING P-PUI-ACTION		/	/
	005050		P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005051		P-PUI-OPEN-ACCESS-LENGTH	/	/
	005052		P-PUI-RECORD-LEVELS	/	/
	005053		P-PUI-DISPLAY-NAMES	/	/
	005054		P-PUI-IS-OPEN-TABLE	/	/
	005055		P-PUI-DSP-INDEX	/	/
	005056		P-PUI-DUMMY-PARM	/	/
	005057		P-PUI-EOF	/	/
	005058		P-PUI-FOUND	/	/
	005059		P-PUI-RECORD-COUNT	/	/
	005060		P-PUI-RECORD-DATA-TABLE	/	/
	005061		P-PUI-QUALIFIED-FILE	/	/
	005062		DISPLAY-RCD	/	/
	005063		P-PUI-RECORD-FORMAT	/	/
	005064		P-PUI-IS-SUBFILE	/	/
	005065		P-PUI-SUBFILE-RRN	/	/
	005066		P-PUI-COMMAND-KEYS	/	/
	005067		P-PUI-HAS-INDARA	/	/
	005068		INDIC-AREA	/	/
	005069		P-PUI-CONTROL-AREA	/	/
	005070		P-PUI-I-O-FEEDBACK	/	/
	005071		P-PUI-OPEN-FEEDBACK	/	/
	005072	END-CALL		/	/
4613	005073	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO		/	/
4614	005074	CONTINUE.		/	/
	005075	PUI-47-READ.		/	/
4615	005076	MOVE "1" TO P-PUI-HAS-INDARA		/	/
4616	005077	IF LENGTH OF INDIC-AREA NOT = 99		/	/
4617	005078	MOVE "Indicator structure"		/	/
	005079		TO PUI-IN-MESSAGE-DATA	/	/
4618	005080	MOVE "INDIC-AREA"		/	/
	005081		TO PUI-IN-MESSAGE-DATA (21:)	/	/
4619	005082	MOVE "must be 99 bytes long"		/	/
	005083		TO PUI-IN-MESSAGE-DATA (52:)	/	/
4620	005084	PERFORM PUI-250-ABORT		/	/
	005085	END-IF		/	/
4621	005086	MOVE "R" TO P-PUI-ACTION		/	/
4622	005087	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE		/	/
	005088	TO P-PUI-OPEN-ACCESS-LENGTH		/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4623	005089	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4624	005090	MOVE 'RCD03' TO P-PUI-RECORD-FORMAT	/	/
4625	005091	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4626	005092	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4627	005093	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	005094	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005095	P-PUI-OPEN-ACCESS-LENGTH	/	/
	005096	P-PUI-RECORD-LEVELS	/	/
	005097	P-PUI-DISPLAY-NAMES	/	/
	005098	P-PUI-IS-OPEN-TABLE	/	/
	005099	P-PUI-DSP-INDEX	/	/
	005100	P-PUI-DUMMY-PARM	/	/
	005101	P-PUI-EOF	/	/
	005102	P-PUI-FOUND	/	/
	005103	P-PUI-RECORD-COUNT	/	/
	005104	P-PUI-RECORD-DATA-TABLE	/	/
	005105	P-PUI-QUALIFIED-FILE	/	/
	005106	DISPLAY-RCD	/	/
	005107	P-PUI-RECORD-FORMAT	/	/
	005108	P-PUI-IS-SUBFILE	/	/
	005109	P-PUI-SUBFILE-RRN	/	/
	005110	P-PUI-COMMAND-KEYS	/	/
	005111	P-PUI-HAS-INDARA	/	/
	005112	INDIC-AREA	/	/
	005113	P-PUI-CONTROL-AREA	/	/
	005114	P-PUI-I-O-FEEDBACK	/	/
	005115	P-PUI-OPEN-FEEDBACK	/	/
	005116	END-CALL	/	/
4628	005117	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4629	005118	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4630	005119	CONTINUE.	/	/
	005120	PUI-48-WRITE.	/	/
4631	005121	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4632	005122	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4633	005123	MOVE "Indicator structure"	/	/
	005124	TO PUI-IN-MESSAGE-DATA	/	/
4634	005125	MOVE "INDIC-AREA"	/	/
	005126	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4635	005127	MOVE "must be 99 bytes long"	/	/
	005128	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4636	005129	PERFORM PUI-250-ABORT	/	/
	005130	END-IF	/	/
4637	005131	MOVE "W" TO P-PUI-ACTION	/	/
4638	005132	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005133	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4639	005134	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4640	005135	MOVE 'WDWCTL09' TO P-PUI-RECORD-FORMAT	/	/
4641	005136	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4642	005137	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4643	005138	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	005139	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005140	P-PUI-OPEN-ACCESS-LENGTH	/	/
	005141	P-PUI-RECORD-LEVELS	/	/
	005142	P-PUI-DISPLAY-NAMES	/	/
	005143	P-PUI-IS-OPEN-TABLE	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	005144	P-PUI-DSP-INDEX	/	/
	005145	P-PUI-DUMMY-PARM	/	/
	005146	P-PUI-EOF	/	/
	005147	P-PUI-FOUND	/	/
	005148	P-PUI-RECORD-COUNT	/	/
	005149	P-PUI-RECORD-DATA-TABLE	/	/
	005150	P-PUI-QUALIFIED-FILE	/	/
	005151	DISPLAY-RCD	/	/
	005152	P-PUI-RECORD-FORMAT	/	/
	005153	P-PUI-IS-SUBFILE	/	/
	005154	P-PUI-SUBFILE-RRN	/	/
	005155	P-PUI-COMMAND-KEYS	/	/
	005156	P-PUI-HAS-INDARA	/	/
	005157	INDIC-AREA	/	/
	005158	P-PUI-CONTROL-AREA	/	/
	005159	P-PUI-I-O-FEEDBACK	/	/
	005160	P-PUI-OPEN-FEEDBACK	/	/
	005161	END-CALL	/	/
4644	005162	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4645	005163	CONTINUE.	/	/
	005164	PUI-49-WRITE.	/	/
4646	005165	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4647	005166	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4648	005167	MOVE "Indicator structure"	/	/
	005168	TO PUI-IN-MESSAGE-DATA	/	/
4649	005169	MOVE "INDIC-AREA"	/	/
	005170	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4650	005171	MOVE "must be 99 bytes long"	/	/
	005172	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4651	005173	PERFORM PUI-250-ABORT	/	/
	005174	END-IF	/	/
4652	005175	MOVE "W" TO P-PUI-ACTION	/	/
4653	005176	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005177	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4654	005178	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4655	005179	MOVE 'WDWCTL09' TO P-PUI-RECORD-FORMAT	/	/
4656	005180	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4657	005181	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4658	005182	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	005183	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005184	P-PUI-OPEN-ACCESS-LENGTH	/	/
	005185	P-PUI-RECORD-LEVELS	/	/
	005186	P-PUI-DISPLAY-NAMES	/	/
	005187	P-PUI-IS-OPEN-TABLE	/	/
	005188	P-PUI-DSP-INDEX	/	/
	005189	P-PUI-DUMMY-PARM	/	/
	005190	P-PUI-EOF	/	/
	005191	P-PUI-FOUND	/	/
	005192	P-PUI-RECORD-COUNT	/	/
	005193	P-PUI-RECORD-DATA-TABLE	/	/
	005194	P-PUI-QUALIFIED-FILE	/	/
	005195	DISPLAY-RCD	/	/
	005196	P-PUI-RECORD-FORMAT	/	/
	005197	P-PUI-IS-SUBFILE	/	/
	005198	P-PUI-SUBFILE-RRN	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

	005199	P-PUI-COMMAND-KEYS	/	/
	005200	P-PUI-HAS-INDARA	/	/
	005201	INDIC-AREA	/	/
	005202	P-PUI-CONTROL-AREA	/	/
	005203	P-PUI-I-O-FEEDBACK	/	/
	005204	P-PUI-OPEN-FEEDBACK	/	/
	005205	END-CALL	/	/
4659	005206	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4660	005207	CONTINUE.	/	/
	005208	PUI-50-READ.	/	/
4661	005209	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4662	005210	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4663	005211	MOVE "Indicator structure"	/	/
	005212	TO PUI-IN-MESSAGE-DATA	/	/
4664	005213	MOVE "INDIC-AREA"	/	/
	005214	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4665	005215	MOVE "must be 99 bytes long"	/	/
	005216	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4666	005217	PERFORM PUI-250-ABORT	/	/
	005218	END-IF	/	/
4667	005219	MOVE "R" TO P-PUI-ACTION	/	/
4668	005220	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005221	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4669	005222	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4670	005223	MOVE 'WDWCTL09' TO P-PUI-RECORD-FORMAT	/	/
4671	005224	MOVE "0" TO P-PUI-IS-SUBFILE	/	/
4672	005225	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4673	005226	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	005227	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005228	P-PUI-OPEN-ACCESS-LENGTH	/	/
	005229	P-PUI-RECORD-LEVELS	/	/
	005230	P-PUI-DISPLAY-NAMES	/	/
	005231	P-PUI-IS-OPEN-TABLE	/	/
	005232	P-PUI-DSP-INDEX	/	/
	005233	P-PUI-DUMMY-PARM	/	/
	005234	P-PUI-EOF	/	/
	005235	P-PUI-FOUND	/	/
	005236	P-PUI-RECORD-COUNT	/	/
	005237	P-PUI-RECORD-DATA-TABLE	/	/
	005238	P-PUI-QUALIFIED-FILE	/	/
	005239	DISPLAY-RCD	/	/
	005240	P-PUI-RECORD-FORMAT	/	/
	005241	P-PUI-IS-SUBFILE	/	/
	005242	P-PUI-SUBFILE-RRN	/	/
	005243	P-PUI-COMMAND-KEYS	/	/
	005244	P-PUI-HAS-INDARA	/	/
	005245	INDIC-AREA	/	/
	005246	P-PUI-CONTROL-AREA	/	/
	005247	P-PUI-I-O-FEEDBACK	/	/
	005248	P-PUI-OPEN-FEEDBACK	/	/
	005249	END-CALL	/	/
4674	005250	MOVE P-PUI-CONTROL-AREA TO DISPLAY-CONTROL-AREA	/	/
4675	005251	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4676	005252	CONTINUE.	/	/
	005253	PUI-51-READ.	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

4677	005254	MOVE "0" TO P-PUI-HAS-INDARA	/	/
4678	005255	MOVE "M" TO P-PUI-ACTION	/	/
4679	005256	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005257	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4680	005258	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4681	005259	MOVE 'WDWSFL08' TO P-PUI-RECORD-FORMAT	/	/
4682	005260	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4683	005261	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4684	005262	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	005263	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005264	P-PUI-OPEN-ACCESS-LENGTH	/	/
	005265	P-PUI-RECORD-LEVELS	/	/
	005266	P-PUI-DISPLAY-NAMES	/	/
	005267	P-PUI-IS-OPEN-TABLE	/	/
	005268	P-PUI-DSP-INDEX	/	/
	005269	P-PUI-DUMMY-PARM	/	/
	005270	P-PUI-EOF	/	/
	005271	P-PUI-FOUND	/	/
	005272	P-PUI-RECORD-COUNT	/	/
	005273	P-PUI-RECORD-DATA-TABLE	/	/
	005274	P-PUI-QUALIFIED-FILE	/	/
	005275	DISPLAY-RCD	/	/
	005276	P-PUI-RECORD-FORMAT	/	/
	005277	P-PUI-IS-SUBFILE	/	/
	005278	P-PUI-SUBFILE-RRN	/	/
	005279	P-PUI-COMMAND-KEYS	/	/
	005280	P-PUI-HAS-INDARA	/	/
	005281	P-PUI-DUMMY-PARM	/	/
	005282	P-PUI-CONTROL-AREA	/	/
	005283	P-PUI-I-O-FEEDBACK	/	/
	005284	P-PUI-OPEN-FEEDBACK	/	/
	005285	END-CALL	/	/
4685	005286	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4686	005287	CONTINUE.	/	/
	005288	PUI-52-WRITE.	/	/
4687	005289	MOVE "1" TO P-PUI-HAS-INDARA	/	/
4688	005290	IF LENGTH OF INDIC-AREA NOT = 99	/	/
4689	005291	MOVE "Indicator structure"	/	/
	005292	TO PUI-IN-MESSAGE-DATA	/	/
4690	005293	MOVE "INDIC-AREA"	/	/
	005294	TO PUI-IN-MESSAGE-DATA (21:)	/	/
4691	005295	MOVE "must be 99 bytes long"	/	/
	005296	TO PUI-IN-MESSAGE-DATA (52:)	/	/
4692	005297	PERFORM PUI-250-ABORT	/	/
	005298	END-IF	/	/
4693	005299	MOVE "W" TO P-PUI-ACTION	/	/
4694	005300	MOVE LENGTH OF P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005301	TO P-PUI-OPEN-ACCESS-LENGTH	/	/
4695	005302	MOVE "WHD0050C *LIBL" TO P-PUI-QUALIFIED-FILE	/	/
4696	005303	MOVE 'WDWSFL08' TO P-PUI-RECORD-FORMAT	/	/
4697	005304	MOVE "1" TO P-PUI-IS-SUBFILE	/	/
4698	005305	MOVE DSP-RCD-NO TO P-PUI-SUBFILE-RRN	/	/
4699	005306	CALL "PUICBL001P" USING P-PUI-ACTION	/	/
	005307	P-PUI-OPEN-ACCESS-STRUCTURE	/	/
	005308	P-PUI-OPEN-ACCESS-LENGTH	/	/

STMT PL SEQNBR -A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..IDENTFCN S COPYNAME CHG DATE

005309	P-PUI-RECORD-LEVELS	/	/
005310	P-PUI-DISPLAY-NAMES	/	/
005311	P-PUI-IS-OPEN-TABLE	/	/
005312	P-PUI-DSP-INDEX	/	/
005313	P-PUI-DUMMY-PARM	/	/
005314	P-PUI-EOF	/	/
005315	P-PUI-FOUND	/	/
005316	P-PUI-RECORD-COUNT	/	/
005317	P-PUI-RECORD-DATA-TABLE	/	/
005318	P-PUI-QUALIFIED-FILE	/	/
005319	DISPLAY-RCD	/	/
005320	P-PUI-RECORD-FORMAT	/	/
005321	P-PUI-IS-SUBFILE	/	/
005322	P-PUI-SUBFILE-RRN	/	/
005323	P-PUI-COMMAND-KEYS	/	/
005324	P-PUI-HAS-INDARA	/	/
005325	INDIC-AREA	/	/
005326	P-PUI-CONTROL-AREA	/	/
005327	P-PUI-I-O-FEEDBACK	/	/
005328	P-PUI-OPEN-FEEDBACK	/	/
005329	END-CALL	/	/
4700 005330	MOVE P-PUI-SUBFILE-RRN TO DSP-RCD-NO	/	/
4701 005331	CONTINUE.	/	/
005332	COPY CWXXDATEP OF QCOPYSRC.	/	/
+000100*	*****	CWXXDATEP	96/04/26
+000200*	*	CWXXDATEP	96/04/26
+000300*	VALIDATE AND CONVERT DATES	CWXXDATEP	96/04/26
+000400*	*	CWXXDATEP	96/04/26
+000500*	THIS ROUTINE VALIDATES AND CONVERTS THE FORMATS OF DATES.	CWXXDATEP	96/04/26
+000600*	*	CWXXDATEP	96/04/26
+000700*	1) MOVE DATE TO DATE-CHECK-IN.	CWXXDATEP	96/04/26
+000800*	2) MOVE PROPER VALUE FOR DESIRED OPERATION TO DATE-CHECK-TYPE	CWXXDATEP	96/04/26
+000900*	DATE-CHECK-TYPE:	CWXXDATEP	96/04/26
+001000*	VALUE FORMAT IN FORMAT OUT OPERATION	CWXXDATEP	96/04/26
+001100*	-----	CWXXDATEP	96/04/26
+001200*	1 CYMMDD MMDDCCYY VALIDATE & CONVERT	CWXXDATEP	96/04/26
+001300*	2 MMDDCCYY CYMMDD VALIDATE & CONVERT	CWXXDATEP	96/04/26
+001400*	3 MMCCYY CYMM VALIDATE & CONVERT	CWXXDATEP	96/04/26
+001500*	4 CYMM MMCCYY VALIDATE & CONVERT	CWXXDATEP	96/04/26
+001600*	5 CYMMDD MMDDCCYY CONVERT	CWXXDATEP	96/04/26
+001700*	6 MMDDCCYY CYMMDD CONVERT	CWXXDATEP	96/04/26
+001800*	7 MMCCYY CYMM CONVERT	CWXXDATEP	96/04/26
+001900*	8 CYMM MMCCYY CONVERT	CWXXDATEP	96/04/26
+002000*	9 CYMMDD CYMMDD VALIDATE	CWXXDATEP	96/04/26
+002100*	10 MMDDCCYY MMDDCCYY VALIDATE	CWXXDATEP	96/04/26
+002200*	11 MMCCYY MMCCYY VALIDATE	CWXXDATEP	96/04/26
+002300*	12 CYMM CYMM VALIDATE	CWXXDATEP	96/04/26
+002400*	3) PERFORM DATE-CHECK THRU DATE-CHECK-EXIT.	CWXXDATEP	96/04/26
+002500*	THE OUTCOME OF A CONVERSION WILL BE IN DATE-CHECK-OUT.	CWXXDATEP	96/04/26
+002600*	0 = VALID DATE DATE-CHECK-OK SET ON	CWXXDATEP	96/04/26
+002700*	1 = INVALID DATE DATE-CHECK-NG SET ON	CWXXDATEP	96/04/26
+002800*	*****	CWXXDATEP	96/04/26
+002900	DATE-CHECKING SECTION.	CWXXDATEP	96/05/17
+003000	DATE-CHECK.	CWXXDATEP	96/04/22
+003100		CWXXDATEP	96/04/22

STMT	PL	SEQNBR	-A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..	IDENTFCN	S	COPYNAME	CHG	DATE
		+003200	*** FLIP DATE ONLY ***			CWXXDATEP	96/04/22	
4702		+003300	IF DATE-CHECK-TYPE > 4 AND DATE-CHECK-TYPE < 9			CWXXDATEP	96/04/23	
4703		+003400	EVALUATE DATE-CHECK-TYPE			CWXXDATEP	96/04/23	
		+003500	WHEN 5			CWXXDATEP	96/04/23	
4704		+003600	MOVE DATE-CHECK-IN TO CYMD-DATE			CWXXDATEP	96/04/23	
4705		+003700	MOVE CORR CYMD-DATE TO MDCY-DATE			CWXXDATEP	96/04/23	
			*** CORRESPONDING items for statement 4705:					
			*** CC					
			*** YY					
			*** MM					
			*** DD					
			*** End of CORRESPONDING items for statement 4705					
4706		+003800	IF CC OF MDCY-DATE < 18			CWXXDATEP	96/04/23	
4707		+003900	ADD 19 TO CC OF MDCY-DATE			CWXXDATEP	96/04/23	
		+004000	END-IF			CWXXDATEP	96/04/23	
4708		+004100	MOVE MDCY-DATE TO DATE-CHECK-OUT			CWXXDATEP	96/04/22	
		+004200	WHEN 6			CWXXDATEP	96/04/23	
4709		+004300	MOVE DATE-CHECK-IN TO MDCY-DATE			CWXXDATEP	96/04/23	
4710		+004400	MOVE CORR MDCY-DATE TO CYMD-DATE			CWXXDATEP	96/04/23	
			*** CORRESPONDING items for statement 4710:					
			*** MM					
			*** DD					
			*** CC					
			*** YY					
			*** End of CORRESPONDING items for statement 4710					
4711		+004500	IF CC OF CYMD-DATE > 18			CWXXDATEP	96/04/23	
4712		+004600	SUBTRACT 19 FROM CC OF CYMD-DATE			CWXXDATEP	96/04/23	
		+004700	END-IF			CWXXDATEP	96/04/22	
4713		+004800	MOVE CYMD-DATE TO DATE-CHECK-OUT			CWXXDATEP	96/04/22	
		+004900	WHEN 7			CWXXDATEP	96/04/23	
4714		+005000	MOVE DATE-CHECK-IN TO MCY-DATE			CWXXDATEP	96/04/23	
4715		+005100	MOVE CORR MCY-DATE TO CYM-DATE			CWXXDATEP	96/04/22	
			*** CORRESPONDING items for statement 4715:					
			*** XX					
			*** MM					
			*** CC					
			*** YY					
			*** End of CORRESPONDING items for statement 4715					
4716		+005200	IF CC OF CYM-DATE > 18			CWXXDATEP	96/04/23	
4717		+005300	SUBTRACT 19 FROM CC OF CYM-DATE			CWXXDATEP	96/04/23	
		+005400	END-IF			CWXXDATEP	96/04/22	
4718		+005500	MOVE CYM-DATE TO DATE-CHECK-OUT			CWXXDATEP	96/04/22	
		+005600	WHEN 8			CWXXDATEP	96/04/23	
4719		+005700	MOVE DATE-CHECK-IN TO CYM-DATE			CWXXDATEP	96/04/23	
4720		+005800	MOVE CORR CYM-DATE TO MCY-DATE			CWXXDATEP	96/04/23	
			*** CORRESPONDING items for statement 4720:					
			*** XX					
			*** CC					
			*** YY					
			*** MM					
			*** End of CORRESPONDING items for statement 4720					
4721		+005900	IF CC OF MCY-DATE < 18			CWXXDATEP	96/04/23	
4722		+006000	ADD 19 TO CC OF MCY-DATE			CWXXDATEP	96/04/23	
		+006100	END-IF			CWXXDATEP	96/04/23	
4723		+006200	MOVE MCY-DATE TO DATE-CHECK-OUT			CWXXDATEP	96/04/22	

STMT	PL	SEQNBR	-A 1 B..+....2....+....3....+....4....+....5....+....6....+....7..	IDENTFCN	S	COPYNAME	CHG	DATE
		+006300	END-EVALUATE			CWXXDATEP	96/04/23	
4724		+006400	GO TO DATE-CHECK-EXIT			CWXXDATEP	96/04/23	
		+006500	END-IF.			CWXXDATEP	96/04/23	
		+006600				CWXXDATEP	96/04/22	
		+006700	*** CALL ZRDATCVT TO VALIDATE OR VALIDATE AND FLIP DATE ***			CWXXDATEP	96/04/23	
4725		+006800	SET DATE-CHECK-OK TO TRUE.			CWXXDATEP	96/04/22	
4726		+006900	INITIALIZE ZRDATCVT-LINKAGE			CWXXDATEP	96/04/22	
		+007000	DATE-CONV-TABLE.			CWXXDATEP	96/04/22	
		+007100				CWXXDATEP	96/04/22	
4727		+007200	EVALUATE DATE-CHECK-TYPE			CWXXDATEP	96/04/22	
		+007300	WHEN 1			CWXXDATEP	96/04/23	
4728		+007400	MOVE "*CYMD" TO FRMFMT(1)			CWXXDATEP	96/04/26	
4729		+007500	MOVE "*MDYY" TO TOFMT(1)			CWXXDATEP	96/04/26	
		+007600	WHEN 2			CWXXDATEP	96/04/23	
4730		+007700	MOVE "*MDYY" TO FRMFMT(1)			CWXXDATEP	96/04/26	
4731		+007800	MOVE "*CYMD" TO TOFMT(1)			CWXXDATEP	96/04/26	
		+007900	WHEN 3			CWXXDATEP	96/04/23	
4732		+008000	MOVE "*MYM" TO FRMFMT(1)			CWXXDATEP	96/04/26	
4733		+008100	MOVE "*CYM" TO TOFMT(1)			CWXXDATEP	96/04/26	
		+008200	WHEN 4			CWXXDATEP	96/04/23	
4734		+008300	MOVE "*CYM" TO FRMFMT(1)			CWXXDATEP	96/04/26	
4735		+008400	MOVE "*MYM" TO TOFMT(1)			CWXXDATEP	96/04/26	
		+008500	WHEN 9			CWXXDATEP	96/04/23	
4736		+008600	MOVE "*CYMD" TO FRMFMT(1)			CWXXDATEP	96/04/26	
4737		+008700	MOVE "*CYMD" TO TOFMT(1)			CWXXDATEP	96/04/26	
		+008800	WHEN 10			CWXXDATEP	96/04/23	
4738		+008900	MOVE "*MDYY" TO FRMFMT(1)			CWXXDATEP	96/04/26	
4739		+009000	MOVE "*MDYY" TO TOFMT(1)			CWXXDATEP	96/04/26	
		+009100	WHEN 11			CWXXDATEP	96/04/23	
4740		+009200	MOVE "*MYM" TO FRMFMT(1)			CWXXDATEP	96/04/26	
4741		+009300	MOVE "*MYM" TO TOFMT(1)			CWXXDATEP	96/04/26	
		+009400	WHEN 12			CWXXDATEP	96/04/23	
4742		+009500	MOVE "*CYM" TO FRMFMT(1)			CWXXDATEP	96/04/26	
4743		+009600	MOVE "*CYM" TO TOFMT(1)			CWXXDATEP	96/04/26	
		+009700	WHEN OTHER			CWXXDATEP	96/04/23	
4744		+009800	SET DATE-CHECK-NG TO TRUE			CWXXDATEP	96/04/24	
4745		+009900	GO TO DATE-CHECK-EXIT.			CWXXDATEP	96/04/23	
		+010000				CWXXDATEP	96/04/22	
4746		+010100	MOVE DATE-CHECK-IN TO DATE1(1).			CWXXDATEP	96/04/22	
4747		+010200	MOVE 1 TO DTECNT.			CWXXDATEP	96/04/22	
4748		+010201	CALL "ZRDATCVT" USING ZRDATCVT-LINKAGE.			CWXXDATEP	96/05/29	
		+010400				CWXXDATEP	96/04/22	
4749		+010500	IF DATE-INVALID(1)			CWXXDATEP	96/04/23	
4750		+010600	SET DATE-CHECK-NG TO TRUE			CWXXDATEP	96/04/22	
		+010700	ELSE			CWXXDATEP	96/04/22	
4751		+010800	MOVE DATE2(1) TO DATE-CHECK-OUT.			CWXXDATEP	96/04/22	
		+010900				CWXXDATEP	96/04/22	
		+011000	DATE-CHECK-EXIT.			CWXXDATEP	96/04/23	
4752		+011100	EXIT.			CWXXDATEP	96/04/23	

* * * * * E N D O F S O U R C E * * * * *

M e s s a g e s

STMT

- * 390 MSGID: LNC0763 SEVERITY: 10 SEQNBR: 000047
Message : Redefining item STATUS2 does not immediately follow
redefined item STATUSX.
- * 465 MSGID: LNC0763 SEVERITY: 10 SEQNBR: 000059
Message : Redefining item ACTION2 does not immediately follow
redefined item ACTION.
- * 1446 MSGID: LNC0763 SEVERITY: 10 SEQNBR: 000266
Message : Redefining item TYPE2 does not immediately follow
redefined item ITEMTYPE.
- * 1453 MSGID: LNC0763 SEVERITY: 10 SEQNBR: 000276
Message : Redefining item STATUS2 does not immediately follow
redefined item STATUSX.
- * 1455 MSGID: LNC0763 SEVERITY: 10 SEQNBR: 000278
Message : Redefining item FILLER does not immediately follow
redefined item ORIGNAM.
- * 1826 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +000500
Message : Delimiter for literal is not correct. Literal
accepted.
- * 1827 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +000600
Message : Delimiter for literal is not correct. Literal
accepted.
- * 1828 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +000700
Message : Delimiter for literal is not correct. Literal
accepted.
- * 2393 MSGID: LNC0600 SEVERITY: 10 SEQNBR: +000386
Message : No INPUT fields found for format WDW13.
- * 2393 MSGID: LNC0600 SEVERITY: 10 SEQNBR: +000389
Message : No OUTPUT fields found for format WDW13.
- * 2393 MSGID: LNC1023 SEVERITY: 30 SEQNBR: 000766
Message : Copy file 'PUIWS' in '*LIBL/QCBLINC' could not be
opened. COPY statement ignored.
- * 2460 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 000864
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 2460 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 000864
Message : Delimiter for literal is not correct. Literal
accepted.
- * 2513 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 000929
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

STMT

* 2513 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 000929
Message : Delimiter for literal is not correct. Literal
accepted.

* 2517 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 000935
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 2517 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 000935
Message : Delimiter for literal is not correct. Literal
accepted.

* 2575 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001015
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 2575 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001015
Message : Delimiter for literal is not correct. Literal
accepted.

* 2579 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001021
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 2579 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001021
Message : Delimiter for literal is not correct. Literal
accepted.

* 2617 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001079
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 2617 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001079
Message : Delimiter for literal is not correct. Literal
accepted.

* 2648 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001126
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 2648 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001126
Message : Delimiter for literal is not correct. Literal
accepted.

* 2703 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001206
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 2703 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001206
Message : Delimiter for literal is not correct. Literal
accepted.

* 2708 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001214
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 2735 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001249
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 2735 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001249
Message : Delimiter for literal is not correct. Literal
accepted.
- * 2795 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001328
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 2795 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001328
Message : Delimiter for literal is not correct. Literal
accepted.
- * 2857 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001418
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 2857 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001418
Message : Delimiter for literal is not correct. Literal
accepted.
- * 2960 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001549
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 2960 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001549
Message : Delimiter for literal is not correct. Literal
accepted.
- * 2974 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001571
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 2974 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001571
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3003 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001616
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 3003 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001616
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3250 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 001982
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

STMT

* 3250 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 001982
Message : Delimiter for literal is not correct. Literal
accepted.

* 3300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002056
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 3300 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002056
Message : Delimiter for literal is not correct. Literal
accepted.

* 3321 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002086
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 3321 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002086
Message : Delimiter for literal is not correct. Literal
accepted.

* 3326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002095
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 3326 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002095
Message : Delimiter for literal is not correct. Literal
accepted.

* 3334 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002106
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 3334 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002106
Message : Delimiter for literal is not correct. Literal
accepted.

* 3345 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002128
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 3345 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002128
Message : Delimiter for literal is not correct. Literal
accepted.

* 3381 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002185
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 3381 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002185
Message : Delimiter for literal is not correct. Literal
accepted.

* 3386 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002194
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

STMT

- * 3386 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002194
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3394 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002205
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 3394 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002205
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002219
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 3403 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002219
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3436 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002265
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 3436 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002265
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3704 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002639
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 3704 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002639
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3713 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002653
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 3713 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002653
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3772 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002725
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 3772 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002725
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3880 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002986
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 3880 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002986
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 3881 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002987
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3881 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002987
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3882 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002988
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3882 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002989
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3883 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002990
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3883 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002990
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 3884 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002991
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3884 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002991
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 3885 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002992
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 002993
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002993
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002994
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.

STMT

- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002995
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002996
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002997
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002998
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 002999
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003000
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003001
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003002
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003003
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003004
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003005
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003006
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003007
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003008
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

STMT

- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003009
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003010
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003011
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003012
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003013
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003014
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 3886 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003015
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 3888 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003019
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3888 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003019
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 3889 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003020
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3889 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003020
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3890 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003021
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3890 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003022
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3891 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003023
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 3891 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003023
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 3892 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003024
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3892 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003024
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 3893 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003025
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3894 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003026
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003026
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003027
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003028
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003029
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003030
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003031
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003032
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003033
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

STMT

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003034
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003035
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003036
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003037
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003038
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003039
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003040
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003041
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003042
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003043
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003044
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003045
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003046
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003047
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

STMT

- * 3894 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003048
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 3896 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003052
Message : 'PUI-IS-INITIALIZED' not defined name. Statement or
clause ignored.
- * 3896 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003052
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3897 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003053
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3897 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003053
Message : 'P-PUI-DISPLAY-NAME' not defined name. Statement or
clause ignored.
- * 3898 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003054
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 3899 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003055
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3899 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003055
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3900 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003056
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3900 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003056
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3901 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003057
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3901 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003057
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3902 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003058
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3902 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003058
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or

STMT

clause ignored.

- * 3903 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003059
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3903 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003059
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3904 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003060
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3904 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003060
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3905 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003061
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3905 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003061
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3906 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003062
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3906 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003062
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3907 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003063
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3907 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003063
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3908 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003064
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3908 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003064
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3909 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003065
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 3909 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003065
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3910 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003066
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3910 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003066
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3911 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003067
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3911 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003067
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3912 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003068
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3912 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003068
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3913 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003069
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3913 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003069
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3914 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003070
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3914 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003070
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3915 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003071
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3915 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003071
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3916 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003072
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 3916 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003072
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3917 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003073
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3917 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003073
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3918 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003074
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3918 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003074
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3919 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003075
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3919 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003075
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3920 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003076
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3920 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003076
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3921 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003077
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3921 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003077
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3922 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003078
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3922 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003078
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3923 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003079
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 3923 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003079
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3924 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003080
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3924 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003080
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3925 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003081
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3925 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003081
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3926 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003082
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3926 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003082
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3927 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003083
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3927 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003083
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3928 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003084
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3928 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003084
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3929 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003085
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3929 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003085
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.

STMT

* 3930 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003086
Message : Delimiter for literal is not correct. Literal
accepted.

* 3930 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003086
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.

* 3931 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003087
Message : Delimiter for literal is not correct. Literal
accepted.

* 3931 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003087
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.

* 3932 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003088
Message : Delimiter for literal is not correct. Literal
accepted.

* 3932 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003088
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.

* 3933 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003089
Message : Delimiter for literal is not correct. Literal
accepted.

* 3933 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003089
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.

* 3934 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003090
Message : Delimiter for literal is not correct. Literal
accepted.

* 3934 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003090
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.

* 3935 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003091
Message : Delimiter for literal is not correct. Literal
accepted.

* 3935 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003091
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.

* 3936 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003092
Message : Delimiter for literal is not correct. Literal
accepted.

* 3936 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003092
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.

STMT

- * 3937 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003093
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3937 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003093
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3938 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003094
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3938 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003094
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3939 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003095
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3939 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003095
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3940 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003096
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3940 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003096
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3941 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003097
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3941 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003097
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3942 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003098
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3942 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003098
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3943 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003099
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3943 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003099
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or

STMT

clause ignored.

- * 3944 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003100
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3944 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003100
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3945 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003101
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3945 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003101
Message : 'P-PUI-RECORD-NAME' not defined name. Statement or
clause ignored.
- * 3946 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003102
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3946 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003102
Message : 'P-PUI-RECORD-LEVEL' not defined name. Statement or
clause ignored.
- * 3947 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003103
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3947 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003103
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 3948 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003104
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3948 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003104
Message : 'PUI-IS-INITIALIZED' not defined name. Statement or
clause ignored.
- * 3949 MSGID: LNC1023 SEVERITY: 30 SEQNBR: 003107
Message : Copy file 'PUIABORT' in '*LIBL/QCBLINC' could not
be opened. COPY statement ignored.
- * 3950 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003109
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3950 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003109
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 3952 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003111
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3952 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003112
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3953 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003113
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3953 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003114
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3954 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003115
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3954 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003116
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3955 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003117
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 3956 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003119
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3956 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003119
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3957 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003120
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3957 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003121
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3958 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003122
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3958 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003122
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 3959 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003123
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

STMT

- * 3960 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003124
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3960 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003124
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 3961 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003125
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003126
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003126
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003127
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003128
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003129
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003130
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003131
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003132
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003133
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003134
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003135
Message : 'P-PUI-FOUND' not defined name. Statement or clause

STMT

ignored.

- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003136
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003137
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003138
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003140
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003141
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003142
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003143
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003144
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003146
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003147
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 3962 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003148
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 3963 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003150
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3965 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003153
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 3965 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003153
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 3967 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003155
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3967 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003156
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3968 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003157
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3968 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003158
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3969 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003159
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3969 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003160
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3970 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003161
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 3971 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003163
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3971 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003163
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3972 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003164
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3972 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003165
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3973 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003166
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3973 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003166
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

STMT

- * 3974 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003167
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 3975 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003168
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3975 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003168
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 3976 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003169
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3977 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003170
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003170
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003171
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003172
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003173
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003174
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003175
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003176
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003177
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003178
Message : 'P-PUI-EOF' not defined name. Statement or clause

STMT

ignored.

- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003179
Message : 'P-PUI-FOUND' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003180
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003181
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003182
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003184
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003185
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003186
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003187
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003188
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003190
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003191
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or clause ignored.
- * 3977 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003192
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement or clause ignored.
- * 3978 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003194
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.

STMT

- * 3980 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003197
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3980 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003197
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 3982 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003199
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3982 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003200
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3983 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003201
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3983 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003202
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3984 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003203
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3984 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003204
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3985 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003205
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 3986 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003207
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3986 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003207
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3987 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003208
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3987 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003209
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3988 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003210
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 3988 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003210
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 3989 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003211
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 3990 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003212
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3990 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003212
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 3991 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003213
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3992 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003214
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003214
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003215
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003216
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003217
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003218
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003219
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003220
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003221
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or

STMT

clause ignored.

- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003222
Message : 'P-PUI-EOF' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003223
Message : 'P-PUI-FOUND' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003224
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003225
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003226
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003228
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003229
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003230
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003231
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003232
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003234
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003235
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or clause ignored.
- * 3992 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003236
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement or clause ignored.

STMT

- * 3993 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003238
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 3995 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003241
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3995 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003241
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 3997 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003243
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3997 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003244
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3998 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003245
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3998 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003246
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 3999 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003247
Message : Delimiter for literal is not correct. Literal
accepted.
- * 3999 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003248
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4000 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003249
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4001 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003251
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4001 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003251
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4002 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003252
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4002 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003253
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.

STMT

- * 4003 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003254
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4003 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003254
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4004 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003255
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4005 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003256
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4005 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003256
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4006 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003257
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003258
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003258
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003259
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003260
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003261
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003262
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003263
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003264
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or

STMT

clause ignored.

- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003265
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003266
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003267
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003268
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003269
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003270
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003272
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003273
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003274
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003275
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003276
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003278
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003279
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

STMT

- * 4007 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003280
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4008 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003282
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4009 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003283
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4011 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003286
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4011 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003286
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4013 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003288
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4013 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003289
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4014 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003290
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4014 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003291
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4015 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003292
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4015 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003293
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4016 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003294
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4017 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003296
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4017 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003296
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.

STMT

- * 4018 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003297
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4018 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003298
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4019 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003299
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4019 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003299
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4020 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003300
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4021 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003301
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4021 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003301
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4022 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003302
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4023 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003303
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003303
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003304
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003305
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003306
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003307
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement

STMT

or clause ignored.

- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003308
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003309
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003310
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003311
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003312
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003313
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003314
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003315
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003317
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003318
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003319
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003320
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003321
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

* 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003323
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003324
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

* 4023 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003325
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

* 4024 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003327
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4026 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003330
Message : Delimiter for literal is not correct. Literal
accepted.

* 4026 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003330
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4028 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003332
Message : Delimiter for literal is not correct. Literal
accepted.

* 4028 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003333
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

* 4029 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003334
Message : Delimiter for literal is not correct. Literal
accepted.

* 4029 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003335
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

* 4030 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003336
Message : Delimiter for literal is not correct. Literal
accepted.

* 4030 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003337
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

* 4031 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003338
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.

* 4032 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003340
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4032 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003340
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4033 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003341
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4033 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003342
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4034 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003343
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4034 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003343
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4035 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003344
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4036 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003345
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4036 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003345
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4037 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003346
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003347
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003347
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003348
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003349
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003350
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement

STMT

or clause ignored.

- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003351
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003352
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003353
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003354
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003355
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003356
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003357
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003358
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003359
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003361
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003362
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003363
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003364
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

STMT

- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003365
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003367
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003368
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4038 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003369
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4039 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003371
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4041 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003374
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4041 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003374
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4043 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003376
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4043 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003377
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4044 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003378
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4044 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003379
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4045 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003380
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4045 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003381
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4046 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003382
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.

STMT

- * 4047 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003384
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4047 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003384
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4048 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003385
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4048 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003386
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4049 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003387
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4049 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003387
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4050 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003388
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4051 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003389
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4051 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003389
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4052 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003390
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003391
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003391
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003392
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003393
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.

STMT

Statement or clause ignored.

- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003394
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003395
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003396
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003397
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003398
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003399
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003400
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003401
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003402
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003403
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003405
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003406
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003407
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

STMT

- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003408
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003409
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003411
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003412
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4053 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003413
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4054 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003415
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4056 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003418
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4056 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003418
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4057 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003419
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4057 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003419
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4058 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003420
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4058 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003421
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4059 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003422
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4059 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003422
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

STMT

- * 4060 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003423
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4061 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003424
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4061 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003424
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4062 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003425
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4063 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003426
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003426
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003427
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003428
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003429
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003430
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003431
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003432
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003433
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003434
Message : 'P-PUI-EOF' not defined name. Statement or clause

STMT

ignored.

- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003435
Message : 'P-PUI-FOUND' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003436
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003437
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003438
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003440
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003441
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003442
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003443
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003444
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003445
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003446
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003447
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or clause ignored.
- * 4063 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003448
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement or clause ignored.

STMT

- * 4064 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003450
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4066 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003453
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4066 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003453
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4067 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003454
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4067 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003454
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4068 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003455
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4068 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003456
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4069 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003457
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4069 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003457
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4070 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003458
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4071 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003459
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4071 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003459
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4072 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003460
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003461
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003461
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003462
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003463
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003464
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003465
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003466
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003467
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003468
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003469
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003470
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003471
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003472
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003473
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003475
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement

STMT

or clause ignored.

- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003476
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003477
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003478
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003479
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003480
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003481
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003482
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4073 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003483
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4074 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003485
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4075 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003486
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4077 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003489
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4077 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003489
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4079 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003491
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4079 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003492
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4080 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003493
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4080 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003494
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4081 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003495
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4081 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003496
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4082 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003497
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4083 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003499
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4083 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003499
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4084 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003500
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4084 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003501
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4085 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003502
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4085 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003502
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4086 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003503
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4087 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003504
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4087 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003504
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4088 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003505
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003506
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003506
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003507
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003508
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003509
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003510
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003511
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003512
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003513
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003514
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003515
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003516
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or

STMT

clause ignored.

- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003517
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003518
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003520
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003521
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003522
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003523
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003524
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003526
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003527
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4089 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003528
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4090 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003530
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4092 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003533
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4092 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003533
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4094 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003535
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4094 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003536
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4095 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003537
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4095 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003538
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4096 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003539
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4096 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003540
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4097 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003541
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4098 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003543
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4098 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003543
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4099 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003544
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4099 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003545
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4100 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003546
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4100 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003546
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4101 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003547
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

STMT

- * 4102 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003548
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4102 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003548
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4103 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003549
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003550
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003550
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003551
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003552
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003553
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003554
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003555
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003556
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003557
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003558
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003559
Message : 'P-PUI-FOUND' not defined name. Statement or clause

STMT

ignored.

- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003560
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003561
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003562
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003564
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003565
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003566
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003567
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003568
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003570
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003571
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4104 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003572
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4105 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003574
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4106 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003575
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

STMT

* 4108 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003578
Message : Delimiter for literal is not correct. Literal
accepted.

* 4108 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003578
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4110 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003580
Message : Delimiter for literal is not correct. Literal
accepted.

* 4110 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003581
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

* 4111 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003582
Message : Delimiter for literal is not correct. Literal
accepted.

* 4111 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003583
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

* 4112 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003584
Message : Delimiter for literal is not correct. Literal
accepted.

* 4112 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003585
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

* 4113 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003586
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.

* 4114 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003588
Message : Delimiter for literal is not correct. Literal
accepted.

* 4114 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003588
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.

* 4115 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003589
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.

* 4115 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003590
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.

* 4116 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003591
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4116 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003591
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4117 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003592
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4118 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003593
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4118 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003593
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4119 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003594
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4120 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003595
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003595
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003596
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003597
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003598
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003599
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003600
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003601
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003602
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or

STMT

clause ignored.

- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003603
Message : 'P-PUI-EOF' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003604
Message : 'P-PUI-FOUND' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003605
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003606
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003607
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003609
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003610
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003611
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003612
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003613
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003615
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003616
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or clause ignored.
- * 4120 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003617
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement or clause ignored.

STMT

- * 4121 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003619
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4123 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003622
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4123 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003622
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4125 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003624
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4125 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003625
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4126 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003626
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4126 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003627
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4127 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003628
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4127 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003629
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4128 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003630
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4129 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003632
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4129 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003632
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4130 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003633
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4130 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003634
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.

STMT

- * 4131 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003635
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4131 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003635
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4132 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003636
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4133 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003637
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4133 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003637
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4134 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003638
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003639
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003639
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003640
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003641
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003642
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003643
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003644
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003645
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or

STMT

clause ignored.

- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003646
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003647
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003648
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003649
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003650
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003651
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003653
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003654
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003655
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003656
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003657
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003659
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003660
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

STMT

- * 4135 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003661
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4136 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003663
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4138 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003666
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4138 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003666
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4140 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003668
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4140 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003669
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4141 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003670
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4141 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003671
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4142 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003672
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4142 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003673
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4143 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003674
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4144 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003676
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4144 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003676
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4145 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003677
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.

STMT

- * 4145 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003678
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4146 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003679
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4146 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003679
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4147 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003680
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4148 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003681
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4148 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003681
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4149 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003682
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003683
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003683
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003684
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003685
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003686
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003687
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003688
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement

STMT

or clause ignored.

- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003689
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003690
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003691
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003692
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003693
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003694
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003695
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003697
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003698
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003699
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003700
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003701
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003703
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

STMT

- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003704
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4150 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003705
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4151 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003707
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4153 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003710
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4153 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003710
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4155 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003712
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4155 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003713
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4156 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003714
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4156 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003715
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4157 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003716
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4157 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003717
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4158 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003718
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4159 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003720
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4159 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003720
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.

STMT

- * 4160 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003721
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4160 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003722
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4161 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003723
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4161 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003723
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4162 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003724
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4163 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003725
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4163 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003725
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4164 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003726
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003727
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003727
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003728
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003729
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003730
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003731
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement

STMT

or clause ignored.

- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003732
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003733
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003734
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003735
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003736
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003737
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003738
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003739
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003741
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003742
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003743
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003744
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003745
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003747
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003748
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4165 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003749
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4166 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003751
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4167 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003752
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4169 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003755
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4169 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003755
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4171 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003757
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4171 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003758
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4172 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003759
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4172 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003760
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4173 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003761
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4173 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003762
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4174 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003763
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.

STMT

- * 4175 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003765
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4175 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003765
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4176 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003766
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4176 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003767
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4177 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003768
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4177 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003768
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4178 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003769
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4179 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003770
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4179 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003770
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4180 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003771
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003772
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003772
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003773
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003774
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.

STMT

Statement or clause ignored.

- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003775
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003776
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003777
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003778
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003779
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003780
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003781
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003782
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003783
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003784
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003786
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003787
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003788
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

STMT

- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003789
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003790
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003792
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003793
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4181 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003794
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4182 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003796
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4184 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003799
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4184 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003799
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4186 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003801
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4186 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003802
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4187 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003803
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4187 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003804
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4188 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003805
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4188 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003806
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

STMT

- * 4189 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003807
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4190 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003809
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4190 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003809
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4191 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003810
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4191 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003811
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4192 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003812
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4192 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003812
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4193 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003813
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4194 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003814
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4194 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003814
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4195 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003815
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003816
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003816
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003817
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.

STMT

Statement or clause ignored.

- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003818
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003819
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003820
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003821
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003822
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003823
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003824
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003825
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003826
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003827
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003828
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003830
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003831
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

STMT

- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003832
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003833
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003834
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003836
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003837
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4196 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003838
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4197 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003840
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4198 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003841
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4200 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003844
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4200 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003844
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4202 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003846
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4202 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003847
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4203 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003848
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4203 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003849
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

STMT

- * 4204 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003850
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4204 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003851
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4205 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003852
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4206 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003854
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4206 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003854
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4207 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003855
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4207 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003856
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4208 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003857
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4208 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003857
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4209 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003858
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4210 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003859
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4210 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003859
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4211 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003860
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003861
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003861
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003862
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003863
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003864
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003865
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003866
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003867
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003868
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003869
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003870
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003871
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003872
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003873
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

STMT

- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003875
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003876
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003877
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003878
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003879
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003881
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003882
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4212 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003883
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4213 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003885
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4215 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003888
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4215 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003888
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4217 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003890
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4217 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003891
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4218 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003892
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4218 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003893
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4219 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003894
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4219 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003895
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4220 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003896
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4221 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003898
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4221 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003898
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4222 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003899
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4222 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003900
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4223 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003901
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4223 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003901
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4224 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003902
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4225 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003903
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4225 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003903
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4226 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003904
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or

STMT

clause ignored.

- * 4227 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003905
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003905
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003906
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003907
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003908
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003909
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003910
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003911
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003912
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003913
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003914
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003915
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003916
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

STMT

- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003917
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003919
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003920
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003921
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003922
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003923
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003925
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003926
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4227 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003927
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4228 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003929
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4229 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003930
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4231 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003933
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4231 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003933
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4233 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003935
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4233 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003936
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4234 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003937
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4234 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003938
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4235 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003939
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4235 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003940
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4236 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003941
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4237 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003943
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4237 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003943
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4238 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003944
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4238 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003945
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4239 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003946
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4239 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003946
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4240 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003947
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4241 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003948
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4241 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003948
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4242 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003949
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003950
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003950
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003951
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003952
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003953
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003954
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003955
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003956
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003957
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003958
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003959
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

STMT

- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003960
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003961
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003962
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003964
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003965
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003966
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003967
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003968
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003970
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003971
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4243 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003972
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4244 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003974
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4246 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003977
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4246 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003977
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4248 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003979
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4248 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003980
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4249 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003981
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4249 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003982
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4250 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003983
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4250 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003984
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4251 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003985
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4252 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003987
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4252 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003987
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4253 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003988
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4253 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003989
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4254 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003990
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4254 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003990
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4255 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003991
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement

STMT

or clause ignored.

- * 4256 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003992
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4256 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003992
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4257 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003993
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4258 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 003994
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003994
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003995
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003996
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003997
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003998
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 003999
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004000
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004001
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004002
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

STMT

- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004003
Message : 'P-PUI-FOUND' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004004
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004005
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004006
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004008
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004009
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004010
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004011
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004012
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004014
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004015
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or clause ignored.
- * 4258 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004016
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement or clause ignored.
- * 4259 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004018
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 4260 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004019
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.

STMT

- * 4262 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004022
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4262 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004022
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4264 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004024
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4264 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004025
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4265 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004026
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4265 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004027
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4266 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004028
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4266 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004029
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4267 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004030
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4268 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004032
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4268 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004032
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4269 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004033
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4269 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004034
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4270 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004035
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4270 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004035
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4271 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004036
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4272 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004037
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4272 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004037
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4273 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004038
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004039
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004039
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004040
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004041
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004042
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004043
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004044
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004045
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

STMT

- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004046
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004047
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004048
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004049
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004050
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004051
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004053
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004054
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004055
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004056
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004057
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004059
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004060
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4274 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004061
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

STMT

- * 4275 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004063
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4277 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004066
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4277 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004066
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4279 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004068
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4279 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004069
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4280 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004070
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4280 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004071
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4281 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004072
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4281 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004073
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4282 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004074
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4283 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004076
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4283 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004076
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4284 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004077
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4284 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004078
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.

STMT

Statement or clause ignored.

- * 4285 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004079
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4285 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004079
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4286 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004080
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4287 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004081
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4287 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004081
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4288 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004082
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4289 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004083
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004083
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004084
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004085
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004086
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004087
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004088
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.

STMT

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004089
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004090
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004091
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004092
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004093
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004094
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004095
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004097
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004098
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004099
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004100
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004101
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004103
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004104
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

STMT

- * 4289 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004105
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4290 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004107
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4291 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004108
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4293 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004111
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4293 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004111
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4294 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004112
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4294 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004112
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4295 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004113
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4295 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004114
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4296 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004115
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4296 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004115
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4297 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004116
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4298 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004117
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4298 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004117
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or

STMT

clause ignored.

- * 4299 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004118
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004119
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004119
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004120
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004121
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004122
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004123
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004124
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004125
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004126
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004127
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004128
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004129
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

STMT

- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004130
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004131
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004133
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004134
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004135
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004136
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004137
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004138
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004139
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004140
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4300 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004141
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4301 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004143
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4303 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004146
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4303 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004146
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4304 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004147
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4304 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004147
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4305 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004148
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4305 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004149
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4306 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004150
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4306 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004150
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4307 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004151
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4308 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004152
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4308 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004152
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4309 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004153
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004154
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004154
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004155
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004156
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.

STMT

Statement or clause ignored.

- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004157
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004158
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004159
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004160
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004161
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004162
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004163
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004164
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004165
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004166
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004168
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004169
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004170
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

STMT

- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004171
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004172
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004173
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004174
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004175
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4310 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004176
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4311 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004178
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4312 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004179
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4314 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004182
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4314 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004182
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4316 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004184
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4316 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004185
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4317 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004186
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4317 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004187
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

STMT

- * 4318 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004188
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4318 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004189
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4319 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004190
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4320 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004192
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4320 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004192
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4321 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004193
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4321 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004194
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4322 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004195
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4322 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004195
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4323 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004196
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4324 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004197
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4324 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004197
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4325 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004198
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004199
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004199
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004200
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004201
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004202
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004203
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004204
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004205
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004206
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004207
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004208
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004209
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004210
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004211
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

STMT

- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004213
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004214
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004215
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004216
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004217
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004219
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004220
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4326 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004221
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4327 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004223
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4329 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004226
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4329 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004226
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4331 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004228
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4331 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004229
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4332 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004230
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4332 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004231
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4333 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004232
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4333 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004233
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4334 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004234
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4335 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004236
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4335 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004236
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4336 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004237
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4336 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004238
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4337 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004239
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4337 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004239
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4338 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004240
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4339 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004241
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4339 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004241
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4340 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004242
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or

STMT

clause ignored.

- * 4341 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004243
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004243
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004244
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004245
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004246
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004247
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004248
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004249
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004250
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004251
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004252
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004253
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004254
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

STMT

- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004255
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004257
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004258
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004259
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004260
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004261
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004263
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004264
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4341 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004265
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4342 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004267
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4343 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004268
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4345 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004271
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4345 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004271
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4347 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004273
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4347 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004274
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4348 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004275
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4348 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004276
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4349 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004277
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4349 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004278
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4350 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004279
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4351 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004281
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4351 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004281
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4352 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004282
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4352 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004283
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4353 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004284
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4353 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004284
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4354 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004285
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4355 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004286
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4355 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004286
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4356 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004287
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004288
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004288
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004289
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004290
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004291
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004292
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004293
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004294
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004295
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004296
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004297
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

STMT

- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004298
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004299
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004300
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004302
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004303
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004304
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004305
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004306
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004308
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004309
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4357 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004310
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4358 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004312
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4360 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004315
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4360 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004315
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4362 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004317
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4362 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004318
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4363 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004319
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4363 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004320
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4364 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004321
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4364 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004322
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4365 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004323
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4366 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004325
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4366 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004325
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4367 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004326
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4367 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004327
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4368 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004328
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4368 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004328
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4369 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004329
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement

STMT

or clause ignored.

- * 4370 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004330
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4370 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004330
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4371 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004331
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4372 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004332
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004332
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004333
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004334
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004335
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004336
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004337
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004338
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004339
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004340
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

STMT

- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004341
Message : 'P-PUI-FOUND' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004342
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004343
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004344
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004346
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004347
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004348
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004349
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004350
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004352
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004353
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or clause ignored.
- * 4372 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004354
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement or clause ignored.
- * 4373 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004356
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 4374 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004357
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.

STMT

- * 4376 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004360
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4376 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004360
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4378 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004362
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4378 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004363
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4379 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004364
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4379 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004365
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4380 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004366
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4380 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004367
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4381 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004368
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4382 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004370
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4382 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004370
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4383 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004371
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4383 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004372
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4384 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004373
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4384 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004373
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4385 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004374
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4386 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004375
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4386 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004375
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4387 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004376
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4388 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004377
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004377
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004378
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004379
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004380
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004381
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004382
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004383
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

STMT

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004384
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004385
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004386
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004387
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004388
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004389
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004391
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004392
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004393
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004394
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004395
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004397
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004398
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

* 4388 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004399
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

STMT

- * 4389 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004401
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4391 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004404
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4391 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004404
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4393 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004406
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4393 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004407
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4394 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004408
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4394 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004409
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4395 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004410
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4395 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004411
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4396 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004412
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4397 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004414
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4397 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004414
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4398 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004415
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4398 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004416
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.

STMT

Statement or clause ignored.

- * 4399 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004417
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4399 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004417
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4400 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004418
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4401 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004419
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4401 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004419
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4402 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004420
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4403 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004421
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004421
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004422
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004423
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004424
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004425
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004426
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.

STMT

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004427
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004428
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004429
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004430
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004431
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004432
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004433
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004435
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004436
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004437
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004438
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004439
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004441
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004442
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

STMT

- * 4403 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004443
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4404 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004445
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4405 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004446
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4407 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004449
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4407 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004449
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4409 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004451
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4409 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004452
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4410 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004453
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4410 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004454
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4411 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004455
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4411 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004456
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4412 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004457
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4413 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004459
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4413 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004459
Message : 'P-PUI-ACTION' not defined name. Statement or

STMT

clause ignored.

- * 4414 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004460
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4414 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004461
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4415 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004462
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4415 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004462
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4416 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004463
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4417 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004464
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4417 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004464
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4418 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004465
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004466
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004466
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004467
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004468
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004469
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.

STMT

- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004470
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004471
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004472
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004473
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004474
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004475
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004476
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004477
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004478
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004480
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004481
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004482
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004483
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004484
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004486
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004487
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4419 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004488
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4420 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004490
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4422 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004493
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4422 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004493
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4424 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004495
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4424 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004496
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4425 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004497
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4425 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004498
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4426 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004499
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4426 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004500
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4427 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004501
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4428 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004503
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4428 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004503
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4429 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004504
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4429 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004505
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4430 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004506
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4430 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004506
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4431 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004507
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4432 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004508
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4432 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004508
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4433 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004509
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004510
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004510
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004511
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004512
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.

STMT

- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004513
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004514
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004515
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004516
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004517
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004518
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004519
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004520
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004521
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004522
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004524
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004525
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004526
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004527
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

STMT

- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004528
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004530
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004531
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4434 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004532
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4435 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004534
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4436 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004535
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4438 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004538
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4438 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004538
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4440 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004540
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4440 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004541
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4441 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004542
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4441 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004543
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4442 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004544
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4442 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004545
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement

STMT

or clause ignored.

- * 4443 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004546
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4444 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004548
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4444 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004548
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4445 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004549
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4445 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004550
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4446 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004551
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4446 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004551
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4447 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004552
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4448 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004553
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4448 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004553
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4449 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004554
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4450 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004555
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004555
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.

STMT

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004556
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004557
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004558
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004559
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004560
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004561
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004562
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004563
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004564
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004565
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004566
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004567
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004569
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004570
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

STMT

- * 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004571
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004572
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004573
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004575
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004576
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4450 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004577
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4451 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004579
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4453 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004582
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4453 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004582
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4455 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004584
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4455 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004585
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4456 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004586
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4456 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004587
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4457 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004588
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4457 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004589
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4458 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004590
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4459 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004592
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4459 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004592
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4460 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004593
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4460 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004594
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4461 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004595
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4461 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004595
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4462 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004596
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4463 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004597
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4463 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004597
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4464 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004598
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004599
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004599
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004600
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004601
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004602
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004603
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004604
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004605
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004606
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004607
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004608
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004609
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004610
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004611
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004613
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

STMT

- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004614
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004615
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004616
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004617
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004619
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004620
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4465 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004621
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4466 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004623
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4468 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004626
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4468 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004626
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4470 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004628
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4470 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004629
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4471 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004630
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4471 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004631
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement

STMT

or clause ignored.

- * 4472 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004632
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4472 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004633
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4473 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004634
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4474 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004636
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4474 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004636
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4475 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004637
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4475 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004638
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4476 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004639
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4476 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004639
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4477 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004640
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4478 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004641
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4478 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004641
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4479 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004642
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

STMT

- * 4480 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004643
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004643
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004644
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004645
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004646
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004647
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004648
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004649
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004650
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004651
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004652
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004653
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004654
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004655
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

STMT

- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004657
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004658
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004659
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004660
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004661
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004663
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004664
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4480 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004665
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4481 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004667
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4482 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004668
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4484 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004671
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4484 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004671
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4485 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004672
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4485 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004672
Message : 'P-PUI-ACTION' not defined name. Statement or

STMT

clause ignored.

- * 4486 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004673
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4486 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004674
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4487 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004675
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4487 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004675
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4488 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004676
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4489 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004677
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4489 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004677
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4490 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004678
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004679
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004679
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004680
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004681
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004682
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.

STMT

- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004683
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004684
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004685
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004686
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004687
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004688
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004689
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004690
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004691
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004693
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004694
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004695
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004696
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004697
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004698
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004699
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004700
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4491 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004701
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4492 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004703
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4494 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004706
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4494 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004706
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4495 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004707
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4495 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004707
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4496 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004708
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4496 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004709
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4497 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004710
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4497 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004710
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4498 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004711
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement

STMT

or clause ignored.

- * 4499 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004712
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4499 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004712
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4500 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004713
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4501 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004714
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004714
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004715
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004716
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004717
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004718
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004719
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004720
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004721
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004722
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

STMT

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004723
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004724
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004725
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004726
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004728
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004729
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004730
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004731
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004732
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004733
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004734
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004735
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

* 4501 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004736
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

* 4502 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004738
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

STMT

- * 4504 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004741
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4504 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004741
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4506 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004743
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4506 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004744
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4507 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004745
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4507 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004746
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4508 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004747
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4508 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004748
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4509 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004749
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4510 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004751
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4510 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004751
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4511 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004752
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4511 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004753
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4512 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004754
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4512 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004754
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4513 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004755
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4514 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004756
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4514 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004756
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4515 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004757
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4516 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004758
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004758
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004759
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004760
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004761
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004762
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004763
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004764
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

STMT

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004765
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004766
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004767
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004768
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004769
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004770
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004772
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004773
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004774
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004775
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004776
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004778
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004779
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

* 4516 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004780
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

STMT

- * 4517 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004782
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4519 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004785
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4519 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004785
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4521 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004787
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4521 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004788
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4522 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004789
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4522 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004790
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4523 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004791
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4523 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004792
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4524 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004793
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4525 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004795
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4525 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004795
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4526 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004796
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4526 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004797
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.

STMT

Statement or clause ignored.

- * 4527 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004798
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4527 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004798
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4528 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004799
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4529 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004800
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4529 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004800
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4530 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004801
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4531 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004802
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004802
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004803
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004804
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004805
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004806
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004807
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.

STMT

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004808
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004809
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004810
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004811
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004812
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004813
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004814
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004816
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004817
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004818
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004819
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004820
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004822
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004823
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

STMT

- * 4531 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004824
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4532 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004826
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4534 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004829
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4534 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004829
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4536 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004831
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4536 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004832
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4537 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004833
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4537 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004834
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4538 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004835
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4538 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004836
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4539 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004837
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4540 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004839
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4540 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004839
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4541 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004840
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.

STMT

Statement or clause ignored.

- * 4541 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004841
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4542 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004842
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4542 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004842
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4543 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004843
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4544 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004844
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4544 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004844
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4545 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004845
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004846
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004846
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004847
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004848
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004849
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004850
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.

STMT

- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004851
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004852
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004853
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004854
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004855
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004856
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004857
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004858
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004860
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004861
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004862
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004863
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004864
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004866
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

STMT

- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004867
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4546 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004868
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4547 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004870
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4549 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004873
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4549 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004873
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4551 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004875
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4551 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004876
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4552 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004877
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4552 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004878
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4553 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004879
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4553 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004880
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4554 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004881
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4555 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004883
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4555 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004883
Message : 'P-PUI-ACTION' not defined name. Statement or

STMT

clause ignored.

- * 4556 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004884
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4556 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004885
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4557 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004886
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4557 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004886
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4558 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004887
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4559 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004888
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4559 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004888
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4560 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004889
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004890
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004890
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004891
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004892
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004893
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.

STMT

- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004894
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004895
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004896
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004897
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004898
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004899
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004900
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004901
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004902
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004904
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004905
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004906
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004907
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004908
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004910
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004911
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4561 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004912
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4562 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004914
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4563 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004915
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4565 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004918
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4565 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004918
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4566 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004919
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4566 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004919
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4567 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004920
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4567 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004921
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4568 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004922
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4568 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004922
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4569 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004923
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement

STMT

or clause ignored.

- * 4570 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004924
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4570 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004924
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4571 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004925
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4572 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004926
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004926
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004927
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004928
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004929
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004930
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004931
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004932
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004933
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004934
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

STMT

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004935
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004936
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004937
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004938
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004940
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004941
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004942
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004943
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004944
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004945
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004946
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004947
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

* 4572 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004948
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

* 4573 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004950
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

STMT

- * 4575 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004953
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4575 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004953
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4576 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004954
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4576 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004954
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4577 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004955
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4577 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004956
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4578 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004957
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4578 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004957
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4579 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004958
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4580 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004959
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4580 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004959
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4581 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004960
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004961
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004961
Message : 'P-PUI-ACTION' not defined name. Statement or

STMT

clause ignored.

- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004962
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004963
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004964
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004965
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004966
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004967
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004968
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004969
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004970
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004971
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004972
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004973
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004975
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

STMT

- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004976
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004977
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004978
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004979
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004980
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004981
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004982
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4582 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004983
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4583 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004985
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4585 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004988
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4585 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004988
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4587 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004990
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4587 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004991
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4588 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004992
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4588 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004993
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4589 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004994
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4589 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004995
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4590 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004996
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4591 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 004998
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4591 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004998
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4592 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 004999
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4592 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005000
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4593 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005001
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4593 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005001
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4594 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005002
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4595 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005003
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4595 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005003
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4596 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005004
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or

STMT

clause ignored.

- * 4597 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005005
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005005
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005006
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005007
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005008
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005009
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005010
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005011
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005012
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005013
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005014
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005015
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005016
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

STMT

- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005017
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005019
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005020
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005021
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005022
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005023
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005025
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005026
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4597 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005027
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4598 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005029
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4600 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005032
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4600 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005032
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4602 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005034
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4602 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005035
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.

STMT

- * 4603 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005036
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4603 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005037
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4604 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005038
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4604 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005039
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4605 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005040
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4606 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005042
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4606 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005042
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4607 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005043
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4607 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005044
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4608 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005045
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4608 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005045
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4609 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005046
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4610 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005047
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4610 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005047
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or

STMT

clause ignored.

- * 4611 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005048
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005049
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005049
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005050
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005051
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005052
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005053
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005054
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005055
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005056
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005057
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005058
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005059
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

STMT

- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005060
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005061
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005063
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005064
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005065
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005066
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005067
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005069
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005070
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4612 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005071
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4613 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005073
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4615 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005076
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4615 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005076
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4617 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005078
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4617 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005079
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4618 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005080
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4618 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005081
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4619 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005082
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4619 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005083
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4620 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005084
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4621 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005086
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4621 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005086
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4622 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005087
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4622 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005088
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4623 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005089
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4623 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005089
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4624 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005090
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4625 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005091
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4625 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005091
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4626 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005092
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4627 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005093
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005093
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005094
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005095
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005096
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005097
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005098
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005099
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005100
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005101
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005102
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

STMT

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005103
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005104
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005105
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005107
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005108
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005109
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005110
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005111
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005113
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005114
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

* 4627 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005115
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

* 4628 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005117
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4629 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005118
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4631 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005121
Message : Delimiter for literal is not correct. Literal
accepted.

STMT

- * 4631 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005121
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4633 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005123
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4633 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005124
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4634 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005125
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4634 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005126
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4635 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005127
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4635 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005128
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4636 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005129
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4637 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005131
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4637 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005131
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4638 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005132
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4638 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005133
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4639 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005134
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4639 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005134
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement

STMT

or clause ignored.

- * 4640 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005135
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4641 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005136
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4641 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005136
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4642 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005137
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4643 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005138
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005138
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005139
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005140
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005141
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005142
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005143
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005144
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005145
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

STMT

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005146
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005147
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005148
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005149
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005150
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005152
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005153
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005154
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005155
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005156
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005158
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005159
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

* 4643 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005160
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

* 4644 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005162
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

STMT

- * 4646 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005165
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4646 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005165
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4648 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005167
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4648 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005168
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4649 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005169
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4649 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005170
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4650 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005171
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4650 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005172
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4651 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005173
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4652 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005175
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4652 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005175
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4653 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005176
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4653 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005177
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4654 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005178
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- * 4654 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005178
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4655 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005179
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4656 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005180
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4656 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005180
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4657 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005181
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005182
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005182
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005183
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005184
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005185
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005186
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005187
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005188
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

STMT

- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005189
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005190
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005191
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005192
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005193
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005194
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005196
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005197
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005198
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005199
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005200
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005202
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005203
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4658 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005204
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.

STMT

- * 4659 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005206
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4661 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005209
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4661 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005209
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4663 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005211
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4663 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005212
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4664 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005213
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4664 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005214
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4665 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005215
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4665 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005216
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4666 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005217
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4667 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005219
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4667 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005219
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4668 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005220
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4668 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005221
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.

STMT

Statement or clause ignored.

- * 4669 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005222
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4669 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005222
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4670 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005223
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4671 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005224
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4671 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005224
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4672 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005225
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4673 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005226
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005226
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005227
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005228
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005229
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005230
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005231
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.

STMT

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005232
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005233
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005234
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005235
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005236
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005237
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005238
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005240
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005241
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005242
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005243
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005244
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005246
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.

* 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005247
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.

STMT

- * 4673 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005248
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4674 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005250
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4675 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005251
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4677 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005254
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4677 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005254
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4678 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005255
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4678 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005255
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4679 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005256
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4679 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005257
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4680 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005258
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4680 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005258
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4681 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005259
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4682 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005260
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4682 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005260
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or

STMT

clause ignored.

- * 4683 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005261
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005262
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005262
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005263
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005264
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005265
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005266
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005267
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005268
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005269
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005270
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005271
Message : 'P-PUI-FOUND' not defined name. Statement or clause
ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005272
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or
clause ignored.

STMT

- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005273
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005274
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005276
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement
or clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005277
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005278
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005279
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005280
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005281
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005282
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005283
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or
clause ignored.
- * 4684 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005284
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement
or clause ignored.
- * 4685 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005286
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4687 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005289
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4687 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005289
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or
clause ignored.

STMT

- * 4689 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005291
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4689 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005292
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4690 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005293
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4690 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005294
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4691 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005295
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4691 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005296
Message : 'PUI-IN-MESSAGE-DATA' not defined name. Statement
or clause ignored.
- * 4692 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005297
Message : 'PUI-250-ABORT' not defined name. Statement or
clause ignored.
- * 4693 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005299
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4693 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005299
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4694 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005300
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4694 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005301
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4695 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005302
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4695 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005302
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement
or clause ignored.
- * 4696 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005303
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement

STMT

or clause ignored.

- * 4697 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005304
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4697 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005304
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or
clause ignored.
- * 4698 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005305
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or
clause ignored.
- * 4699 MSGID: LNC0014 SEVERITY: 10 SEQNBR: 005306
Message : Delimiter for literal is not correct. Literal
accepted.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005306
Message : 'P-PUI-ACTION' not defined name. Statement or
clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005307
Message : 'P-PUI-OPEN-ACCESS-STRUCTURE' not defined name.
Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005308
Message : 'P-PUI-OPEN-ACCESS-LENGTH' not defined name.
Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005309
Message : 'P-PUI-RECORD-LEVELS' not defined name. Statement
or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005310
Message : 'P-PUI-DISPLAY-NAMES' not defined name. Statement
or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005311
Message : 'P-PUI-IS-OPEN-TABLE' not defined name. Statement
or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005312
Message : 'P-PUI-DSP-INDEX' not defined name. Statement or
clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005313
Message : 'P-PUI-DUMMY-PARM' not defined name. Statement or
clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005314
Message : 'P-PUI-EOF' not defined name. Statement or clause
ignored.

STMT

- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005315
Message : 'P-PUI-FOUND' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005316
Message : 'P-PUI-RECORD-COUNT' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005317
Message : 'P-PUI-RECORD-DATA-TABLE' not defined name.
Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005318
Message : 'P-PUI-QUALIFIED-FILE' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005320
Message : 'P-PUI-RECORD-FORMAT' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005321
Message : 'P-PUI-IS-SUBFILE' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005322
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005323
Message : 'P-PUI-COMMAND-KEYS' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005324
Message : 'P-PUI-HAS-INDARA' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005326
Message : 'P-PUI-CONTROL-AREA' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005327
Message : 'P-PUI-I-O-FEEDBACK' not defined name. Statement or clause ignored.
- * 4699 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005328
Message : 'P-PUI-OPEN-FEEDBACK' not defined name. Statement or clause ignored.
- * 4700 MSGID: LNC1326 SEVERITY: 30 SEQNBR: 005330
Message : 'P-PUI-SUBFILE-RRN' not defined name. Statement or clause ignored.
- * 4728 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +007400
Message : Delimiter for literal is not correct. Literal accepted.

STMT

* 4729 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +007500
Message : Delimiter for literal is not correct. Literal
accepted.

* 4730 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +007700
Message : Delimiter for literal is not correct. Literal
accepted.

* 4731 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +007800
Message : Delimiter for literal is not correct. Literal
accepted.

* 4732 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +008000
Message : Delimiter for literal is not correct. Literal
accepted.

* 4733 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +008100
Message : Delimiter for literal is not correct. Literal
accepted.

* 4734 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +008300
Message : Delimiter for literal is not correct. Literal
accepted.

* 4735 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +008400
Message : Delimiter for literal is not correct. Literal
accepted.

* 4736 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +008600
Message : Delimiter for literal is not correct. Literal
accepted.

* 4737 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +008700
Message : Delimiter for literal is not correct. Literal
accepted.

* 4738 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +008900
Message : Delimiter for literal is not correct. Literal
accepted.

* 4739 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +009000
Message : Delimiter for literal is not correct. Literal
accepted.

* 4740 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +009200
Message : Delimiter for literal is not correct. Literal
accepted.

* 4741 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +009300
Message : Delimiter for literal is not correct. Literal
accepted.

* 4742 MSGID: LNC0014 SEVERITY: 10 SEQNBR: +009500
Message : Delimiter for literal is not correct. Literal

STMT

accepted.

- *

4743

MSGID: LNC0014 SEVERITY: 10 SEQNBR: +009600

Message : Delimiter for literal is not correct. Literal accepted.
- *

4748

MSGID: LNC0014 SEVERITY: 10 SEQNBR: +010201

Message : Delimiter for literal is not correct. Literal accepted.

Message Summary

Message totals:

Information (00-04)	:	0
Warning (05-19)	:	507
Error (20-29)	:	0
Severe (30-39)	:	1901
Terminal (40-99)	:	0

Total			2408

* * * * * E N D O F M E S S A G E S * * * * *

Statistics:

Source records read	:	5332
Copy records read	:	2780
Copy members processed	:	15
Sequence errors	:	0
Highest severity message issued	. . .	:	30

* LNC1903 40 Program WHB0050 not created in library TK16731 because of source statement errors.

* * * * * E N D O F C O M P I L A T I O N * * * * *